


San Antonio Metropolitan Health District

HEALTH PROFILES 1999



Our Challenge: Improving the Public's Health

SAN ANTONIO METROPOLITAN HEALTH DISTRICT



332 West Commerce
San Antonio, Texas 78205-2489
PHONE (210) 207-8780 FAX (210) 207-8999

June 2000

To Our Partners in Health:

As we release our first Health Profiles report of the new century we are continuing the process of refining, improving and expanding the scope of this assessment of our community's health status. This dynamic process allows the San Antonio Metropolitan Health District to measure our progress in pursuit of our mission to promote and protect the health of all San Antonio and Bexar County residents as well as visitors to our community.

Every community shares many traits in common with living organisms and there are indicators that either contribute to or frustrate efforts to create, nurture and sustain healthy environments where everyone has the opportunity to reach his or her full potential. Our ability to identify, measure and track these indicators has improved dramatically in recent years. Each year our Health Profiles report is more focused and comprehensive as a result of our ability to capture and analyze more of these indicators. We have also grown in our awareness and appreciation of the complex patterns and subtle interactions that characterize all human endeavors. Our challenge in the years ahead is to combine this newly available data with our growing insights on human behavior and fashion an agenda for action that will influence policy makers, impact priority setting and resource allocation and promote meaningful and sustainable change.

Some of public health's earliest victories provided us with confidence that the food we ate, the water we drank and the air we breathed could be made safe. Protocols for ongoing inspection and regulation have proven extremely effective in providing a high level of protection. Improved rates of immunization against vaccine preventable diseases in conjunction with aggressive educational efforts and technological advances allowing us to manipulate and modify some environmental conditions have resulted in impressive victories over many communicable diseases. By any measure, public health's record of achievement during this past century has been substantial and impressive.

The challenge for the 21st century is to assure that all of our fellow citizens share equally in these hard won victories. The sophisticated instruments that allow us to measure conditions and monitor progress have shown that not all segments of our community share equally in the benefits that result from these advances. Significant disparities in both access to health care and in specific health outcomes are increasingly well documented. This calls for a re-focusing of our energies, a re-alignment of our resources and a re-dedication of our commitment. Success will be as dependent on our political

will as on our health care technology. These new challenges are more often than not behavior driven and imbedded in the social environment that surrounds many of our fellow citizens. The behavior patterns and social pathologies facing the public health professionals and their clinical colleagues in the new century will require additional skills as well as new sensitivities. The task of addressing problems such as teen-age pregnancy, sexually transmitted diseases, mental health, interpersonal violence, substance abuse, chronic diseases and re-emerging infectious diseases will continue to lay claim to an increasing share of our always-limited resources.

Our report this year continues to reflect our concern about some of the more important determinants of community health as well as the indicators themselves. These include the prevalence and impact of poverty, crime, poor housing and educational deficits on selected high -risk populations. You will find more information on adolescents, an in depth review of cancer deaths and an examination of diabetes, both as a primary and contributing cause of death. New data on asthma is included to reflect our growing attention to this troubling condition, especially among our children. The full report will be available on the SAMHD web page (www.samhd.org).

The health concerns highlighted here cannot be addressed solely with public health resources. We must work to develop alliances, coalitions, and partnerships that will allow us to draw state, federal and local community assets together to counter the vast array of personal, social and environmental forces that contribute to poor health status. Sub-standard housing conditions, limited employment prospects, poor school performance can all combine to undermine the best-designed public health intervention strategies. We must also continue to develop service models that are less rigid and monolithic and more flexible and inclusive reflecting a more integrated and committed community approach. It is my hope that the data we present in the Health Profiles 1999 report will encourage and motivate such collaborative efforts.

My special thanks and appreciation go to the staff of public health professionals who serve our community with dedication and commitment. Their continuing efforts are reflected in this document. Their contributions, and those of our many community partners, help assure the continued health and wellbeing of our residents and visitors.

Sincerely,



Fernando A. Guerra, M.D., M.P.H.
Director of Health

ACKNOWLEDGMENTS

Gratitude is extended to everyone who participated in the development of this year's San Antonio Health Profiles. The contributions of Mr. Frank Blalock, Assistant Director of Health, Mr. Charles Pruski, Executive Assistant and Mr. John Berlanga, Management Analyst were especially insightful and substantive. Dr. Pamela Wood, Professor of Pediatrics, University of Texas Health Science Center at San Antonio is recognized for her generous assistance with the sections dealing with asthma. We offer special thanks to the residents in Occupational and Preventive Medicine, USAF School of Aerospace Medicine, Brooks AFB. Their input and review of the material added immeasurably to the quality of the final product. The Texas Department of Health, the Bexar County Adult Probation Office, the Bexar County Appraisal District and the San Antonio Housing Authority provided invaluable assistance through the data they made available. Finally, special appreciation is extended to Mr. Alexander E. Briseño, City Manager and Ms. Melissa Byrne Vossmer, Assistant City Manager for their guidance and support throughout this process.

Mission

To promote health and prevent disease among the residents and visitors of San Antonio and unincorporated Bexar County through community health assessment, identification of unmet needs, development of policies to meet these needs, and assurance that needs are met through the development of public-private partnerships and/or direct provision of services.

Essential Public Health Services

- Monitor health status of community
- Investigate health problems in community
- Inform, educate, & empower stakeholders
- Forge community partnerships
- Develop health policy & support planning
- Enforce health code & regulations
- Link people to appropriate health resources
- Assure a competent public health workforce
- Evaluate the quality & effectiveness of efforts
- Support public health research & innovation

Table of Contents

	Page
Health Demographics	
Selected Demographics and Health Indicators	4
Population Estimates	5
Population by Age Estimates	6
Life Expectancy	7
Births & Maternal Health	
Maternal Health Indicators 1993-1999	8
Maternal Health Indicators by Age	9
Low Birth Weight Births	10
Multiple Births	11
Births to Age of Mother & Birth Order	12
Births to Single Mothers by Age of Mother & Birth Order	13
Births to Mothers Age <20 by Age of Father	14
Births by Mothers Age <20 by School District	15
San Antonio Births Summary by Council Districts 1997 to 1999	16
Maternal Indicators by City Council District from 1997 to 1999	17
San Antonio Births by Age of Mother and Council District	19
San Antonio Birth to Single Mothers by Mothers Age and Council District	20
Births by Bexar County Precinct 1997 to 1999	21
Maps of Total Births and Teen Births by Census Tract	22
Maps of Low Birth Weight Births and Late Prenatal Care by Census Tract	23
Maps of Single Mothers and Infant Deaths by Census Tract	24
Deaths	
Bexar County Neonatal and Infant Mortality	25
Bexar County Causes of Death by Gender	26
Bexar County Causes of Death by Race /Ethnicity	27
Bexar County Leading Causes of Death	28
Bexar County Leading Causes of Death by Age Group	29
San Antonio Deaths Summary by Council District 1997 to 1999	30
San Antonio Selected Death Rate by Council District from 1996 to 1998	31
Deaths by Bexar County Precinct 1997 to 1999	34
Maps of Total Deaths and Cancer Deaths by Census Tract	35
Maps of Diabetes Deaths and Heart and CV Disease Deaths by Census Tract	36
Maps of Accidental Deaths Excluding Motor Vehicle and Motor Vehicle Deaths by Census Tract	37
Map of Homicide Deaths and Suicide Deaths by Census Tract	38
Other Public Health Information	
Environmental Health Indicators 1999	39
Asthma Inpatient Population	40
Elevated Lead Cases (Children, Ages 0 to 6)	41
Selected Reportable Communicable Diseases	42
Preventable/ Selected Reportable Diseases	43
Sexually Transmitted Diseases 1993-1999	44
1999 Health Indicators by Zipcode for Ages <20	45
Behavioral Risk Factor Surveillance 1999	47
Health Benchmarks	48
Bexar County Student Population Change by District for 1994 /1999	49
Bexar County Education Statistics by District for 1998 /1999	50
Arrests for Substance-related and Violent Crime	51
San Antonio Housing Assistance 1994 /1999	52
Single Family Housing Units that Are Renter Occupied	53
Glossary	
Glossary	54

Table of Contents of Appendix

Births & Maternal Health

1999 Maternal Health Indicators for Specific Areas of the County	3
1999 Maternal Health Indicators for Neighborhood Associations	4
Births at S.W. Tx Methodist Hospital & University Hospital by Mother's Residence	8
Births at CHRISTUS Santa Rosa Hospital & Metropolitan Methodist Hospital by Mother's Residence	9
Births at Baptist Medical Center & Wilford Hall Medical Center by Mother's Residence	10
1999 Births by Census Tract	11

Deaths

Bexar County Cancer Deaths	18
Bexar County Cancer Deaths by Age Group	19
Maps of Total Cancer Deaths and Prostate Cancer Deaths by Zipcode	20
Maps of Breast Cancer and Ovarian Cancer Deaths by Zipcode	21
Maps of Colon Cancer Deaths and Cancer Deaths to persons age < 20 by Zipcode	22
Maps of Leukemia and Lung Cancer Deaths by Zipcode	23
Maps of Pancreas and Liver Cancer Deaths by Zipcode	24
Bexar County Selected Cancer Deaths by Zipcode	25
Deaths by Census Tract	27
Diabetes Related Deaths	33
Diabetes Related Deaths by Cause of Death	34

Other Public Health Information

Sexually Transmitted Diseases by Zipcode Age 13-19	35
Location of Physicians, Hospitals and Health Clinics	37
Bexar County Substance Abuse Treatment	38
Juvenile Probation	39
Adult Probation	40

Health Profiles 1999

The Health Profiles 1999 consists of the Basic Report and Appendix. The Appendix has expanded data sets.

Access to this publication

In addition to the printed version of Health Profiles 1999, access is available:

1) Internet access to the complete report is available at:
<http://www.samhd.org/profiles/>


2) A CD-ROM of the complete report is available. Orders may be placed by mail, e-mail, fax, or telephone.

Questions or comments regarding this report should be directed to:

John A. Berlanga
Management Analyst
San Antonio Metropolitan Health District
332 West Commerce
San Antonio, TX 78205-2489
Telephone: (210) 207-6976
Facsimile: (210) 207-8999
Email: jberlanga@ci.sat.tx.us

1999 Selected Health Demographics and Health Indicators

Bexar County Population by Race and Ethnicity



Population estimates obtained from Texas State Data Center (www.cpa.tat.tx.us).

All births and deaths are by county of residence.

Low Birth Weight-live-born infants weighing less than 2,500 grams at birth.

Late prenatal care-no prenatal care during the first trimester of pregnancy.

Age Adjusted Death Rate calculations uses US Standard Million 1940

Communicable Disease & Death rates are per 100,000 population.

* Incomplete Birth Record due to missing information or delays in processing

** Infant Mortality rates are per 1,000 live births.

*** 1995 Small Area Poverty Estimates, Census

Socio Economic Indicators	Number	% of Pop	Number
San Antonio Population (Dec, 1999)	1,192,300	87.8%	Family Violence Incidents 1998
Bexar County Population (1999)	1,358,087	NA	Victims of Child Abuse/Neglect FY98
*** Children (<18) in Poverty	116,428	29.6%	Investigations of Child Abuse/Neglect FY98
*** Overall Population in Poverty	254,595	19.4%	Runaway referrals
Unemployment (% of Work Force)	27,180	3.5%	Curfew violations
Women Below 150% Poverty (Census 1990)	168,486	12.4%	Bexar County (BC) Adult Probationers
Population 200% Below Poverty (Census 1990)	429,312	31.6%	BC Adult Probationers for Drug Abuse
Women Ages 15-44 (Census 1990)	309,274	22.8%	BC Adult Probationers for DWI
Population Under Age 1	23,496	1.7%	BC Juveniles on Probation
SAMHD Monthly WIC Clients	44,520		BC Juveniles Probationers Ages 10-14
SAMHD Average WIC Food Vouchers Redeemed per Month	\$ 2,109,850		BC Juveniles Probationers Ages 15-17
			BC Juvenile Probationers for Drug Offenses
			Total Probation Population

San Antonio Natality				Bexar County Natality			
	Number	% of Births	USA		Number	% of Births	USA
Total Births	19,784	100%		Total Births	23,496	100%	
Hispanic Births	13,352	67.5%	18.3%	Hispanic Births	15,079	64.2%	18.3%
Non-Hispanic White Births	4,552	23.0%	60.1%	Non Hispanic White Births	6,105	26.0%	60.1%
Black Births	1,353	6.8%	15.5%	Black Births	1,353	5.8%	15.5%
Native American Births	27	0.1%	1.0%	Native American Births	27	0.1%	1.0%
Asian / Other Births	376	1.9%	4.4%	Asian / Other Births	376	1.6%	4.4%
* Incomplete Birth Record	124	0.6%	0.7%	* Incomplete Birth Record	556	2.4%	0.7%
Birth Age <18	1,398	7.1%	4.9%	Birth Age <18	1,587	6.8%	4.9%
Low Birth Weight Births	1,492	7.5%	7.5%	Low Birth Weight Births	1,737	7.4%	7.5%
Late Prenatal Care Births	3,031	15.3%	3.9%	Late Prenatal Care Births	3,446	14.7%	3.9%
Births to Single Mothers	6,300	31.8%	32.4%	Births to Single Mothers	7,165	30.5%	32.4%
** Infant Mortality	124	6.3	7.2%	** Infant Mortality	145	6.2	7.2%

Bexar County Mortality				Bexar County Mortality			
	Number	Age Adjusted Rate	Gross Rate		Number	Age Adjusted Rate	Gross Rate
Deaths - All Causes	9,453	462.7	696.1	Cancer - all	1,755	88.4	129.2
Heart Disease	2,542	111.1	145.8	-lung	412	30.4	30.3
Stroke	386	15.9	28.4	-breast	144	20.0	10.6
Homicide	108	8.4	8.0	-prostate	80	3.3	5.9
Suicide	115	7.9	8.5	Unintentional Injury (w/o MV)	173	10.5	12.7
Diabetes	313	15.8	23.0	-motor vehicle	121	24.5	8.9

Environmental		Number of Children 0-6		
Animals Impounded	47,749	Children w/ Blood Lead Levels >10 u/dl	917	139,035 659.5
Animal Bites Reported	3,318	Ozone Action Days in 1999	30	
Rabies Cases in Animals (All cases were in bats)	9	San Antonio Tons of Municipal Solid Waste Collected	327,025	

Communicable Diseases				Communicable Diseases			
	Number	Gross Rate	Texas 98		Number	Gross Rate	Texas 98
Primary & Secondary Syphilis	25	1.8	3.5	Tuberculosis	93	6.8	10.3
Gonorrhea	2,096	154.3	135.9	Hepatitis A	307	22.6	23.0
AIDS	207	15.2	24.3	Hepatitis B	76	5.6	6.4
HIV	157	11.6	21.4	Hepatitis C	51	3.8	1.9
Chlamydia	5776	425.3	262.5				


San Antonio population estimate obtained from San Antonio Planning Department- Jan 2000.

Birth Data as of June 2000

Some us?

Population Estimates

Estimated Bexar County Population by Race and Ethnicity 1990 to 2030



Estimated Bexar County Population by Race and Ethnicity

	1990	1999	Pop. Increase	% Increase 1990 to 1999	% 1999 Pop.
Hispanic	589,123	716,915	127,792	22%	53%
Non Hispanic White	497,074	521,018	23,944	5%	38%
Black	81,533	93,465	11,932	15%	7%
Other	17,664	26,689	9,025	51%	2%
Total	1,185,394	1,358,087	172,693	13%	100%

Estimated Population Bexar County by Births and Deaths

Population 1990	Births 4/1990-1999	Deaths 4/1990 - 1999	Pop. Increase	Migration	Total Estimate	% Increase in Pop.
1,185,394	220,655	85,012	135,643	37,050	1,358,087	13%


Source: San Antonio Metropolitan Health District

Source: <http://www.window.state.tx.us>

Texas State Data Center was selected for Population Estimates for comparison with other counties

Population Forecast for Bexar County, Texas by Race and Ethnicity: 1990-2030

Estimated Bexar County Population by Age (1999)



Age	Non Hispanic White Male	Non Hispanic White Female
0 to 4	16,622	16,015
5 to 9	17,410	16,797
10 to 14	16,260	15,637
15 to 19	16,469	15,169
20 to 24	16,593	14,876
25 to 29	23,916	21,945
30 to 34	20,105	21,704
35 to 39	20,209	22,001
40 to 44	19,609	21,315
45 to 49	19,031	21,368
50 to 54	17,993	19,199
55 to 59	13,380	14,297
60 to 64	10,208	11,273
65 to 69	9,657	10,581
70 to 74	7,898	10,924
75 plus	14,065	24,894
Total	259,425	277,995




Age	Black Male	Black Female
0 to 4	3,899	3,783
5 to 9	3,917	3,795
10 to 14	3,819	3,726
15 to 19	4,001	3,713
20 to 24	3,454	3,558
25 to 29	3,877	3,873
30 to 34	3,117	3,328
35 to 39	3,303	3,888
40 to 44	3,546	3,975
45 to 49	2,950	3,136
50 to 54	2,126	2,267
55 to 59	1,546	1,878
60 to 64	1,292	1,436
65 to 69	1,148	1,516
70 to 74	836	1,262
75 plus	1,262	2,297
Total	44,093	47,431

Age	Hispanic Male	Hispanic Female
0 to 4	38,599	37,267
5 to 9	36,740	35,591
10 to 14	31,905	30,672
15 to 19	31,149	29,795
20 to 24	29,825	28,612
25 to 29	32,211	31,251
30 to 34	28,117	28,248
35 to 39	27,787	28,022
40 to 44	23,974	25,279
45 to 49	19,983	22,906
50 to 54	16,066	18,359
55 to 59	11,142	13,246
60 to 64	8,542	11,006
65 to 69	7,039	9,948
70 to 74	6,039	9,089
75 plus	8,142	14,916
Total	357,260	374,207

Note: Ethnicities and Races other than Hispanic and Blacks were included with non-Hispanic Whites.

Source: www.txcancer.org/

Life Expectancy 1999



Maternal Health Indicators 1992 - 1999


	1992	%	1993	1994	1995	1996	1997	1998	1999	%
Total Births	22,058		22,541	22,599	22,346	22,691	22,810	23,203	23,496	
Births to Mothers 10-17	1,497	6.8%	1,611	1,751	1,746	1,696	1,775	1,595	1,587	6.8%
Subsequent Births to Mothers 10-17	334	1.5%	324	238	238	235	256	203	226	1.0%
Births to Single Mothers	4,091	18.5%	4,176	6,377	5,614	5,655	6,954	6,875	7,165	30.5%
Births to Mothers Receiving Late or no Prenatal Care	4,972	22.5%	4,573	4,361	4,003	3,542	3,681	3,374	3,446	14.7%
Low Birth Weight Infants (<2500 grams)	1,562	7.1%	1,571	1,561	1,620	1,657	1,630	1,674	1,737	7.4%
Infant Deaths*	161	7.3	184	170	173	178	173	149	145	6.2

*Infant Mortality rates are per 1,000 live births.

1999 Maternal Health Indicators by Hospital

Hospital	Total Births	Single Mother	%	Late Prenatal Care	%	Extremely Low Birth Wt. <750 Grams	%	Very Low Birth Wt. >750 <1500 Grams	%	Low Birth Wt. > 1500 < 2500 Grams	%	Medicaid	%
Southwest Tx Methodist	6603	1570	24%	637	10%	14	0%	60	1%	378	6%	1693	26%
University	2694	740	27%	539	20%	21	1%	39	1%	212	8%	830	31%
CHRISTUS Santa Rosa Hospital	2685	1130	42%	591	22%	19	1%	46	2%	259	10%	1863	69%
Metropolitan Methodist	2233	952	43%	129	6%	3	0%	15	1%	101	5%	1217	55%
Baptist Medical Center	1975	658	33%	553	28%	2	0%	15	1%	113	6%	1003	51%
Wilford Hall	1639	196	12%	98	6%	4	0%	10	1%	101	6%	0	0%
NE Baptist	1549	356	23%	170	11%	4	0%	16	1%	68	4%	273	18%
S.W. General Hospital	1259	667	53%	313	25%	2	0%	6	0%	61	5%	1139	90%
NC Baptist	901	134	15%	53	6%	3	0%	2	0%	41	5%	92	10%
CHRISTUS Santa Rosa Med Cen (NW)	693	236	34%	167	24%	0	0%	3	0%	33	5%	192	28%
Nix Medical Center	599	245	41%	82	14%	0	0%	0	0%	30	5%	290	48%
SE Baptist	348	177	51%	61	18%	1	0%	4	1%	24	7%	127	36%
UNKNOWN	260	99	38%	39	15%	4	2%	6	2%	14	5%	149	57%
HOME	56	4	7%	13	23%	0	0%	0	0%	2	4%	2	4%
Brooke Army	1	0	0%	1	100%	0	0%	0	0%	0	0%	0	0%
OTHER LOCATION	1	1	100%	0	0%	0	0%	1	100%	0	0%	0	0%
Total	23,496	7,165	30%	3,446	15%	77	0%	223	1%	1,437	6%	8,870	38%

Bexar County Births by Race & Ethnicity




1999 Maternal Health Indicators by Hospital by Age Group

Hospital	Births to Mothers 12-19	% of All Births	Single Mothers 12-19	%	Late Prenatal Care 12-19	%	Subsequent Births to Mothers 12-19	%	Low Birth Wt. <2500 Grams age 12-19	%
CHRISTUS Santa Rosa Hospital	822	31%	483	59%	225	27%	232	28%	92	11%
Southwest Tx Methodist	586	9%	448	76%	169	29%	128	22%	38	6%
University	508	19%	255	50%	140	28%	134	26%	56	11%
Baptist Medical Center	442	22%	259	13%	159	8%	133	7%	28	1%
Metropolitan Methodist	426	19%	325	76%	8	2%	115	27%	23	5%
S.W. General Hospital	401	32%	298	74%	108	27%	130	32%	25	6%
Wilford Hall	146	9%	87	60%	27	18%	22	15%	17	12%
CHRISTUS Santa Rosa Med Cen (NW)	142	20%	95	67%	51	36%	27	19%	9	6%
NE Baptist	128	8%	97	76%	45	35%	21	16%	13	10%
Nix Medical Center	108	18%	85	79%	25	23%	22	20%	6	6%
UNKNOWN	81	31%	42	52%	19	23%	16	20%	11	14%
SE Baptist	73	21%	52	71%	19	26%	9	12%	7	10%
NC Baptist	50	6%	31	62%	8	16%	6	12%	1	2%
HOME	2	4%	2	100%	0	0%		0%	1	50%
OTHER LOCATION	1	100%	1	100%	0	0%		0%	1	100%
Brooke Army	0	0%	0		0	0%		0%	0	
Total	3,916		2,560	11%	1,003		995		328	


NAME	Births to Mothers 12-17	% of All Births	Single Mothers 12-17	%	Late Prenatal Care 12-17	%	Subsequent Births to Mothers 12-17	%	Low Birth Wt. <2500 Grams age 12-17	%
CHRISTUS Santa Rosa Hospital	379	14%	258	68%	95	25%	65	17%	40	11%
University	210	8%	121	58%	63	30%	38	18%	21	10%
Baptist Medical Center	196	10%	155	79%	76	39%	29	15%	11	6%
Metropolitan Methodist	184	8%	155	7%	3	0%	25	1%	12	1%
Southwest Tx Methodist	183	3%	161	88%	60	33%	17	9%	13	7%
S.W. General Hospital	165	13%	138	84%	53	32%	27	16%	12	7%
CHRISTUS Santa Rosa Med Cen (NW)	59	9%	45	76%	23	39%	7	12%	2	3%
Nix Medical Center	48	8%	41	85%	12	25%	4	8%	2	4%
NE Baptist	42	3%	31	74%	12	29%	2	5%	6	14%
UNKNOWN	38	15%	22	58%	12	32%	6	16%	1	3%
Wilford Hall	37	2%	29	78%	13	35%	3	8%	4	11%
SE Baptist	30	9%	28	93%	9	30%	3	10%	4	13%
NC Baptist	14	2%	10	71%	3	21%	0	0%	0	0%
HOME	1	2%	1	100%	0	0%	0	0%	1	100%
OTHER LOCATION	1	100%	1	100%	0	0%	0	0%	1	100%
Brooke Army	0	0%	0	0%	0	0%	0	0%	0	
Total	1,587		1,196		434		226		130	

Low Birth Weight


Bexar County Low Birth Weight (<2500 grams) Births by Race & Ethnicity



% Bexar County Low Birth Weight (<2500 grams) Births by Race & Ethnicity



Bexar County Births by Race & Ethnicity



Multiple Births

Multiple Birth Events in Bexar County 1992-1999

	Mother Age	Twin	Triple	Quad	Total Births
1999	10 - 16	6	-	-	837
	17 - 21	74	3	-	5,721
	22 - 26	120	-		6,284
	27 +	340	36		10,654
Total		540	39	-	23,496
1998	10 - 16	13			863
	17 - 21	56			5,613
	22 - 26	103			6,232
	27 +	352	30		10,495
Total		524	30	-	23,203
1997	10 - 16	21	3		906
	17 - 21	87			5,461
	22 - 26	113			6,326
	27 +	260	15		10,117
Total		481	18	-	22,810
1996	10 - 16	6	3		907
	17 - 21	70	3		5,369
	22 - 26	145	6		6,412
	27 +	284			10,045
Total		505	12	-	22,733
1995	10 - 16	14			999
	17 - 21	56	3		5,268
	22 - 26	109			6,267
	27 +	230	9	4	9,818
Total		409	12	4	22,352
1994	10 - 16	8			957
	17 - 21	76			5,479
	22 - 26	112	3		6,273
	27 +	244	11		9,893
Total		440	14	-	22,602
1993	10 - 16	11			870
	17 - 21	73		1	5,619
	22 - 26	112	1		6,198
	27 +	215	12		9,831
Total		411	13	1	22,518
1992	10 - 16	6			780
	17 - 21	84	3		5,577
	22 - 26	85	9		6,017
	27 +	231	10	3	9,695

* All numbers indicate single live births in each category
(e.g. 13 sets of triplets born in 1999)

Births by Age of Mother and Birth Order

Birth Order

Age of Mother	Birth Order													Not Given	Total	%		
	1	2	3	4	5	6	7	8	9	10	11	12	13+					
12	2																2	0%
13	24	1															25	0%
14	84	3															87	0%
15	243	11														1	254	2%
16	393	52	4														449	3%
17	573	139	14													1	726	7%
18	724	224	49	5												3	1002	11%
19	791	365	107	10	2											4	1275	16%
20	686	447	154	34	6	1										6	1328	22%
21	550	443	198	57	12	1										2	1261	27%
22	476	448	222	84	18	1	3									5	1252	33%
23	434	456	250	84	24	4	1									7	1253	38%
24	397	432	240	101	29	7	1									2	1207	43%
25	373	428	265	88	29	12		1		1						1	1197	48%
26	426	435	255	112	28	7	5	3			1					3	1272	54%
27	382	375	285	117	50	10	3	2								1	1224	59%
28	411	447	273	117	32	13	5	1	1							3	1300	64%
29	376	432	280	117	24	20	6	3	1							3	1259	70%
30	280	380	219	107	27	14	9	1	1							2	1038	74%
31	231	318	232	96	34	12	9	2	3	1						3	938	78%
32	198	293	191	103	38	15	8	2	1							1	849	82%
33	167	236	200	93	42	16	3	4	1			1				1	763	85%
34	148	223	192	64	28	10	7	1	1	2	1	1				2	678	88%
35	117	198	150	76	34	16	4		3					1		2	599	90%
36	86	165	125	86	24	13	2		1							1	502	93%
37	77	133	88	62	26	5	7	6	2		1			1		1	408	94%
38	53	110	69	34	20	17	5	1	3	1						2	313	96%
39	43	61	58	38	17	6	7	1	1							2	232	97%
40	35	45	36	29	9	4	5	2	1		1					1	167	97%
41	17	23	23	10	6	1	1	1	1								83	98%
42	16	14	19	9	8	5	4	1	2	2		1					81	98%
43	2	15	7	7	5	2				1				1			40	98%
44	4	6	2	3	2	1		2	1							1	21	98%
45	1	1	1	2	1	2	2	1									11	98%
46		1		1	2		1										5	98%
47+	1	1															2	98%
Not Given																	332	
Total	8,821	7,361	4,208	1,746	577	215	98	35	24	8	4	3	3			393	23,496	

Note: As indicated above, 61 birth records did not provide the birth order of the infant; 332 births records did not provide the age of the mother.

Births to Single Mothers by Age and Birth Order

Age of Mother	Birth Order													Not Given	Total	%		
	1	2	3	4	5	6	7	8	9	10	11	12	13+					
12	2																2	0%
13	23	1															24	0%
14	77	2															79	1%
15	201	11															212	4%
16	318	34	2													1	354	9%
17	427	87	9													1	523	17%
18	476	117	28	3												3	624	25%
19	474	196	59	5	2											1	736	36%
20	367	215	74	16	1											3	673	45%
21	266	157	74	33	7											2	537	53%
22	178	167	94	34	11	1	2										487	59%
23	137	137	89	30	12	3											408	65%
24	122	100	62	32	11	5										1	332	70%
25	99	112	82	23	12	6		1	1								336	74%
26	86	93	65	32	7	1	1	2									287	78%
27	55	69	63	32	17	4	1										241	82%
28	52	79	43	33	10	8	2										227	85%
29	42	56	50	26	9	5	3	1	1							2	193	88%
30	29	43	28	16	5	6	1									1	128	89%
31	31	37	33	25	9	7	7	2	1							1	152	91%
32	21	31	21	17	9	5	1	1	1							1	107	93%
33	12	26	22	15	7	4	1	1								1	88	94%
34	17	19	25	9	3	4		1									78	95%
35	15	13	20	12	7		1	1								1	69	96%
36	21	14	11	13	6	6	1									1	72	97%
37	11	9	10	9	3	1	2			1							46	98%
38	11	13	8	7	1	6		1								1	47	99%
39	10	5	8	2	3	1	1										30	99%
40	2	3	4	7		2	1			1							20	99%
41	3	3	2	1				1									10	99%
42	3	3	1		1	1											9	100%
43		1	1		1												3	100%
44	1	1															2	100%
45					1												1	100%
46																	0	100%
47+	1	1															2	100%
Total	3,590	1,855	988	432	155	76	25	6	8	2	2	0	0		26	7,165		

Note: As indicated above, 26 birth records did not provide the birth order of the infant.

1999 Births by Age of Father

Age of Mother


Age of Father	Age of Mother								
	12	13	14	15	16	17	18	19	Total
12						1			1
13			1						1
14		1	5	2	1				9
15		2	6	17	13	3	3		44
16		1	11	28	26	15	23	6	110
17			9	24	61	66	51	20	231
18		1	4	29	59	114	119	83	409
19		1	1	17	43	94	136	137	429
20			1	13	26	66	115	179	400
21				4	18	44	90	133	289
22			1	3	8	26	72	100	210
23				4	9	9	41	72	135
24				1	6	16	26	54	103
25			1		6	9	19	36	71
26				2		11	20	33	66
27					2	6	10	22	40
28					2	7	7	18	34
29				2		1	5	13	21
30				3	1		2	11	17
31				1	4	1	2	3	11
32							1	4	5
33						1		5	6
34							1	4	5
35						3		2	5
36					1		1	1	3
37					1	1		4	6
38								2	2
39								3	3
40								1	1
41								1	1
42								1	1
43									0
44									0
45								1	1
46									0
47+						1		3	4
Unavailable	2	19	49	113	171	255	284	349	1,242
Total	2	25	89	263	458	750	1,028	1,301	3,916

Note: As indicated above the birth records of 1,242 births to teenage mothers did not provide the age of the father

Bexar County Births By School District to Mothers 12-19

School District	AGE OF MOTHER							Total	18	19	Total
	12	13	14	15	16	17					
San Antonio	0	13	28	103	167	276	587	366	453	1,406	
Northside	0	2	12	22	63	105	204	170	244	618	
North East	0	1	7	23	49	79	159	134	156	449	
Edgewood	0	0	12	24	45	69	150	79	95	324	
Harlandale	2	4	7	28	37	56	134	57	94	285	
South San Antonio	0	1	6	20	27	39	93	75	76	244	
Southwest	0	2	5	13	21	36	77	34	41	152	
Judson	0	1	3	3	11	31	49	38	38	125	
East Central	0	0	4	5	13	16	38	19	26	83	
Southside	0	0	2	3	9	13	27	20	21	68	
Somerset	0	0	1	3	2	6	12	5	9	26	
Alamo Heights	0	0	0	1	1	2	4	4	8	16	
Randolph Field	0	0	0	0	0	0	-	1	4	5	
Schertz-Cibolo-Universal	0	0	0	0	0	0	-	2	3	5	
Fort Sam Houston	0	0	0	0	0	0	-	1	2	3	
Medina Valley	0	0	0	0	1	1	2	0	1	3	
Comal	0	0	0	1	0	0	1	0	0	1	
Lackland	0	0	0	1	0	0	1	0	0	1	
Boerne	0	0	0	0	0	0	-	0	0	-	
Total	2	24	87	250	446	729	1,538	1,005	1,271	3,814	

Note: These numbers differ slightly from County totals reported previously due to inability to assign some addresses to a School District.



1997 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATHS	
		#	%	#	%	#	%	#	%	#	RATE
1	2,047	200	9.8%	396	19.3%	129	6.3%	701	34.2%	15	7.3
2	1,681	190	11.3%	391	23.3%	163	9.7%	756	45.0%	17	10.1
3	1,756	201	11.4%	328	18.7%	121	6.9%	667	38.0%	13	7.4
4	2,327	252	10.8%	430	18.5%	181	7.8%	900	38.7%	23	9.9
5	1,918	228	11.9%	423	22.1%	136	7.1%	794	41.4%	12	6.3
6	2,191	204	9.3%	372	17.0%	153	7.0%	664	30.3%	19	8.7
7	1,880	164	8.7%	301	16.0%	119	6.3%	551	29.3%	12	6.4
8	2,325	70	3.0%	221	9.5%	160	6.9%	436	18.8%	15	6.5
9	1,692	61	3.6%	210	12.4%	114	6.7%	387	22.9%	6	3.5
10	1,696	51	3.0%	190	11.2%	101	6.0%	376	22.2%	13	7.7
Total	19,513	1621	8.3%	3262	16.7%	1377	7.1%	6232	31.9%	145	7.4

1998 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATHS	
		#	%	#	%	#	%	#	%	#	RATE
1	1,879	170	9.0%	337	17.9%	131	7.0%	647	34.4%	14	7.5
2	1,675	154	9.2%	329	19.6%	164	9.8%	725	43.3%	21	12.5
3	1,734	168	9.7%	271	15.6%	130	7.5%	614	35.4%	10	5.8
4	2,464	272	11.0%	406	16.5%	199	8.1%	842	34.2%	11	4.5
5	1,805	188	10.4%	322	17.8%	145	8.0%	694	38.4%	15	8.3
6	2,190	164	7.5%	345	15.8%	162	7.4%	679	31.0%	8	3.7
7	1,866	133	7.1%	299	16.0%	115	6.2%	574	30.8%	11	5.9
8	2,440	67	2.7%	259	10.6%	112	4.6%	491	20.1%	7	2.9
9	1,787	42	2.4%	183	10.2%	126	7.1%	343	19.2%	17	9.5
10	1,835	55	3.0%	217	11.8%	150	8.2%	431	23.5%	10	5.4
Total	19,675	1413	7.2%	2968	15.1%	1434	7.3%	6040	30.7%	124	6.3

1999 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATHS	
		#	%	#	%	#	%	#	%	#	Rate
1	1830	169	9.2%	373	20.4%	144	7.9%	686	37.5%	13	7.1
2	1715	166	9.7%	355	20.7%	163	9.5%	773	45.1%	13	7.6
3	1775	187	10.5%	293	16.5%	143	8.1%	735	41.4%	16	9.0
4	2474	234	9.5%	407	16.5%	155	6.3%	895	36.2%	19	7.7
5	1791	209	11.7%	373	20.8%	124	6.9%	682	38.1%	10	5.6
6	2198	153	7.0%	346	15.7%	202	9.2%	699	31.8%	14	6.4
7	1820	129	7.1%	314	17.3%	145	8.0%	573	31.5%	12	6.6
8	2458	55	2.2%	216	8.8%	165	6.7%	472	19.2%	14	5.7
9	1946	43	2.2%	168	8.6%	124	6.4%	363	18.7%	8	4.1
10	1777	53	3.0%	186	10.5%	127	7.1%	422	23.7%	5	2.8
Total	19,784	1398	7.1%	3031	15.3%	1492	7.5%	6300	31.8%	124	6.3

Infant Death Rates Per 1,000 Live Births


Low Birth Weight represents live-born infants weighing less than 2,500 grams at birth.

Late prenatal care refers to mother who did not receive prenatal care during the first trimester of pregnancy.


% of Births in each District

Maternal Health Indicators by City Council District 1997 to 1999


Maternal Age 10-17 as a % of all Births



Late or no Prenatal care as a % of all Births




Low Birth Weight <2500 Grams




Maternal Health Indicators by City Council District 1997 to 1999

Births to Single Mothers as a % of all Births



Infant Mortality Rate




1999 Births by Age of Mother and Council District

Council District

	1	2	3	4	5	6	7	8	9	10	Total
Age of Mother											
12			2								2
13	4	3	5	3	5	1				1	22
14	10	9	12	19	6	10	9	1	1	3	80
15	25	23	33	44	37	17	24	5	6	9	223
16	54	46	56	59	63	48	40	20	9	14	409
17	76	85	79	109	98	77	56	29	27	26	662
18	103	101	105	145	109	104	85	61	42	52	907
19	133	125	128	170	138	146	101	94	57	63	1,155
20	122	130	129	172	136	155	102	101	61	64	1,172
21	132	113	124	171	114	128	115	87	76	77	1,137
22	108	118	116	153	108	129	96	124	75	86	1,113
23	110	116	114	153	124	115	95	95	89	97	1,108
24	111	83	101	138	102	127	91	108	96	86	1,043
25	88	82	81	134	97	128	102	101	95	94	1,002
26	98	90	97	129	80	136	78	137	110	99	1,054
27	104	77	96	127	91	108	81	145	117	105	1,051
28	74	77	88	124	60	127	101	178	138	116	1,083
29	82	74	68	120	62	112	101	191	118	117	1,045
30	68	64	52	72	52	85	70	166	127	91	847
31	57	60	57	73	55	74	63	140	108	84	771
32	52	51	56	70	41	67	90	108	108	71	714
33	45	40	45	53	45	43	62	113	103	79	628
34	31	26	22	42	43	42	59	110	91	75	541
35	32	31	28	42	22	44	48	74	77	84	482
36	26	30	22	43	27	48	36	71	59	51	413
37	19	17	17	36	25	46	33	54	58	43	348
38	22	11	14	25	18	24	23	53	39	29	258
39	18	8	9	18	15	24	18	41	23	15	189
40	10	13	3	13	7	13	15	18	18	23	133
41	7	1	8	5	4	4	10	11	6	7	63
42	4	5	5	8	3	8	9	13	5	8	68
43	2	4	1	1	3	4	5	3	5	2	30
44	1	1		1	1	2	2	4	1	2	15
45+	2	1	1	2		2		2	1	4	15
Not Given			1								1
Total	1,830	1,715	1,775	2,474	1,791	2,198	1,820	2,458	1,946	1,777	19,784


1999 Births by Age of Mother and Council District




1999 Births to Single Mothers by Age of Mother and Council District


Age of Mother	Council District										Total	
	1	2	3	4	5	6	7	8	9	10		
12			2									2
13	3	3	5	3	5	1				1		21
14	7	9	12	17	6	7	8	1	1	3		71
15	18	21	30	34	29	15	21	4	5	7		184
16	41	38	46	45	44	34	33	19	7	11		318
17	52	64	62	73	66	49	39	20	23	20		468
18	53	68	64	85	70	55	43	42	24	37		541
19	68	75	74	86	72	90	60	55	37	35		652
20	59	81	70	80	65	74	56	50	30	32		597
21	59	58	57	66	42	47	48	27	33	49		486
22	45	56	46	63	43	48	32	39	27	27		426
23	41	56	33	45	30	38	31	31	23	33		361
24	32	35	32	46	31	23	32	21	25	22		299
25	34	25	27	39	33	30	29	24	18	26		285
26	29	30	31	29	22	35	14	19	12	21		242
27	30	18	24	26	24	24	23	17	12	15		213
28	15	24	27	33	12	20	22	17	15	13		198
29	18	22	17	28	13	17	20	18	6	12		171
30	11	18	5	12	10	14	10	10	13	9		112
31	16	22	16	18	15	14	9	7	11	12		140
32	13	11	13	11	9	13	9	4	7	6		96
33	8	4	13	14	7	7	6	8	9	3		79
34	8	3	6	12	12	3	7	8	7	5		71
35	6	7	8	12		5	1	5	7	10		61
36	6	10	6	7	5	13	2	7	5	5		66
37	3	4		2	9	7	3	5	1	1		35
38	5	4	5	4	1	5	5	10	1	1		41
39	3	2	1	1	5	6	4	1	2	2		27
40	1	4	1		1	2	2	1	2	3		17
41	1		1	1		1	2	1				7
42		1	1	3	1	1	2					9
43						1				1		2
44								1				1
45+	1											1
Total	686	773	735	895	682	699	573	472	363	422		6,300

1999 Births to Single Mothers by Age of Mother and Council District





Bexar County Precincts



1997 Birth Summary by Bexar County Precinct

Precinct	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6,140	9.8%	602	14.6%	894	8.0%	494	31.6%	1939	8.6	53
2	6,072	10.0%	605	18.5%	1122	8.3%	502	31.7%	1927	7.1	43
3	5,277	3.1%	162	8.9%	470	7.1%	375	17.6%	930	6.3	33
4	5,310	7.9%	420	14.1%	751	7.2%	384	27.3%	1447	8.3	44
Total	22,799	7.8%	1789	14.2%	3237	7.7%	1755	27.4%	6243	7.6	173

1998 Birth Summary by Bexar County Precinct

Precinct	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6,160	9.3%	571	15.1%	930	7.7%	476	32.8%	2018	6.7	41
2	6,001	8.4%	506	16.9%	1016	7.0%	418	32.5%	1948	6.3	38
3	4,928	6.9%	339	16.3%	803	8.0%	393	35.1%	1731	8.1	40
4	5,542	2.4%	133	10.1%	558	6.3%	349	18.5%	1027	4.7	26
Not Given	572	8.0%	46	11.7%	67	6.6%	38	26.4%	151	7.0	4
Total	23,203	6.9%	1595	14.5%	3374	7.2%	1674	29.6%	6875	6.4	149


1999 Birth Summary by Bexar County Precinct

Precinct	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6247	9.1%	570	15.3%	957	7.1%	446	34.0%	2127	9.0	56
2	5937	8.4%	501	18.3%	1084	7.6%	453	33.8%	2007	6.1	36
3	5773	2.0%	116	8.4%	485	6.8%	391	18.0%	1039	3.8	22
4	5003	7.0%	351	16.7%	834	8.1%	406	36.6%	1831	6.0	30
Not Given	536		49		86		41		161		1
Total	23,496	6.8%	1587	14.7%	3446	7.4%	1737	30.5%	7165	6.2	145


Infant Mortality rate per 1,000 live births

Differences due to Unavailable data (unable to assign address to Precinct)


Bexar County Births by Census Tract




Legend




Bexar County Births to Mothers Ages 10-17 by Census Tract




Legend




Bexar County Births with Late Prenatal Care (After 1st Trimester) by Census Tract




Legend




Bexar County Low Birth Weight (< 2,500 Grams) Births by Census Tract




Legend




Bexar County Births to Single Mothers by Census Tract




Legend



Bexar County Infant Deaths by Census Tract




Legend




Bexar County Neonatal & Infant Mortality


Neonatal & Infant Mortality Rates per 1000 births 1992-1999



Infant Mortality Rate by Race & Ethnicity per 1,000 Births 1990-1999



Infant Deaths by Race & Ethnicity 1990-1999



Infant Mortality Rates per 1000 Live births

Bexar County 1999 Leading Causes of Death by Gender

Not Age Adjusted

Cause of Death	Male	Death Rate per 100K	Female	Death Rate per 100K	Total
Malignant Cancer & Lymphoma	904	136.8	851	121.6	1755
All other Causes	637	96.4	697	99.6	1334
All other forms of Heart Disease	591	89.4	587	83.9	1178
Other Chronic Ischaemic Heart Disease	444	67.2	465	66.5	909
Cerebrovascular Diseases	156	23.6	230	32.9	386
Hypertension with or without renal disease	129	19.5	219	31.3	348
Symptoms, Signs & Ill Defined Conditions	160	24.2	178	25.4	338
Other Chronic Obstructive Pulmonary Disease	162	24.5	169	24.2	331
Diabetes Mellitus	140	21.2	173	24.7	313
Acute Myocardial Infarction	153	23.2	157	22.4	310
Pneumonia	140	21.2	167	23.9	307
Unlisted Deaths	109	16.5	114	16.3	223
Renal Failure, Acute & Chronic	111	16.8	99	14.2	210
Septicemia	82	12.4	99	14.2	181
All Other Accidents & Adverse Effects	117	17.7	56	8.0	173
Arteriosclerosis	64	9.7	78	11.1	142
Chronic Liver Diseases & Cirrhosis	76	11.5	50	7.1	126
Motor Vehicle Accidents	83	12.6	38	5.4	121
Suicide & Self Inflicted Injury	89	13.5	26	3.7	115
Homicide & Injury Purposely Inflicted	81	12.3	27	3.9	108
Hypertensive Heart Disease	41	6.2	44	6.3	85
Other Diseases of Arteries, Arterioles & Capillaries	41	6.2	40	5.7	81
Diseases of the Endocardium	16	2.4	37	5.3	53
Certain Conditions Originating in Prenatal Period	28	4.2	19	2.7	47
Congenital Abnormalities	30	4.5	16	2.3	46
Viral Hepatitis	28	4.2	15	2.1	43
Nutritional Deficiencies	9	1.4	26	3.7	35
Anemia	10	1.5	17	2.4	27
Hernia of Abdominal Cavity & Other Intestinal Obstruction	8	1.2	13	1.9	21
Ulcer of Stomach & Duodenum	6	0.9	10	1.4	16
All other infectious & Parasitic Diseases	7	1.1	3	0.4	10
Benign Neoplasm Carcinoma	6	0.9	4	0.6	10
Cholelithiasis & Other Disorders of the Gallbladder	4	0.6	6	0.9	10
Asthma	1	0.2	6	0.9	7
Certain other intestinal infections	2	0.3	4	0.6	6
all other external causes	1	0.2	5	0.7	6
Tuberculosis of respiratory system	2	0.3	3	0.4	5
Meningitis	2	0.3	3	0.4	5
Rheumatic fever	0	0.0	5	0.7	5
Chronic Glomerulonephritis	1	0.2	4	0.6	5
Bronchitis, Chronic & Unspecified	2	0.3	2	0.3	4
Complications of pregnancy	2	0.3	2	0.3	4
Legal intervention	3	0.5	1	0.1	4
Emphysema	2	0.3	1	0.1	3
Other tuberculosis	0	0.0	2	0.3	2
Appendicitis	1	0.2	1	0.1	2
Shigellosis and amebiasis	1	0.2		0.0	1
Other Acute & Subacute Forms of Ischaemic Heart Disease	1	0.2	0	0.0	1
Acute bronchitis	1	0.2		0.0	1
Total Deaths	4,684	708.9	4,769	681.6	9,453

Bexar County 1999 Leading Causes of Death by Race & Ethnicity

Not Age Adjusted

	Non Hispanic White	Death Rate per 100K	Hispanic	Death Rate per 100K	Black	Death Rate per 100K	the	Death Rate per 100K	Total
Malignant Cancer & Lymphoma	998	191.5	614	85.6	130	139.1	13	48.7	1755
All other Causes	758	145.5	500	69.7	71	76.0	5	18.7	1334
All other forms of Heart Disease	633	121.5	426	59.4	111	118.8	8	30.0	1178
Other Chronic Isch. Heart Disease	525	100.8	320	44.6	63	67.4	1	3.7	909
Cerebrovascular Diseases	196	37.6	158	22.0	29	31.0	3	11.2	386
Hypertension with or without renal disease	192	36.9	131	18.3	22	23.5	3	11.2	348
Symptoms, Signs & Ill Defined Conditions	140	26.9	168	23.4	28	30.0	2	7.5	338
Other Chronic Obstructive Pulmonary Disease	224	43.0	75	10.5	29	31.0	3	11.2	331
Diabetes Mellitus	91	17.5	198	27.6	23	24.6	1	3.7	313
Acute Myocardial Infarction	160	30.7	129	18.0	19	20.3	2	7.5	310
Pneumonia	176	33.8	110	15.3	20	21.4	1	3.7	307
Unlisted Deaths	113	21.7	93	13.0	14	15.0	1	3.7	221
Renal Failure, Acute & Chronic	68	13.1	109	15.2	32	34.2	1	3.7	210
Septicemia	79	15.2	86	12.0	15	16.0	1	3.7	181
All Other Accidents & Adverse Effects	71	13.6	88	12.3	14	15.0		0.0	173
Arteriosclerosis	74	14.2	58	8.1	9	9.6	1	3.7	142
Chronic Liver Diseases & Cirrhosis	30	5.8	93	13.0	3	3.2		0.0	126
Motor Vehicle Accidents	43	8.3	69	9.6	9	9.6		0.0	121
Suicide & Self Inflicted Injury	67	12.9	39	5.4	8	8.6	1	3.7	115
Homicide & Injury Purposely Inflicted	24	4.6	69	9.6	13	13.9	2	7.5	108
Hypertensive Heart Disease	42	8.1	30	4.2	13	13.9		0.0	85
Other Diseases of Arteries, Arterioles & Capillaries	39	7.5	37	5.2	5	5.3		0.0	81
Diseases of the Endocardium	34	6.5	18	2.5	1	1.1		0.0	53
Certain Cond. Orig. in Perinatal Period	7	1.3	34	4.7	5	5.3	1	3.7	47
Congenital Abnormalities	20	3.8	24	3.3	2	2.1		0.0	46
Viral Hepatitis	9	1.7	33	4.6	1	1.1		0.0	43
Nutritional Deficiencies	22	4.2	9	1.3	4	4.3		0.0	35
Anemia	12	2.3	11	1.5	4	4.3		0.0	27
Hernia of Abdominal Cavity & Other Intes., Periton	13	2.5	7	1.0	1	1.1		0.0	21
Ulcer of Stomach & Duodenum	10	1.9	5	0.7	1	1.1		0.0	16
All other infectious & Parasitic Diseases	4	0.8	5	0.7	1	1.1		0.0	10
Benign Neoplasm Ca in Situ	6	1.2	3	0.4		0.0	1	3.7	10
Cholelithiasis & Other Disorders of the Gallbladder	7	1.3	3	0.4		0.0		0.0	10
Asthma	5	1.0	1	0.1		0.0	1	3.7	7
Certain other intestinal infections	4	0.8	1	0.1	1	1.1		0.0	6
Meningitis		0.0	4	0.6	1	1.1	1	3.7	6
Rheumatic fever	1	0.2	2	0.3	1	1.1	2	7.5	6
all other external causes	2	0.4	3	0.4	1	1.1		0.0	6
Tuberculosis of respiratory system		0.0	5	0.7		0.0		0.0	5
Chronic Glomerulonephritis	1	0.2	3	0.4	1	1.1		0.0	5
Bronchitis, Chronic & Unspecified	3	0.6	1	0.1		0.0		0.0	4
Complications of pregnancy	1	0.2	2	0.3	1	1.1		0.0	4
Legal intervention	1	0.2	2	0.3	1	1.1		0.0	4
Emphysema	1	0.2	1	0.1	1	1.1		0.0	3
Other tuberculosis	1	0.2	1	0.1		0.0		0.0	2
Appendicitis	1	0.2	1	0.1		0.0		0.0	2
Shigellosis and amebiasis		0.0	1	0.1		0.0		0.0	1
Other Acute & Subacute Forms of Ischaemic Heart Disease		0.0	1	0.1		0.0		0.0	1
Acute bronchitis		0.0	1	0.1		0.0		0.0	1
Total Deaths	4,908	942.0	3,782	527.5	708	757.5	55	206.1	9453

Source: City of San Antonio


Selected Bexar County Causes of Death by Year

Cause	1992	1993	1994	1995	1996	1997	1998	1999
Heart Disease	2,546	2,543	2,589	2,592	2,522	2,685	2,561	2,542
Cancer, All Forms	1,785	1,773	1,784	1,758	1,824	1,848	1,875	1,755
Stroke	303	344	330	420	359	369	339	386
Chronic Obstructive Pulmonary Disease (COPD)	343	371	381	366	335	362	336	331
Accidents, All Causes	244	272	277	294	303	295	329	294
Hypertension & Hypertensive Renal Disease	157	247	236	228	276	291	330	348
Diabetes Mellitus	200	231	242	282	306	314	313	313
Pneumonia	317	314	324	282	263	274	304	307
Renal Failure	170	245	230	176	154	182	175	210
Chronic Liver Disease	124	131	154	135	150	142	156	126
Suicide	162	151	160	164	150	118	134	115
Homicide	267	255	213	157	133	123	106	108
AIDS	169	154	188	176	157	90	70	61
Subtotal Selected Causes	6,787	7,031	7,108	7,030	6,932	7,003	6,958	6,835
Total Deaths All Causes	8,441	8,743	8,808	8,792	8,826	9,115	9,052	9,453

1999 Neonatal (< 28 days) Deaths	
Conditions Originating in the Prenatal Period	46
Congenital Abnormalities	26
Ill Defined Conditions	6
All other Causes	5
Complications of pregnancy	4
Cerebrovascular disease	2
Septicemia	2
Malignant Neoplasm	1
Other Heart Disease	1
Motor Vehicle	1
Accidents	1
Total	96

1999 Infant (>28 days < 1 year) Deaths	
* Ill Defined Conditions	25
All other Causes	6
Congenital Abnormalities	3
Pneumonia	2
Homicide	2
Septicemia	1
Malignant Neoplasm	1
Meningitis	1
Rheumatic fever	1
Acute bronchitis	1
Other chronic obstructive pulmonary	1
all external causes	1
Missing data	5
Total	50

1992-1999 Bexar County Sudden Infant Death Syndrome (SIDS) Deaths



* 13 cases of autopsy pending in infants
 * 12 cases of SIDS in infants, 1 in neonatal

Leading Causes of Death by Age Group, 1999-Bexar County

Under 1 Year	SAMHD	23,458
<i>Cause</i>	<i>Number</i>	<i>Rate/1000</i>
Perinatal Conditions	46	2.0
Ill Defined	31	1.3
Congenital Abnormalities	29	1.2
All other causes	11	0.5
Complications of Pregnancy	4	0.2
Septicemia	3	0.1
		-
TOTAL (all Causes)	145	6.2

1 - 4 Years	T.S.D. Pop.	92,727
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Accidents (w/o moter vehicle)	5	5.4
Congenital Abnormalities	4	4.3
Ill Defined	4	4.3
All Other Causes	3	3.2
Malignant Neoplasm	3	3.2
Motor Vehicle	2	2.2
Homicide	2	2.2
TOTAL (all Causes)	29	31.3

5 - 14 Years	T.S.D. Pop.	216,269
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Homicide	7	3.2
All Other Causes	4	1.8
Ill Defined	3	1.4
Motor Vehicle	3	1.4
Malig. Neoplasm	3	1.4
Heart Disease	3	1.4
		-
TOTAL (all Causes)	30	13.9

15 - 24 Years	T.S.D. Pop.	197,214
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Homicide	32	16.2
Motor Vehicle	26	13.2
Accidents (w/o moter vehicle)	14	7.1
Suicide	14	7.1
All Other Causes	12	6.1
Malignant Neoplasm	11	5.6
Ill Defined	11	5.6
TOTAL (all Causes)	135	68.5

25 - 44 Years	T.S.D. Pop.	424,600
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
All Other Causes	114	26.8
Malignant Neoplasm	91	21.4
Heart Disease	60	14.1
Ill Defined	55	13.0
Accidents (w/o Motor Vehicle)	52	12.2
Suicide	50	11.8
Motor Vehicle	48	11.3
TOTAL (all Causes)	638	150.3

45 - 64 Years	T.S.D. Pop.	264,630
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Malignant Neoplasm	464	175.3
Heart Disease	333	125.8
All Other Causes	190	71.8
Chronic Liver Disease	61	23.1
Diabetes Mellitus	58	21.9
Ill Defined	52	19.7
Hypertension	48	18.1
TOTAL (all Causes)	1,599	604.2

65 - 74 Years	T.S.D. Pop.	75,937
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Heart Disease	471	620.3
Malignant Neoplasm	466	613.7
All Other Causes	217	285.8
Diabetes Mellitus	98	129.1
Other COPD	95	125.1
Hypertension	56	73.7
Cerebrovascular Disease	55	72.4
TOTAL (all Causes)	1,822	2,399.4

75 + Years	T.S.D. Pop.	65,576
<i>Cause</i>	<i>Number</i>	<i>Rate/100K</i>
Heart Disease	1,907	2,908.1
All Other Causes	783	1,194.0
Malignant Neoplasm	715	1,090.3
Cerebrovascular Disease	281	428.5
Hypertension	240	366.0
Pneumonia	204	311.1
COPD	204	311.1
TOTAL (all Causes)	5,055	7,708.6

Rate per 100,000 Population

Texas State Data Center 1999 Population

COPD - Chronic Obstructive Pulmonary Disease

**1997 Death Summary by
San Antonio City Council District**

Not Age Adjusted

COUNCIL	Population	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate
1	91,700	981	167	182.1	28	30.5	337	367.5	36	38.2	8	8.7	22	24.0
2	102,700	953	186	181.1	26	25.3	351	341.8	20	19.5	8	7.8	21	20.4
3	93,900	790	157	167.2	41	43.7	279	297.1	23	24.5	10	10.6	9	9.6
4	111,700	731	133	119.1	38	34.0	232	207.7	40	35.8	7	6.3	16	14.3
5	92,500	754	127	137.3	34	36.8	259	280.0	24	25.9	5	5.4	12	13.0
6	116,100	531	105	90.4	25	21.5	171	147.3	21	18.1	7	6.0	5	4.3
7	107,200	824	176	164.2	29	27.1	282	263.1	24	22.4	7	6.5	4	3.7
8	148,900	698	150	100.7	20	13.4	232	155.8	21	14.1	17	11.4	8	5.4
9	120,100	810	161	134.1	25	20.8	273	227.3	29	24.1	14	11.7	4	3.3
10	124,800	670	163	130.6	13	10.4	218	174.7	18	14.4	9	7.2	6	4.8
Total	1,115,600	7,742	1525	136.7	279	25.0	2634	236.1	255	22.9	92	8.2	107	9.6

**1998 Death Summary by
San Antonio City Council District**

Not Age Adjusted

COUNCIL	Population	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate
1	97,200	921	154	158.4	30	30.9	376	386.8	18	18.5	10	10.3	10	10.3
2	107,500	887	169	157.2	21	19.5	356	331.2	17	15.8	15	14.0	7	6.5
3	99,800	769	140	140.3	30	30.1	305	305.6	21	21.0	9	9.0	10	10.0
4	120,900	690	121	100.1	29	24.0	254	210.1	12	9.9	10	8.3	14	11.6
5	98,000	760	117	119.4	54	55.1	292	298.0	13	13.3	7	7.1	12	12.2
6	120,500	516	92	76.3	30	24.9	189	156.8	15	12.4	6	5.0	9	7.5
7	112,600	757	150	133.2	32	28.4	309	274.4	18	16.0	6	5.3	8	7.1
8	156,800	753	200	128.4	18	11.6	265	170.1	9	5.8	17	10.9	7	4.5
9	130,100	790	179	137.6	16	12.3	292	224.4	13	10.0	8	6.1	5	3.8
10	129,300	758	208	160.9	26	20.1	233	180.2	14	10.8	20	15.5	8	6.2
Total	1,171,700	7,601	1530	130.6	286	24.4	2871	245.0	150	12.8	108	9.2	90	7.7

**1999 Death Summary by
San Antonio City Council District**


Not Age Adjusted

COUNCIL	Population	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate
1	98,900	889	141	142.6	23	23.3	263	265.9	21	21.2	10	10.1	14	14.2
2	109,400	901	174	159.0	18	16.5	247	225.8	19	17.4	3	2.7	18	16.5
3	101,500	819	146	143.8	26	25.6	223	219.7	17	16.7	10	9.9	10	9.9
4	123,100	777	147	119.4	28	22.7	200	162.5	8	6.5	12	9.7	14	11.4
5	99,800	785	109	109.2	51	51.1	207	207.4	22	22.0	5	5.0	8	8.0
6	122,600	629	116	94.6	30	24.5	154	125.6	5	4.1	12	9.8	10	8.2
7	114,500	804	143	124.9	27	23.6	223	194.8	22	19.2	12	10.5	6	5.2
8	158,600	834	185	116.6	24	15.1	205	129.3	12	7.6	13	8.2	12	7.6
9	132,400	940	191	144.3	24	18.1	253	191.1	17	12.8	9	6.8	1	0.8
10	131,500	748	137	104.2	24	18.3	203	154.4	10	7.6	10	7.6	3	2.3
Total	1,192,300	8126	1489	124.9	275	23.1	2178	182.7	153	12.8	96	8.1	96	8.1


Rate per 100,000 Population For each District

Selected Death Rates by City Council District 1997-1999

Heart & Cardiovascular




Cancer




All Rates per 100,000 Population

Selected Death Rates by City Council District 1997-1999

DIABETES MELLITUS




ACCIDENTS (Excluding Motor Vehicle)




All Rates per 100,000 Population

Selected Death Rate by City Council District 1997-1999


SUICIDES




HOMICIDES



All Rates per 100,000 Population



Bexar County Precinct



1997 Death Summary by Bexar County Precinct

Not Age Adjusted

Precinct	1997 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	307900	1962	126.3	389	29.88	92	200.7	618	22.73	70	8.769	27	10.07	31
2	322987	2355	136.5	441	26.94	87	245.2	792	23.53	76	8.359	27	10.22	33
3	361590	2174	133	481	16.04	58	190.8	690	19.08	69	8.573	31	3.042	11
4	334092	2615	161.6	540	22.45	75	273.6	914	20.35	68	7.782	26	14.67	49
Total	1326569	9106	139.5	1851	23.52	312	227.2	3014	21.33	283	8.367	111	9.347	124

1998 Death Summary by Bexar County Precinct

Not Age Adjusted

Precinct	1998 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	314183	1941	112.4	353	28.33	89	232	729	16.23	51	7.957	25	8.594	27
2	329578	2241	121.4	400	33.68	111	267.6	882	15.78	52	6.979	23	9.709	32
3	368969	2458	141.7	523	16.26	60	248.8	918	14.64	54	11.38	42	3.794	14
4	340910	2289	169.5	578	14.67	50	233.2	795	11.44	39	12.61	43	9.387	32
Missing		123		21		3		51		3		1		1
Total	1342480	9052	139.7	1875	23.32	313	251.4	3375	14.82	199	9.982	134	7.896	106


1999 Death Summary by Bexar County Precinct

Not Age Adjusted


Precinct	1999 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	315,214	2071	118.6	374	31.41	99	168.1	530	11.42	36	9.835	31	11.42	36
2	330,659	2308	115.8	383	26.01	86	189.3	626	16.03	53	7.863	26	8.468	28
3	370,179	2509	138.3	512	15.4	57	179.1	663	9.455	35	9.995	37	4.322	16
4	342,028	2506	139.5	477	19.88	68	207.9	711	13.74	47	5.263	18	8.186	28
Missing	7	59		9		3		12		2		3		
Total	1,358,087	9453	129.2	1755	23.05	313	187.2	2542	12.74	173	8.468	115	7.952	108

All Rates per 100,000 Population Differences due to Unavailable data (unable to assign address to Precinct)


Bexar County Total Deaths by Census Tract




Legend




Bexar County Cancer Deaths by Census Tract




Legend




Bexar County Diabetes Deaths by Census Tract




Legend




Bexar County Heart and Cardiovascular Disease Deaths by Census Tract




Legend





Bexar County Accidental Deaths (Excluding Motor Vehicle) by Census Tract


Legend



How Deaths Occurred


Fell	54	31%
Ingested Alcohol /Drugs	54	31%
Not Given	30	17%
Other	12	7%
Drowned	8	5%
Motor Vehicle	5	3%
Choked on Food	4	2%
Struck by Train /Lightning	3	2%
Burned	2	1%
Total	172	100%

Source: Death Certificate file



Bexar County Motor Vehicle Deaths by Census Tract


Legend




How Deaths Occurred

Driver of Vehicle	45	37%
Passenger	29	24%
Pedestrian Struck	26	21%
Motorcycle	10	8%
Other	5	4%
Not Given	6	5%
Total	121	100%

Source: Death Certificate file




**Bexar County
Homicide Deaths
by Census Tract**
Legend




How Deaths Occurred

Firearm	52	48%
Stabbed	16	15%
Struck by Motor Vehicle	15	14%
Head injuries	7	6%
Beaten	6	6%
Strangled	4	4%
Not Given	4	4%
Assaulted	4	4%
Fighting	2	2%
Total	108	100%

Source: Death Certificate file



**Bexar County
Suicide Deaths
by Census Tract**
Legend



How Deaths Occurred

Firearm	55	48%
Asphxiated or Hung	31	27%
Ingested Drugs	11	10%
Not Given	9	8%
Cut or Stabbed Self	4	3%
Inhaled	2	2%
Fall or Jumped	2	2%
Injected Antifreeze	1	1%
Burned Self	1	1%
Total	115	100%

Source: Death Certificate file


Environmental Health Indicators 1999

	1995	1996	1997	1998	1999
Animal Bites (reported and substantiated)	3,825	3,794	3,960	3,433	3,318
Animals Impounded	48,384	52,816	54,223	49,940	47,749
Homes Tested for Lead Based Paint	53	73	47	57	33
Children with Blood Lead Levels >10 u/dl	435	1,204	755	880	917
Rabies Cases in Animals (All cases were in bats)	37	17	12	19	9
Number of Ozone Action Days	34	14	26	24	30
Heat / Cold Exposure Related Illness EMS Calls	177	188	146	250	190
Number of TNRCC ** Hazardous Waste Cleanup Sites	2	8	17	14	30
Tons of Municipal Solid Waste Discarded	307,000	294,000	336,328	389,301	327,025

* Confirmed Cases

** TNRCC = Texas Natural Resource Conservation Commission

ESTIMATED EXTENT OF CHLORINATED SOLVENTS IN THE SHALLOW GROUNDWATER EAST OF KELLY AFB, SAN ANTONIO, TEXAS 1999



 7,417 Acres Within Plume


 SAMHD Clinics

65,000 Total Population (1990 Census) Within the Plume



16,973 Housing Units Within Plume

32 Schools Within Plume


9 Private Physicians Within Plume




**1998 Asthma
Inpatient Population
< 18 years of age
by Zipcode**




**1998 Asthma
Inpatient Rate
(Age 0-19) per 10k
by Zipcode**




Elevated Lead Cases (Children, Ages 0 to 6) Medicaid Eligible only 1992 - Present



592 Total
Cases of children
1992 to 1999
ages 0 to 6,
with serum Lead
level of 20 micro
grams per deciliter
or greater



Single Family Residences by Year Built



Selected Reportable Communicable Diseases

	Bexar Co. 1997	Bexar Co. 1998	Bexar Co. 1999	Bexar Co. 1999	Texas 1998	Texas 1998
Vaccine Preventable Disease	Confirmed Cases	Confirmed Cases	Confirmed Cases	rate/100 K	rate/100 K	(total cases)
Measles	0	0	0	0.0	0.0	0
Mumps	2	2	0	0.0	0.2	42
Rubella	0	0	0	0.0	0.5	89
Tetanus	1	0	0	0.0	0.0	4
Pertussis	40	22	5	0.4	1.5	287
Polio	0	0	0	0.0	0.0	0
Chicken Pox*	850	100	117	8.6	1.0	20489

*Figures may not reflect actual cases due to passive reporting methodologies


	Bexar Co. 1997	Bexar Co. 1998	Bexar Co. 1999	Bexar Co. 1999	Texas 1998	Texas 1998
Sexually Transmitted Disease	(total cases)	(total cases)	(total cases)	rate/100 K	rate/100 K	(total cases)
Chlamydia	4953	6012	5776	425.3	308.5	60626
Gonorrhea	1797	1887	2096	154.3	167.6	32934
Syphilis (All Stages)	404	250	227	16.7	20.2	3975
AIDS	309	237	207	15.2	21.4	4201
HIV			157	11.6	n/a	n/a

	Bexar Co. 1997	Bexar Co. 1998	Bexar Co. 1999	Bexar Co. 1999	Texas 1998	Texas 1998
Other Notifiable Diseases	(total cases)	(total cases)	(total cases)	rate/100 K	rate/100 K	(total cases)
Amebiasis	0	1	0	0.0	0.4	75
Brucellosis	4	1	1	0.1	0.1	26
Campylobacter	105	121	128	9.4	4.5	81
Cholera	0	0	2	0.1	0.0	0
Dengue	0	0	1	0.1	0.0	10
Encephalitis (Arthropod-Born)	0	0	1	0.1	0.0	4
Escherichia coli O157:H7	2	1	5	0.4	0.4	85
Hantavirus Infections	0	0	0	0.0	0.0	0
Hemolytic Uremic Syndrome	0	1	0	0.0	0.0	6
Hepatitis A	437	334	307	22.6	18.0	3538
Hepatitis B	100	89	76	5.6	10.0	1960
Hepatitis C	10	45	51	3.8	2.4	462
Hepatitis D	0	0	0	0.0	0.0	0
Legionellosis	10	2	3	0.2	0.1	17
Listeriosis	7	4	4	0.3	0.1	29
Lyme Disease	1	0	0	0.0	0.2	32
Malaria	6	4	3	0.2	0.4	78
Meningitis (Viral)	116	246	43	3.2	8.0	1576
Meningitis (Bacterial)	25	43	14	1.0	3.6	713
Meningococcal Infections	13	15	10	0.7	0.9	176
Rocky Mountain Spotted Fever	0	0	0	0.0	0.0	3
Salmonellosis	153	231	136	10.0	17.3	340
Shigellosis	351	330	354	26.1	20.3	3988
Strep (Grp A) Invasive	17	43	47	3.5	3.0	597
Tuberculosis	101	92	93	6.8	9.3	1820
Typhoid Fever	0	0	0	0.0	0.1	29
Typhus, Murine	0	0	0	0.0	0.2	45
Vibrio Infections	0	2	3	0.2	0.3	6


Rate per 100,000 Population

Preventable/ Selected Reportable Diseases


Number of Cases Vaccine Preventable Diseases 1990-1999




Cases of Selected Reportable Diseases 1993-1999



Sexually Transmitted Diseases 1993-1999



1999 Reported Sexually Transmitted Diseases (Chlamydia, Gonorrhea and Syphilis)




1999 Indicators by Zipcode for Ages <20

Zipcode	Total Pop Est. 1999	Total Housing Est. 1999	Births all Ages <20	Births <20	Subsequent Births <20	Single Mother <20	Low Birth Wt. <2500 Grams <20	Late Prenatal Care <20	STD Deaths <20	Cancer Deaths <20	Suicide Deaths <20	Homicide Deaths <20	Motor Vehicle Accidents <20	Single Family House Renting SAHA	Dropout Rate	% Below Poverty	
78002	3121	947	91	21	4	10	7	4	1	0	0	0	1	317	2	11.8	23.6
78006	18744	6961	20	1	0	1	0	0	0	0	0	0	0	105	0	0.0	10.6
78023	3994	1470	77	4	0	3	0	2	0	0	0	0	0	344	0	13.0	4.3
78052	2379	803	6	2	0	0	0	1	2	0	0	0	0	36	0	11.8	23.0
78069	3686	1141	38	8	2	6	0	1	5	1	0	0	0	126	0	6.5	26.2
78073	3084	921	115	23	7	13	1	7	9	3	0	0	1	292	7	6.5	26.7
78101	4076	1395	64	7	2	3	0	2	1	1	0	0	0	215	0	11.8	12.4
78108	7975	2947	4	0	0	0	0	0	5	0	0	0	0	51	1	0.0	11.0
78109	16313	5355	305	29	4	24	4	9	30	3	0	0	0	1438	17	11.8	5.9
78112	2413	787	122	24	8	18	2	2	12	0	0	0	0	209	1	25.9	21.7
78148	13803	5247	254	25	4	15	1	6	16	0	0	0	0	895	18	0.0	7.2
78152	1928	676	17	2	1	0	0	0	0	0	0	0	0	43	1	11.8	13.4
78154	11246	4142	10	0	0	0	0	0	3	0	0	0	0	57	0	15.7	10.5
78201	42202	15641	846	200	55	128	17	49	92	10	0	1	0	5221	948	25.6	23.9
78202	11291	4075	250	66	22	44	4	17	115	3	0	1	0	1854	512	25.6	40.5
78203	6888	2249	120	30	9	20	6	11	43	1	0	0	0	854	107	25.6	47.1
78204	10928	3511	216	50	18	30	4	19	33	2	0	1	0	1094	170	25.6	32.4
78205	1577	691	8	0	0	0	0	0	5	1	0	0	0	5	147	25.6	36.0
78207	54201	15512	1920	365	120	219	26	112	212	10	0	1	0	5786	2057	25.6	47.8
78208	4559	1437	113	31	8	21	3	8	20	2	0	0	0	487	313	25.6	50.8
78209	33667	15782	483	40	11	28	3	13	30	3	0	0	0	1621	309	4.6	10.9
78210	37590	13026	785	198	56	126	20	63	229	13	0	5	2	3150	639	25.6	30.5
78211	29122	7768	692	193	57	122	16	43	81	8	0	1	0	2376	190	24.0	33.2
78212	28096	11057	465	82	16	55	12	15	58	6	0	0	0	3343	604	25.6	26.5
78213	38801	17413	689	114	25	72	9	30	31	3	0	0	0	1802	551	11.8	12.2
78214	22626	7180	503	101	30	70	4	22	56	8	0	1	0	1890	387	25.9	31.7
78215	1122	538	23	4	1	3	0	1	3	2	0	0	0	98	14	25.6	35.0
78216	33784	15926	513	60	17	42	1	14	38	6	0	0	0	989	677	11.8	11.3
78217	32796	14134	444	40	10	24	6	13	29	4	0	1	0	1250	227	11.8	8.1
78218	29639	12023	546	94	22	68	12	26	59	6	0	0	0	1819	490	11.8	11.5
78219	16556	5631	191	29	6	19	1	8	39	4	1	0	0	1019	213	15.7	17.4
78220	15909	5634	330	101	31	71	15	38	90	5	0	0	0	1534	626	25.6	25.1
78221	35367	10709	645	156	35	108	15	33	85	12	0	1	0	2340	555	25.9	22.6
78222	14146	4872	207	43	5	33	5	8	33	0	0	0	0	738	346	11.8	12.2
78223	38534	13542	735	156	36	112	12	30	99	10	1	0	0	2455	938	11.8	20.0
78224	15249	4080	333	63	18	40	3	11	27	5	0	0	0	775	186	11.8	24.8
78225	13078	4171	259	44	11	30	4	12	27	7	2	0	1	1166	118	25.6	28.0
78226	7037	2214	127	33	9	20	2	8	21	4	0	0	0	305	443	37.4	25.9
78227	44505	13975	806	180	53	114	13	43	142	9	0	1	1	2918	750	13.0	18.2
78228	57154	17843	1019	210	61	141	14	55	111	9	1	0	0	3484	1097	25.6	22.4
78229	26686	13450	520	60	15	42	6	16	35	4	0	0	0	237	184	13.0	15.5
78230	33653	14563	431	31	5	20	1	7	16	5	0	0	0	1144	497	13.0	7.9
78231	10745	4127	114	2	1	1	0	0	3	1	0	0	0	270	5	11.8	3.2
78232	33300	13763	399	16	0	9	2	2	11	1	0	0	0	1052	1	11.8	3.8

1999 Indicators by Zipcode for Ages <20

Zipcode	Total Pop Est. 1999	Total Housing Est. 1999	Births all Ages <20	Births <20	Subsequent Births <20	Single Mother <20	Low Birth Wt. <2500 Grams <20	Late Prenatal Care <20	STD Deaths <20	Cancer Deaths <20	Suicide Deaths <20	Homicide Deaths <20	Motor Vehicle Accidents <20	Single Family House Renting SAHA	Dropout Rate	% Below Poverty		
78233	41832	14621	452	57	8	38	3	16	23	4	0	0	1	2428	263	11.8	5.9	
78234	8094	1119	64	3	0	3	0	0	45	0	0	0	0	1	0	4.2	3.5	
78235	852	186	17	0	0	0	0	0	0	0	0	0	0	0	0	25.6	5.7	
78236	8829	804	29	2	0	2	2	1	19	2	0	0	0	0	0	0.0	4.8	
78237	36967	9900	816	217	52	128	27	53	122	7	0	0	0	2713	665	37.4	42.7	
78238	25865	9817	397	68	10	43	7	18	20	4	0	0	1	896	73	13.0	10.6	
78239	25728	9539	337	43	7	33	2	16	237	3	2	0	0	2150	353	11.8	6.0	
78240	45567	21328	737	72	12	43	7	21	33	4	1	0	1	1437	255	13.0	10.4	
78241	1620	264	29	0	0	0	0	0	0	0	0	0	0	0	0	37.4	12.2	
78242	24717	7058	670	159	49	90	6	30	79	10	0	1	2	2984	802	11.8	24.1	
78244	18827	6115	359	41	6	35	4	8	58	5	1	0	0	1641	216	15.7	6.2	
78245	27920	9002	496	53	9	40	3	13	39	4	0	0	1	2257	163	13.0	6.3	
78247	35317	12204	663	33	2	28	4	9	25	4	0	0	0	2507	184	11.8	3.1	
78248	5818	2294	176	2	0	1	0	1	2	0	0	0	0	453	37	11.8	1.5	
78249	26270	9651	486	37	6	30	2	12	17	8	0	0	0	1894	67	13.0	6.2	
78250	66808	21737	1065	77	16	54	8	23	48	10	0	1	0	4178	227	13.0	2.9	
78251	21452	8422	449	34	4	24	2	6	25	4	2	0	0	1339	33	13.0	4.8	
78252	1364	365	60	8	2	4	1	0	11	0	0	0	0	99	2	11.8	14.4	
78253	5637	1952	143	3	1	2	0	1	9	3	0	0	0	294	2	13.0	6.2	
78254	1535	498	14	0	0	0	0	0	3	0	0	0	0	48	0	13.0	7.8	
78255	2990	1122	45	4	2	4	1	1	0	0	0	0	0	185	2	13.0	9.1	
78256	1452	572	37	1	0	0	0	0	0	0	0	0	0	88	0	13.0	15.0	
78257	1895	740	20	4	0	3	1	2	1	0	0	0	0	150	2	13.0	16.0	
78258	4100	1388	259	4	0	3	0	0	4	2	0	0	0	941	0	11.8	1.5	
78259	6511	1995	163	2	0	1	0	1	5	0	0	0	0	403	0	11.8	3.0	
78260	2399	834	21	0	0	0	0	0	0	0	0	0	0	72	0	0.0	1.9	
78261	842	279	5	0	0	0	0	0	0	0	0	0	0	57	0	0.0	12.1	
78263	3141	1071	42	6	0	4	0	2	1	2	0	0	0	140	1	11.8	11.1	
78264	4377	1352	162	44	11	22	3	6	15	1	0	0	0	421	1	25.9	27.6	
78266	2362	834	3	0	0	0	0	0	0	0	0	0	0	6	0	15.7	11.3	
Total	1327919	474216	23296	3868	983	2536	325	996	2789	249	11	6	21	14	86559	17695		


Behavioral Risk Factor Surveillance 1999



Behavioral Risk Factor Surveillance by Race and Ethnicity

All % = Percent of Responses

	Diabetes	Tobacco Use	Overweight (BMI)*	Acute Alcohol Risk	No Health Insurance	Chronic Alcohol Risk
Bexar County Non Hispanic White	4.4%	23.0%	27.5%	17.0%	8.2%	6.5%
Bexar County Hispanic	17.4%	21.2%	43.8%	37.1%	21.2%	5.6%
Bexar County Black	12.9%	15.7%	59.1%	19.6%	26.4%	4.6%
Texas Non Hispanic White	5.6%	22.3%	22.4%	14.4%	11.9%	4.3%
Texas Hispanic	7.1%	20.4%	21.4%	38.7%	45.1%	3.1%
Texas Black	7.8%	21.5%	25.0%	15.0%	19.1%	2.1%




Source: Behavioral Risk Factor Surveillance Survey (BRFSS) is a random telephone survey of 294 Bexar County Residents.

* BMI = Body Mass Index



** Acute alcohol risk = 5 or more drinks on an occasion in the past 30 days

*** Chronic Alcohol risk = 60 or more alcoholic drinks in the past 30 days


Bexar County Population Health Benchmarks 1999



* Rates are age adjusted for 1,000,000 population



** Maternal Age 15-17 are calculated for 1,000 births




■ Health Objectives for Year 2010 □ 1999 Bexar County Rates

** Infant Mortality Rates calculated for 1,000 births

Bexar County Student Population Changes by District for 1994-95 to 1998-99

	Alamo Heights	Harlandale	Edgewood	Randolph	San Antonio	South San Antonio	Somerset	North East	East Central	Southwest	Lackland	Ft Sam Houston	Northside	Judson	Southside
1998 - 99	4,397	14,905	13,323	1,165	59,080	10,211	2,496	47,732	7,327	9,479	890	1,285	61,308	15,848	4,028
1994 - 95	4,018	14,732	14,547	1,083	60,419	10,291	2,221	43,484	6,559	8,704	936	1,069	56,117	14,408	3,318
Change	9%	1%	-9%	7%	-2%	-1%	11%	9%	10%	8%	-5%	17%	8%	9%	18%




Bexar County Education Statistics by District for 1998 /1999

School District	Total Students	Non Hispanic White	%	Hispanic	%	Black	%	Asian	%	Native Am.	%	Economic Disadv.	% (1)	Special Ed.	%	Dropout Rate (2)	Mean SAT Score	SAT/ACT % Above Criterion (3)
Edgewood	13,323	230	2%	12,823	96%	248	2%	12	0%	10	0%	12,753	96%	1,705	13%	37.4	803	2.3
South San Antonio	10,211	425	4%	9,558	94%	203	2%	18	0%	7	0%	9,155	90%	1,425	14%	24.0	820	4.1
Harlandale	14,905	901	6%	13,898	93%	78	1%	21	0%	7	0%	13,615	91%	2,279	15%	8.1	827	4.4
San Antonio	59,080	2,853	5%	50,012	85%	6,021	10%	145	0%	49	0%	51,539	87%	7,443	13%	25.6	818	6.0
Southwest	9,479	1,283	14%	7,752	82%	396	4%	42	0%	6	0%	6,970	74%	1,325	14%	11.8	850	6.3
Southside	4,028	705	18%	3,265	81%	31	1%	20	0%	7	0%	3,107	77%	574	14%	25.9	879	10.0
Somerset	2,496	529	21%	1,948	78%	10	0%	3	0%	6	0%	1,934	77%	436	17%	6.5	864	6.5
Northside	61,308	23,889	39%	31,858	52%	4,113	7%	1,338	2%	110	0%	27,288	45%	9,229	15%	13.0	998	29.9
East Central	7,327	3,302	45%	3,112	42%	863	12%	29	0%	21	0%	3,882	50%	1,140	16%	12.7	926	16.5
North East	47,732	24,662	52%	17,310	36%	4,523	9%	1,140	2%	97	0%	17,451	37%	7,989	17%	11.8	1,038	35.4
Judson	15,848	6,326	40%	5,266	33%	3,773	24%	453	3%	30	0%	5,968	38%	2,648	17%	15.7	1,001	26.1
Alamo Heights	4,397	3,149	72%	1,130	26%	83	2%	32	1%	3	0%	631	14%	563	13%	4.6	1,082	43.4
Ft Sam Houston	1,285	582	45%	229	18%	429	33%	38	3%	7	1%	485	38%	223	17%	4.2	982	24.1
Lackland	890	515	58%	158	18%	184	21%	31	3%	2	0%	390	44%	127	14%	0.0	990	31.6
Randolph	1,165	734	63%	136	12%	250	21%	38	3%	7	1%	310	27%	128	11%	0.0	1,068	42.5
Total	253,474	70,085	28%	158,455	63%	21,205	8%	3,360	1%	369	0%	155,278	61%	37,254	15%			

Numbers Reflect Bexar County Students Only (Does not include Atascosa County Students, Private, Charter Schools or Home Schools)
 Source: 1998-99 AEIS Reports <http://www.tea.state.tx.us/perfreport/aeis/99/>

- 1). ECONOMICALLY DISADVANTAGED: Percentage of total students reported as economically disadvantaged. Economically disadvantaged students are those who are reported as eligible for free or reduced-price meals under the National School Lunch and Child Nutrition Program or other public assistance. Students reported with any one of these status codes may or may not be enrolled in a special program such as compensatory or special education. (Source: FEIMS, 110)
- 2). Dropout Rate (Actual Longitudinal): These rates were calculated by following the class (cohort) of students who began 7th grade in 1992-93 through their expected graduation date, in 1997-98.
- 3). PERCENT AT OR ABOVE CRITERION: The number of examinees in the class of 1998 who, on their most recent test, scored at or above the criterion score (1110 on the SAT 1 or 24 on the ACT) expressed as a percent of all examinees. (Source: SAT /ACT File)



Arrests for Substance-Related and Violent Crime

	# of Arrests			% of Arrests		
	1998	1997	1996	1998	1997	1996
DWI	4,539	4,788	5,159	5.00%	5.00%	5.00%
Liquor Law Violations	414	349	364	0.50%	0.40%	0.40%
Public Intoxication	1,047	1,002	880	1.20%	1.00%	0.80%
Trafficking, All Drugs	2,624	2,078	2,270	2.90%	2.20%	2.20%
Possession, All Drugs	3,680	3,681	4,642	4.10%	3.80%	4.50%
Trafficking, Marijuana	72	67	88	N/A	N/A	N/A
Possession, Marijuana	3,193	3,007	3,658	N/A	N/A	N/A
All Drug Offenses	6,304	5,759	6,912	7.00%	6.00%	6.70%
Violent Crimes	956	1,132	1,440	1.10%	1.20%	1.40%


Substance-Related Motor Vehicle Accidents

	Alcohol			Drugs		
	1998	1997	1996	1998	1997	1996
Total Injury Accidents	1,071	1,172	1,217	42	47	42
Fatal Injury Accidents	36	36	54	2	0	0
Non-Fatal Injury Accidents	1,035	1,136	1,163	40	47	42
Non-Fatal Injuries	1,737	1,907	2,069	65	78	61
Fatal Injuries	40	38	61	3	0	0
% of all Injury Accidents	6.2	7	6.7	0.2	0	0
% of all Fatal Accidents	6.1	6	6.4	1.5	0	0
% of all Non-Fatal Accidents	26.9	27	36	0.2	0	0
% of all Non-Fatal Injuries	6.5	7	7.2	0.2	0	0
% of all Fatal Injuries	27.8	27	36.7	2.1		N/A


Substance Related Deaths

	1998			1997			1996		
	Total	Adult	Youth	Total	Adult	Youth	Total	Adult	Youth
Total Alcohol-Related Deaths	739	725	14	753	729	24	749	725	24
Direct Alcohol-Related Deaths	187	187	N/A*	188	188	N/A*	187	187	N/A*
Indirect Alcohol-Related Deaths	552	538	14	565	541	24	562	538	24
Total Drug-Related Deaths	220	218	2	187	184	3	222	218	4
Direct Drug-Related Deaths	154	154	N/A*	139	138	1	154	154	N/A*
Indirect Drug-Related Deaths	66	64	2	48	46	2	68	64	4


<http://www.tcada.state.tx.us/research/statistics/results.php3>




**1994
San Antonio
Housing Assistance**



15,776 Total SAHA Occupied Housing Units
Conventional & Section 8




**1999
San Antonio
Housing Assistance**





18,037 Total SAHA Occupied Housing Units
Conventional & Section 8
(As of April 20, 2000)


Source: SAHA



**Renter Occupied
Single Family Housing Units**



**% of Single Family Housing
Units That are Renter Occupied**



Renter Occupied Single Family Housing Unit/
All Single Family Housing Units

**87,414 Total
Renter Occupied Housing Units**
Source: 1998 Bexar Appraisal District
Homeowners Exemption code

GLOSSARY

Age Adjusted Death Rate: The number of deaths per age group by the population of that group by the expected deaths for that group.

Birth Rate: The number of live births per 1,000 population.

Fertility Rate: The number of live births/1000 women 15-44

Death Rate: The number of deaths per 100,000 residents unless otherwise noted.

Infant Death Rate: Number of deaths under one year of age per 1,000 live births.

Infant Mortality: Any death under one year of age.

Late Prenatal Care: No physician visits in the first trimester.

Leading Causes of Death: These data were gathered from 1999 death certificates coded by decedent's primary cause of death as determined by the attending physician. Note that "Heart Disease" deaths are the sum of deaths attributed to Heart Disease.

Maternal Death: A death attributed to delivery or a complication of pregnancy, childbirth, or the puerperium, as defined by the International Classification of Diseases.

Neonatal Mortality: A death to an infant under 28 days of age.

Overweight: The prevalence of overweight is defined as a Body Mass Index [(weight in kilograms)/(height in meters)] of > 27.8 for men and > 27.3 for women.

Regular Physical Activity: Respondents who engage in physical activity at least 20 minutes a day, 3 times a week.

Published June, 2000
By the City of San Antonio
San Antonio Metropolitan Health District
332 W. Commerce
San Antonio, Texas 78205-2489

San Antonio Metropolitan Health District

HEALTH PROFILES

1999

Appendix




Table of Contents of Appendix

Births & Maternal Health

1999 Maternal Health Indicators for Specific Areas of the County	3
1999 Maternal Health Indicators for Neighborhood Associations	4
Births at S.W. Tx Methodist Hospital & University Hospital by Mother's Residence	8
Births at CHRISTUS Santa Rosa Hospital & Metropolitan Methodist Hospital by Mother's Residence	9
Births at Baptist Medical Center & Wilford Hall Medical Center by Mother's Residence	10
1999 Births by Census Tract	11

Deaths

Bexar County Cancer Deaths	18
Bexar County Cancer Deaths by Age Group	19
Maps of Total Cancer Deaths and Prostate Cancer Deaths by Zipcode	20
Maps of Breast Cancer and Ovarian Cancer Deaths by Zipcode	21
Maps of Colon Cancer Deaths and Cancer Deaths to persons age < 20 by Zipcode	22
Maps of Leukemia and Lung Cancer Deaths by Zipcode	23
Maps of Pancreas and Liver Cancer Deaths by Zipcode	24
Bexar County Selected Cancer Deaths by Zipcode	25
Deaths by Census Tract	27
Diabetes Related Deaths	33
Diabetes Related Deaths by Cause of Death	34

Other Public Health Information

Sexually Transmitted Diseases by Zipcode Age 13-19	35
Location of Physicians, Hospitals and Health Clinics	37
Bexar County Substance Abuse Treatment	38
Juvenile Probation	39
Adult Probation	40

Health Profiles 1999

The Health Profiles 1999 consists of the Basic Report and Appendix. The Appendix has expanded data sets.

Access to this publication

In addition to the printed version of Health Profiles 1999, access is available:

1) Internet access to the complete report is available at:
<http://www.samhd.org/profiles/>


2) A CD-ROM of the complete report is available. Orders may be placed by mail, e-mail, fax, or telephone.

Questions or comments regarding this report should be directed to:

John A. Berlanga
Management Analyst
San Antonio Metropolitan Health District
332 West Commerce
San Antonio, TX 78205-2489
Telephone: (210) 207-6976
Facsimile: (210) 207-8999
Email: jberlanga@ci.sat.tx.us


1999 Maternal Health Indicators for Specific Areas of the County

LOCATION	Total Births	Births to Mothers 10 - 17	Receiving Late or no Prenatal Care	Low Birth Weight (<2500 grams)	Infant Deaths	Births to Single Mothers
North	9,082	238	838	691	39	1,781
South	1,347	120	179	94	12	400
Inner City	12,902	1,220	2,416	1,043	93	4,944



1999 Maternal Health Indicators for Original 36 Sq mile City limits of San Antonio

Total Births	Births to Mothers 10 - 17	Receiving Late or no Prenatal Care	Low Birth Weight (<2500 grams)	Infant Deaths	Births to Single Mothers
3,715	395	803	317	29	1,455
	10.6%	21.6%	8.5%	7.8	39.2%
Bexar Co.	6.8%	14.7%	7.4%	6.2	30.5%



1999 Maternal Health Indicators by Neighborhood Association Areas

NAME	Total Births	Births to Mothers 10 - 17	%	Receiving Late or no Prenatal Care	%	Low Birth Weight (<2500 grams)	%	Births to Single Mothers	%	Infant Deaths
Alamo Farmsteads	124	2	2%	11	9%	9	7%	18	15%	1
Alamodome East Property Owners	18	2	11%	6	33%	0	0%	8	44%	0
Alta Vista	53	6	11%	11	21%	7	13%	22	42%	0
Apple Creek	16	0	0%	1	6%	0	0%	1	6%	0
Arsenal	2	0	0%	1	50%	0	0%	0	0%	0
Avenida Guadalupe	172	25	15%	47	27%	10	6%	91	53%	0
Babcock North	68	7	10%	10	15%	3	4%	23	34%	1
Beacon Hill	129	16	12%	28	22%	9	7%	44	34%	1
Blanco Woods	5	0	0%	0	0%	1	20%	0	0%	0
Bluffview at Camino Real	5	0	0%	1	20%	0	0%	1	20%	0
Braun Station West	35	1	3%	3	9%	1	3%	1	3%	0
Braun's Farm	120	0	0%	7	6%	6	5%	9	8%	0
Brookside	10	0	0%	0	0%	1	10%	1	10%	1
Cadillac Drive	4	0	0%	1	25%	0	0%	0	0%	0
Camelot I	47	3	6%	4	9%	4	9%	17	36%	1
Camelot II	182	13	7%	35	19%	8	4%	66	36%	0
Carriage Place	2	0	0%	0	0%	0	0%	0	0%	0
Castle Hills Forest	16	0	0%	0	0%	0	0%	0	0%	0
Cattleman Square	29	1	3%	3	10%	3	10%	9	31%	0
Churchill Estates	23	0	0%	2	9%	2	9%	0	0%	0
Churchill Forest	10	0	0%	0	0%	0	0%	0	0%	0
Coliseum Park / Willow Park	36	2	6%	12	33%	1	3%	22	61%	1
College Park	26	2	8%	1	4%	5	19%	3	12%	0
Country View	35	0	0%	5	14%	4	11%	5	14%	0
Countryside San Pedro	18	0	0%	0	0%	1	6%	2	11%	1
Crownhill Park	6	0	0%	0	0%	0	0%	1	17%	0
Deerfield	17	0	0%	1	6%	2	12%	1	6%	0
Denver Heights	148	16	11%	35	24%	16	11%	67	45%	1
Dignowity Hill	81	10	12%	22	27%	15	19%	39	48%	1
Dijon Heights	0	0	n/a	0	n/a	0	n/a	0	n/a	0
Donaldson Terrace	80	7	9%	19	24%	5	6%	32	40%	1
Downtown Residents	21	2	10%	6	29%	4	19%	14	67%	1
Dreamhill Estates	0	0	n/a	0	n/a	0	n/a	0	n/a	0
Dreamland Oaks	23	0	0%	4	17%	0	0%	8	35%	0
East Terrell Hills	48	2	4%	5	10%	4	8%	17	35%	0
Elm Creek	12	0	0%	0	0%	0	0%	0	0%	0
Encino Bluff	10	0	0%	0	0%	0	0%	1	10%	0
Englewood	72	7	10%	17	24%	4	6%	29	40%	1
Escalon	48	5	10%	8	17%	5	10%	19	40%	1
Estates/Mission Hills	18	0	0%	1	6%	0	0%	1	6%	0
Fox Run	14	0	0%	1	7%	1	7%	4	29%	0
French Creek Village	7	0	0%	0	0%	0	0%	2	29%	0
Friends of Friedrich Wilderness Park	1	0	0%	0	0%	0	0%	0	0%	0
Gardens at Brookhollow	4	0	0%	0	0%	0	0%	0	0%	0

1999 Maternal Health Indicators by Neighborhood Association Areas

NAME	Total Births	Births to Mothers 10 - 17	%	Receiving Late or no Prenatal Care	%	Low Birth Weight (<2500 grams)	%	Births to Single Mothers	%	Infant Deaths
Gateway to Hemisfair South	44	5	11%	10	23%	3	7%	23	52%	1
General Krueger	19	0	0%	3	16%	4	21%	9	47%	0
Government Hill Alliance	86	9	10%	21	24%	7	8%	38	44%	1
Great Northwest	256	5	2%	23	9%	18	7%	40	16%	1
Green Spring Valley	11	0	0%	2	18%	2	18%	2	18%	0
Greenridge North	13	2	15%	1	8%	2	15%	6	46%	1
Guadalupe	72	11	15%	17	24%	2	3%	20	28%	1
Guilbeau Park	19	2	11%	0	0%	1	5%	4	21%	0
Heritage	186	7	4%	27	15%	17	9%	58	31%	0
Hidden Cove/Indian Creek	268	35	13%	42	16%	14	5%	100	37%	3
High Country	54	2	4%	3	6%	2	4%	13	24%	0
Highland Hills	382	33	9%	61	16%	25	7%	161	42%	1
Highland Park	226	17	8%	45	20%	23	10%	77	34%	0
Hunter's Chase	47	0	0%	3	6%	3	6%	5	11%	2
Hunter's Creek	9	0	0%	0	0%	0	0%	0	0%	0
Huntleigh Park	26	2	8%	5	19%	4	15%	17	65%	0
Ingram Hills	45	6	13%	13	29%	1	2%	23	51%	0
Inspiration Hills	28	0	0%	4	14%	1	4%	7	25%	0
Jefferson	159	11	7%	27	17%	11	7%	58	36%	1
Kentwood Manor	13	0	0%	1	8%	1	8%	3	23%	0
King William	27	5	19%	5	19%	3	11%	5	19%	0
Kingsborough Ridge	127	18	14%	20	16%	8	6%	50	39%	2
Lakeside	31	5	16%	2	6%	6	19%	11	35%	0
Lochwood	4	0	0%	0	0%	0	0%	0	0%	0
Lockhill Estates	77	2	3%	11	14%	10	13%	27	35%	0
Loma Terrace	9	0	0%	3	33%	2	22%	3	33%	0
Mahncke Park	97	3	3%	21	22%	5	5%	41	42%	3
Marymont	3	0	0%	1	33%	0	0%	1	33%	0
Meadow Village	54	1	2%	6	11%	4	7%	18	33%	0
Mission San Jose	119	13	11%	11	9%	12	10%	63	53%	0
Mission Trace	2	0	0%	0	0%	0	0%	0	0%	0
Mockingbird Hill	5	0	0%	0	0%	1	20%	0	0%	0
Monte Vista	38	1	3%	2	5%	4	11%	7	18%	0
Monticello Park	18	0	0%	3	17%	1	6%	4	22%	0
Neighbors East Working Imp.	19	2	11%	6	32%	0	0%	8	42%	0
Nevada Street	50	8	16%	12	24%	6	12%	22	44%	0
North Castle Hills	2	0	0%	0	0%	0	0%	0	0%	0
North Central Thousand Oaks	60	0	0%	2	3%	2	3%	3	5%	0
North Shearer Hills	29	2	7%	4	14%	0	0%	11	38%	0
Northampton	5	0	0%	0	0%	0	0%	2	40%	0
Northchase	10	0	0%	0	0%	3	30%	2	20%	0
Northern Hills	91	2	2%	11	12%	3	3%	13	14%	0
Northwest Park	7	0	0%	0	0%	0	0%	2	29%	0
Northwest Territories	83	5	6%	8	10%	1	1%	14	17%	0
Oak Creek	22	1	5%	4	18%	0	0%	6	27%	0
Oak Grove	19	1	5%	1	5%	1	5%	5	26%	0
Oak Meadow	19	0	0%	2	11%	0	0%	2	11%	0
Oak Park / Northwood	110	2	2%	5	5%	12	11%	14	13%	0


1999 Maternal Health Indicators by Neighborhood Association Areas

NAME	Total Births	Births to Mothers 10 - 17	%	Receiving Late or no Prenatal Care	%	Low Birth Weight (<2500 grams)	%	Births to Single Mothers	%	Infant Deaths
Oakland Estates	20	2	10%	7	35%	1	5%	8	40%	0
Oakwell Farms	33	1	3%	1	3%	4	12%	3	9%	0
Olmos Park Terrace	22	0	0%	2	9%	1	5%	6	27%	0
Oxbow	22	0	0%	1	5%	5	23%	5	23%	0
PACE	445	44	10%	73	16%	21	5%	163	37%	3
Park Forest	6	0	0%	0	0%	1	17%	0	0%	0
Park Village	57	3	5%	8	14%	3	5%	37	65%	0
Parkwood Maintenance	49	3	6%	3	6%	0	0%	9	18%	0
Pebble Forest	4	0	0%	0	0%	0	0%	0	0%	0
Pecan Valley	35	4	11%	3	9%	2	6%	16	46%	0
People Against Corruption	43	8	19%	11	26%	1	2%	22	51%	0
Perrin Park	3	0	0%	0	0%	1	33%	3	100%	0
Prospect Hill	48	3	6%	10	21%	2	4%	20	42%	2
Redland	3	0	0%	0	0%	0	0%	0	0%	0
Regency Place	3	0	0%	0	0%	0	0%	1	33%	1
Residents of Westchester Oaks	6	0	0%	0	0%	0	0%	0	0%	0
Ridgestone	178	1	1%	9	5%	15	8%	20	11%	1
River Oaks/River Gardens	1	0	0%	0	0%	0	0%	1	100%	0
River Road	6	0	0%	0	0%	0	0%	1	17%	0
Riverbend	3	0	0%	0	0%	0	0%	1	33%	0
Riverside	172	18	10%	36	21%	13	8%	71	41%	1
Royal Ridge	13	0	0%	3	23%	1	8%	3	23%	0
Salado Valley	12	1	8%	0	0%	0	0%	5	42%	0
Sema Station	18	1	6%	3	17%	0	0%	6	33%	0
Shavano Garden Homes	4	0	0%	0	0%	1	25%	0	0%	0
Shearer Hills / Ridgeview	150	8	5%	21	14%	14	9%	48	32%	0
Skyline Park	22	3	14%	4	18%	3	14%	13	59%	0
South Southwest	281	35	12%	37	13%	20	7%	101	36%	4
Southeast Side Community Org.	11	1	9%	4	36%	1	9%	3	27%	0
Southwest Community	976	122	13%	206	21%	96	10%	360	37%	6
Springvale	73	5	7%	18	25%	5	7%	32	44%	0
St. Paul Square	0	0	n/a	0	n/a	0	n/a	0	n/a	0
Stone Oak	157	0	0%	3	2%	10	6%	6	4%	0
Stoneleigh / Dellcrest	34	0	0%	5	15%	2	6%	13	38%	0
Sunshine Estates	7	0	0%	2	29%	1	14%	0	0%	0
Tanglewood	22	1	5%	3	14%	1	5%	8	36%	1
The Arboretum	15	1	7%	1	7%	2	13%	1	7%	0
The Dominion	9	0	0%	1	11%	0	0%	0	0%	0
The Oaks Owners	4	0	0%	0	0%	2	50%	3	75%	0
Thelka	68	20	29%	13	19%	5	7%	33	49%	3
Tobin Hill	94	6	6%	14	15%	10	11%	42	45%	0
United Westwood	43	6	14%	9	21%	2	5%	16	37%	0
University Hills	5	0	0%	0	0%	1	20%	2	40%	0
Valencia	20	1	5%	1	5%	2	10%	4	20%	0
Valley Forge	53	3	6%	9	17%	3	6%	13	25%	0
Vance Jackson	84	1	1%	4	5%	3	4%	12	14%	0
Ventura I	11	0	0%	0	0%	0	0%	1	9%	0

1999 Maternal Health Indicators by Neighborhood Association Areas


NAME	Total Births	Births to Mothers 10 - 17	%	Receiving Late or no Prenatal Care	%	Low Birth Weight (<2500 grams)	%	Births to Single Mothers	%	Infant Deaths
Ventura Maintenance	46	3	7%	5	11%	1	2%	14	30%	0
Village North One	56	1	2%	7	13%	5	9%	19	34%	0
Westfort Alliance	3	0	0%	1	33%	0	0%	2	67%	0
Wheatley Heights	43	10	23%	12	28%	5	12%	26	60%	1
Whispering Oaks	15	0	0%	0	0%	0	0%	2	13%	0
Whitewing Lane	0	0	n/a	0	n/a	0	n/a	0	n/a	0
Windsor Square	14	0	0%	1	7%	0	0%	3	21%	0
Windwood Estates	1	0	0%	0	0%	0	0%	0	0%	0
Woodlands of Camino Real	6	0	0%	0	0%	1	17%	1	17%	0
Woodlawn Hills	86	4	5%	20	23%	3	3%	34	40%	0
Woodlawn Lake	173	19	11%	32	18%	13	8%	65	38%	2
Woodridge	23	0	0%	1	4%	1	4%	0	0%	0
Woods of Deerfield	5	0	0%	0	0%	1	20%	0	0%	0
Woods of Shavano	35	0	0%	2	6%	4	11%	3	9%	0
Woodstone	85	0	0%	8	9%	6	7%	27	32%	0

Note: Overlap of Neighborhood Associations boundaries increases numbers




**1999 Births
at S.W. Tx Methodist Hospital
by Mother's Residence**

- 60 to 148
- 40 to 59
- 20 to 39
- 1 to 19
- none




**1999 Births
at University Hospital
by Mother's Residence**

- 60 to 65
- 40 to 59
- 20 to 39
- 1 to 19
- none




**1999 Births at
CHRISTUS Santa Rosa Hospital
by Mother's Residence**

- 60 to 85
- 40 to 59
- 20 to 39
- 1 to 19
- none





**1999 Births at
Metropolitan Methodist Hospital
by Mother's Residence**


- 40 to 43
- 20 to 39
- 1 to 19
- none



**1999 Births at
Baptist Medical Center
by Mother's Residence**



**1999 Births
at Wilford Hall Medical Center
by Mother's Residence**



1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1101	50	6	12.0%	13	26.0%	7	14.0%	24	48.0%	1	210
1102	22	2	9.1%	3	13.6%	5	22.7%	12	54.5%	0	98
1103	87	9	10.3%	17	19.5%	7	8.0%	41	47.1%	2	214
1104	8	1	12.5%	2	25.0%	1	12.5%	2	25.0%	0	70
1105	79	10	12.7%	20	25.3%	7	8.9%	44	55.7%	0	467
1106	93	6	6.5%	17	18.3%	5	5.4%	32	34.4%	0	38
1107	48	4	8.3%	8	16.7%	7	14.6%	20	41.7%	1	251
1108	48	3	6.3%	8	16.7%	5	10.4%	20	41.7%	0	41
1109	13	2	15.4%	1	7.7%	1	7.7%	7	53.8%	0	26
1110	39	6	15.4%	10	25.6%	2	5.1%	18	46.2%	0	75
1201.85	60	0	0.0%	3	5.0%	6	10.0%	4	6.7%	0	11
1202.85	105	3	2.9%	22	21.0%	5	4.8%	45	42.9%	3	104
1203	82	1	1.2%	3	3.7%	5	6.1%	7	8.5%	0	4
1204	57	1	1.8%	6	10.5%	5	8.8%	6	10.5%	0	1
1205.01	131	9	6.9%	13	9.9%	7	5.3%	52	39.7%	0	65
1205.02	105	9	8.6%	23	21.9%	11	10.5%	49	46.7%	1	152
1206	81	1	1.2%	12	14.8%	6	7.4%	20	24.7%	1	58
1207	101	3	3.0%	13	12.9%	12	11.9%	21	20.8%	0	124
1208	89	2	2.2%	4	4.5%	11	12.4%	15	16.9%	0	5
1209.01	26	2	7.7%	3	11.5%	7	26.9%	9	34.6%	0	16
1209.02	98	2	2.0%	9	9.2%	10	10.2%	23	23.5%	0	6
1210	97	3	3.1%	15	15.5%	5	5.2%	30	30.9%	1	18
1211.03	191	5	2.6%	10	5.2%	9	4.7%	22	11.5%	1	5
1211.04	160	2	1.3%	18	11.3%	8	5.0%	28	17.5%	0	25
1211.05	191	2	1.0%	9	4.7%	16	8.4%	22	11.5%	1	47
1211.06	141	0	0.0%	4	2.8%	7	5.0%	17	12.1%	0	0
1211.07	129	2	1.6%	5	3.9%	6	4.7%	12	9.3%	0	0
1211.08	67	1	1.5%	4	6.0%	2	3.0%	6	9.0%	0	0
1212.01	141	7	5.0%	22	15.6%	8	5.7%	51	36.2%	0	47
1212.02	150	11	7.3%	20	13.3%	13	8.7%	43	28.7%	0	221
1213	38	0	0.0%	4	10.5%	4	10.5%	5	13.2%	0	0
1214.01	156	11	7.1%	33	21.2%	13	8.3%	77	49.4%	2	222
1214.02	50	4	8.0%	8	16.0%	6	12.0%	19	38.0%	1	62
1215.01	72	1	1.4%	2	2.8%	3	4.2%	10	13.9%	1	2

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1215.02	142	6	4.2%	24	16.9%	7	4.9%	43	30.3%	0	160
1215.03	145	9	6.2%	23	15.9%	6	4.1%	51	35.2%	0	188
1215.04	65	3	4.6%	10	15.4%	5	7.7%	13	20.0%	0	3
1216.01	63	2	3.2%	11	17.5%	3	4.8%	26	41.3%	0	12
1216.03	76	4	5.3%	10	13.2%	7	9.2%	19	25.0%	0	8
1216.04	62	1	1.6%	9	14.5%	5	8.1%	18	29.0%	1	7
1217	90	2	2.2%	10	11.1%	3	3.3%	20	22.2%	0	0
1218.01	88	2	2.3%	5	5.7%	2	2.3%	22	25.0%	0	3
1218.02	43	2	4.7%	8	18.6%	4	9.3%	14	32.6%	1	6
1218.03	53	3	5.7%	9	17.0%	3	5.7%	13	24.5%	0	14
1218.04	89	0	0.0%	9	10.1%	6	6.7%	30	33.7%	0	267
1218.05	207	2	1.0%	13	6.3%	14	6.8%	24	11.6%	0	9
1219.01	16	0	0.0%	2	12.5%	1	6.3%	1	6.3%	0	3
1219.02	147	0	0.0%	4	2.7%	7	4.8%	6	4.1%	0	0
1301	88	9	10.2%	25	28.4%	18	20.5%	38	43.2%	1	77
1302	50	8	16.0%	12	24.0%	6	12.0%	22	44.0%	0	27
1303	65	8	12.3%	12	18.5%	8	12.3%	25	38.5%	0	50
1304	188	20	10.6%	48	25.5%	23	12.2%	96	51.1%	2	228
1305	60	8	13.3%	16	26.7%	2	3.3%	26	43.3%	0	78
1306	97	11	11.3%	19	19.6%	7	7.2%	55	56.7%	0	282
1307.85	74	9	12.2%	20	27.0%	8	10.8%	40	54.1%	1	241
1308	62	3	4.8%	19	30.6%	3	4.8%	41	66.1%	1	176
1309	55	3	5.5%	16	29.1%	8	14.5%	32	58.2%	0	224
1310	79	8	10.1%	20	25.3%	11	13.9%	46	58.2%	0	189
1311	63	13	20.6%	19	30.2%	7	11.1%	34	54.0%	1	44
1312	46	7	15.2%	11	23.9%	3	6.5%	22	47.8%	1	192
1313	75	3	4.0%	7	9.3%	5	6.7%	26	34.7%	0	46
1314	83	12	14.5%	11	13.3%	11	13.3%	30	36.1%	0	21
1315.01	194	12	6.2%	22	11.3%	18	9.3%	65	33.5%	3	208
1315.02	92	1	1.1%	12	13.0%	6	6.5%	29	31.5%	0	51
1316.01	4	0	0.0%	1	25.0%	0	0.0%	1	25.0%	0	0
1316.03	267	13	4.9%	25	9.4%	21	7.9%	50	18.7%	0	19
1316.04	79	3	3.8%	9	11.4%	5	6.3%	12	15.2%	0	25
1317	34	0	0.0%	2	5.9%	2	5.9%	3	8.8%	0	0

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1318	103	5	4.9%	9	8.7%	5	4.9%	18	17.5%	2	2
1401	36	6	16.7%	12	33.3%	2	5.6%	11	30.6%	0	17
1402	49	4	8.2%	12	24.5%	6	12.2%	19	38.8%	0	41
1403	108	13	12.0%	23	21.3%	8	7.4%	36	33.3%	0	25
1404	77	6	7.8%	20	26.0%	9	11.7%	27	35.1%	0	35
1405	73	5	6.8%	13	17.8%	7	9.6%	22	30.1%	0	32
1406	57	6	10.5%	13	22.8%	4	7.0%	25	43.9%	1	15
1407	74	6	8.1%	12	16.2%	6	8.1%	26	35.1%	0	258
1408	92	12	13.0%	17	18.5%	4	4.3%	46	50.0%	1	63
1409	29	3	10.3%	6	20.7%	1	3.4%	11	37.9%	0	9
1410	85	10	11.8%	13	15.3%	10	11.8%	41	48.2%	1	65
1411	125	6	4.8%	18	14.4%	16	12.8%	64	51.2%	2	222
1412	109	13	11.9%	15	13.8%	4	3.7%	45	41.3%	0	76
1413	85	7	8.2%	8	9.4%	7	8.2%	38	44.7%	0	183
1414	148	9	6.1%	25	16.9%	3	2.0%	52	35.1%	1	125
1415	17	0	0.0%	1	5.9%	0	0.0%	1	5.9%	0	0
1416	36	2	5.6%	2	5.6%	4	11.1%	11	30.6%	1	8
1417	63	6	9.5%	8	12.7%	3	4.8%	25	39.7%	0	2
1418	70	5	7.1%	8	11.4%	2	2.9%	29	41.4%	1	0
1419	53	2	3.8%	7	13.2%	1	1.9%	17	32.1%	0	2
1501	124	13	10.5%	35	28.2%	8	6.5%	41	33.1%	0	26
1502	17	5	29.4%	3	17.6%	2	11.8%	5	29.4%	0	2
1503	102	21	20.6%	20	19.6%	7	6.9%	48	47.1%	2	18
1504	91	6	6.6%	15	16.5%	7	7.7%	25	27.5%	1	43
1505	228	23	10.1%	51	22.4%	14	6.1%	93	40.8%	1	24
1506	106	10	9.4%	26	24.5%	8	7.5%	39	36.8%	2	43
1507	110	7	6.4%	17	15.5%	7	6.4%	46	41.8%	2	49
1508	63	6	9.5%	9	14.3%	5	7.9%	40	63.5%	0	231
1509	145	13	9.0%	15	10.3%	15	10.3%	57	39.3%	0	143
1510	68	8	11.8%	11	16.2%	5	7.4%	31	45.6%	0	13
1511	153	10	6.5%	21	13.7%	12	7.8%	55	35.9%	4	103
1512	164	10	6.1%	17	10.4%	11	6.7%	63	38.4%	2	136
1513	205	21	10.2%	41	20.0%	15	7.3%	80	39.0%	3	108
1514	107	13	12.1%	12	11.2%	12	11.2%	43	40.2%	0	105

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1515	52	5	9.6%	8	15.4%	2	3.8%	23	44.2%	0	30
1516	127	14	11.0%	20	15.7%	10	7.9%	41	32.3%	1	186
1517	110	17	15.5%	19	17.3%	8	7.3%	47	42.7%	3	97
1518	18	1	5.6%	3	16.7%	2	11.1%	7	38.9%	0	1
1519	94	11	11.7%	22	23.4%	6	6.4%	32	34.0%	1	6
1520	7	0	0.0%	0	0.0%	0	0.0%	1	14.3%	0	0
1521	72	3	4.2%	7	9.7%	4	5.6%	20	27.8%	1	2
1522	168	17	10.1%	16	9.5%	16	9.5%	50	29.8%	1	6
1601	154	18	11.7%	27	17.5%	10	6.5%	66	42.9%	1	269
1602	36	0	0.0%	7	19.4%	1	2.8%	12	33.3%	0	4
1603	93	12	12.9%	10	10.8%	6	6.5%	31	33.3%	1	30
1604	100	6	6.0%	11	11.0%	4	4.0%	33	33.0%	0	51
1605	170	27	15.9%	40	23.5%	20	11.8%	74	43.5%	0	350
1606	124	22	17.7%	19	15.3%	17	13.7%	44	35.5%	0	109
1607.85	200	22	11.0%	33	16.5%	23	11.5%	83	41.5%	2	446
1608	0	0		0		0		0		0	0
1609	192	24	12.5%	27	14.1%	14	7.3%	66	34.4%	0	54
1610.85	69	2	2.9%	17	24.6%	4	5.8%	22	31.9%	0	9
1611	167	30	18.0%	31	18.6%	11	6.6%	68	40.7%	2	36
1612	41	0	0.0%	6	14.6%	4	9.8%	7	17.1%	0	11
1613	348	44	12.6%	61	17.5%	19	5.5%	121	34.8%	4	324
1614.01	25	1	4.0%	3	12.0%	2	8.0%	2	8.0%	1	0
1614.85	29	0	0.0%	2	6.9%	1	3.4%	0	0.0%	0	0
1615.01	173	15	8.7%	28	16.2%	6	3.5%	71	41.0%	0	299
1615.02	136	11	8.1%	22	16.2%	6	4.4%	49	36.0%	2	177
1616	116	10	8.6%	26	22.4%	8	6.9%	47	40.5%	0	107
1617	17	0	0.0%	0	0.0%	3	17.6%	0	0.0%	0	1
1618	113	14	12.4%	19	16.8%	7	6.2%	33	29.2%	1	68
1619	96	11	11.5%	18	18.8%	6	6.3%	28	29.2%	0	3
1620	173	22	12.7%	26	15.0%	8	4.6%	45	26.0%	2	7
1701	216	23	10.6%	52	24.1%	24	11.1%	90	41.7%	2	28
1702	151	26	17.2%	41	27.2%	5	3.3%	61	40.4%	1	269
1703	139	16	11.5%	34	24.5%	15	10.8%	48	34.5%	1	116
1704	284	19	6.7%	75	26.4%	20	7.0%	107	37.7%	2	348

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1705	99	13	13.1%	23	23.2%	12	12.1%	45	45.5%	1	46
1706	79	6	7.6%	11	13.9%	6	7.6%	37	46.8%	0	51
1707	115	20	17.4%	22	19.1%	7	6.1%	45	39.1%	0	19
1708	35	5	14.3%	7	20.0%	1	2.9%	14	40.0%	1	3
1709	80	15	18.8%	18	22.5%	3	3.8%	30	37.5%	0	152
1710	142	16	11.3%	35	24.6%	13	9.2%	48	33.8%	0	28
1711	89	11	12.4%	23	25.8%	13	14.6%	40	44.9%	1	88
1712	96	12	12.5%	27	28.1%	6	6.3%	37	38.5%	2	5
1713	119	8	6.7%	21	17.6%	11	9.2%	37	31.1%	1	80
1714	169	10	5.9%	41	24.3%	14	8.3%	70	41.4%	1	227
1715	149	19	12.8%	32	21.5%	17	11.4%	53	35.6%	1	352
1716	127	19	15.0%	23	18.1%	16	12.6%	55	43.3%	0	103
1717	124	4	3.2%	23	18.5%	11	8.9%	46	37.1%	1	154
1718	225	18	8.0%	41	18.2%	14	6.2%	76	33.8%	3	151
1719.01	273	4	1.5%	19	7.0%	21	7.7%	50	18.3%	1	14
1719.02	65	0	0.0%	4	6.2%	3	4.6%	16	24.6%	0	0
1719.03	115	16	13.9%	19	16.5%	8	7.0%	40	34.8%	0	100
1719.04	224	11	4.9%	24	10.7%	3	1.3%	45	20.1%	1	56
1719.05	200	8	4.0%	28	14.0%	19	9.5%	61	30.5%	0	104
1719.06	61	2	3.3%	7	11.5%	1	1.6%	10	16.4%	0	1
1720	163	1	0.6%	7	4.3%	14	8.6%	23	14.1%	4	1
1801	111	6	5.4%	18	16.2%	7	6.3%	38	34.2%	1	41
1802	167	12	7.2%	31	18.6%	11	6.6%	65	38.9%	1	513
1803	80	7	8.8%	19	23.8%	5	6.3%	32	40.0%	1	97
1804	86	5	5.8%	18	20.9%	3	3.5%	36	41.9%	0	192
1805.01	93	11	11.8%	27	29.0%	3	3.2%	45	48.4%	0	155
1805.02	136	10	7.4%	25	18.4%	15	11.0%	49	36.0%	0	115
1806	133	6	4.5%	20	15.0%	13	9.8%	33	24.8%	2	115
1807.01	62	0	0.0%	10	16.1%	6	9.7%	25	40.3%	0	24
1807.02	124	3	2.4%	16	12.9%	11	8.9%	33	26.6%	1	8
1808	85	11	12.9%	22	25.9%	5	5.9%	33	38.8%	1	92
1809.01	78	2	2.6%	13	16.7%	4	5.1%	17	21.8%	2	21
1809.02	142	19	13.4%	30	21.1%	12	8.5%	58	40.8%	0	94
1810.01	54	3	5.6%	6	11.1%	7	13.0%	17	31.5%	0	7

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1810.03	117	3	2.6%	15	12.8%	10	8.5%	40	34.2%	0	11
1810.04	68	1	1.5%	7	10.3%	4	5.9%	11	16.2%	2	31
1810.05	110	4	3.6%	22	20.0%	8	7.3%	31	28.2%	0	71
1811	50	0	0.0%	3	6.0%	3	6.0%	9	18.0%	0	3
1812	40	0	0.0%	3	7.5%	0	0.0%	6	15.0%	1	1
1813	198	4	2.0%	25	12.6%	18	9.1%	51	25.8%	3	89
1814.01	138	4	2.9%	10	7.2%	11	8.0%	29	21.0%	0	70
1814.02	27	0	0.0%	3	11.1%	1	3.7%	8	29.6%	0	1
1815.01	187	3	1.6%	12	6.4%	11	5.9%	31	16.6%	0	156
1815.02	109	6	5.5%	13	11.9%	8	7.3%	31	28.4%	0	7
1816	176	11	6.3%	28	15.9%	17	9.7%	60	34.1%	1	113
1817.01	33	1	3.0%	1	3.0%	0	0.0%	7	21.2%	0	0
1817.03	80	0	0.0%	8	10.0%	5	6.3%	10	12.5%	0	1
1817.04	91	8	8.8%	15	16.5%	11	12.1%	31	34.1%	1	22
1817.05	45	1	2.2%	2	4.4%	3	6.7%	9	20.0%	0	3
1817.06	127	5	3.9%	19	15.0%	12	9.4%	42	33.1%	2	18
1817.07	247	3	1.2%	15	6.1%	23	9.3%	38	15.4%	3	109
1817.08	289	6	2.1%	22	7.6%	17	5.9%	53	18.3%	1	63
1817.09	265	11	4.2%	21	7.9%	12	4.5%	43	16.2%	1	55
1817.1	158	2	1.3%	8	5.1%	7	4.4%	13	8.2%	0	1
1818.01	99	3	3.0%	6	6.1%	2	2.0%	15	15.2%	0	420
1818.02	172	3	1.7%	17	9.9%	13	7.6%	26	15.1%	1	3
1818.03	106	2	1.9%	9	8.5%	6	5.7%	19	17.9%	0	9
1818.04	196	8	4.1%	23	11.7%	20	10.2%	41	20.9%	2	65
1818.05	214	5	2.3%	10	4.7%	12	5.6%	31	14.5%	2	5
1819	54	0	0.0%	3	5.6%	4	7.4%	7	13.0%	0	0
1820	39	0	0.0%	3	7.7%	5	12.8%	5	12.8%	0	0
1821	84	1	1.2%	5	6.0%	3	3.6%	7	8.3%	1	0
1901	86	14	16.3%	22	25.6%	8	9.3%	37	43.0%	2	93
1902	66	3	4.5%	7	10.6%	6	9.1%	23	34.8%	0	18
1903	0	0	N/A	0	N/A	0	N/A	0	N/A	0	0
1904	24	0	0.0%	0	0.0%	5	20.8%	3	12.5%	2	8
1905	163	17	10.4%	31	19.0%	16	9.8%	48	29.4%	1	184
1906	229	21	9.2%	47	20.5%	11	4.8%	88	38.4%	0	116

1999 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% LATE OR NO PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS	SAHA Total
1907	55	5	9.1%	8	14.5%	5	9.1%	22	40.0%	0	97
1908	22	0	0.0%	0	0.0%	3	13.6%	4	18.2%	0	0
1909	151	7	4.6%	22	14.6%	13	8.6%	51	33.8%	0	133
1910.01	188	16	8.5%	30	16.0%	10	5.3%	62	33.0%	1	526
1910.02	152	15	9.9%	25	16.4%	7	4.6%	56	36.8%	0	157
1911.01	12	0	0.0%	0	0.0%	1	8.3%	1	8.3%	0	0
1911.02	23	1	4.3%	3	13.0%	4	17.4%	7	30.4%	0	16
1912	95	6	6.3%	17	17.9%	5	5.3%	27	28.4%	1	43
1913	111	2	1.8%	7	6.3%	7	6.3%	29	26.1%	1	113
1914.01	174	0	0.0%	5	2.9%	9	5.2%	5	2.9%	0	38
1914.02	26	0	0.0%	2	7.7%	2	7.7%	5	19.2%	0	0
1914.03	134	1	0.7%	14	10.4%	6	4.5%	24	17.9%	1	19
1914.04	189	6	3.2%	33	17.5%	14	7.4%	65	34.4%	0	64
1914.05	109	0	0.0%	4	3.7%	3	2.8%	7	6.4%	1	1
1915.01	56	0	0.0%	2	3.6%	6	10.7%	5	8.9%	0	0
1915.02	72	0	0.0%	3	4.2%	9	12.5%	8	11.1%	0	2
1916	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0
1917	56	1	1.8%	3	5.4%	4	7.1%	5	8.9%	1	1
1918.01	201	1	0.5%	5	2.5%	12	6.0%	13	6.5%	1	1
1918.02	44	0	0.0%	0	0.0%	1	2.3%	0	0.0%	0	0
1918.03	46	1	2.2%	3	6.5%	1	2.2%	2	4.3%	0	2
Missing	165	9		13		9		40		1	
Total	23496	1587	6.8%	3446	14.7%	1737	7.4%	7165	30.5%	145	17,379

Differences due to Unavailable data (unable to assign address to Census Tract)

1999 Bexar County Cancer Deaths

Not Age Adjusted

	Non Hispanic White	Death Rate per 100K	Hispanic	Death Rate per 100K	Black	Death Rate per 100K	Other	Death Rate per 100K	Total
Trachea, bronchus and lung	273	52.4	111	15.5	24	25.7	4	15.0	412
Rectum, rectosigmoid junction and anus	96	18.4	61	8.5	17	18.2		0.0	174
Female Breast	85	16.3	46	6.4	11	11.8	2	7.5	144
Without specification of site	52	10.0	33	4.6	8	8.6		0.0	93
Pancreas	40	7.7	41	5.7	7	7.5	1	3.7	89
Prostate	47	9.0	27	3.8	6	6.4		0.0	80
Liver and intrahepatic bile ducts	29	5.6	38	5.3	4	4.3	1	3.7	72
Lymphoid and histolytic tissue	40	7.7	25	3.5	4	4.3		0.0	69
Brain	36	6.9	21	2.9	7	7.5		0.0	64
Ovary and other uterine adnexa	36	6.9	23	3.2	3	3.2		0.0	62
Leukemia of unspecified cell type	38	7.3	12	1.7	7	7.5	1	3.7	58
Stomach	15	2.9	33	4.6	3	3.2	1	3.7	52
Kidney	23	4.4	25	3.5	4	4.3		0.0	52
Esophagus	28	5.4	13	1.8	5	5.3		0.0	46
Bladder	29	5.6	12	1.7	1	1.1		0.0	42
Multiple myeloma and immunoproliferative	16	3.1	9	1.3	5	5.3	2	7.5	32
Melanoma of skin	25	4.8	5	0.7		0.0		0.0	30
Gallbladder and extrahepatic bile ducts	8	1.5	8	1.1	2	2.1		0.0	18
Cervix uteri	1	0.2	12	1.7	3	3.2		0.0	16
Uterus	5	1.0	8	1.1	2	2.1		0.0	15
Ill defined sites	6	1.2	7	1.0		0.0	1	3.7	14
Unspecified parts of Mouth	8	1.5	4	0.6	1	1.1		0.0	13
Tongue	6	1.2	3	0.4	1	1.1		0.0	10
Larynx	5	1.0	4	0.6		0.0		0.0	9
Connective and other soft tissue	2	0.4	5	0.7	2	2.1		0.0	9
Body of uterus	4	0.8	4	0.6	1	1.1		0.0	9
Bone and articular cartilage	3	0.6	5	0.7		0.0		0.0	8
Ill defined sites within the lip, oral cavity and pharynx	3	0.6	2	0.3	1	1.1		0.0	6
Lymphoid leukemia	3	0.6	3	0.4		0.0		0.0	6
Hodgkin's disease	3	0.6	2	0.3		0.0		0.0	5
Small intestine, including duodenum	3	0.6	1	0.1		0.0		0.0	4
Retroperitoneum and peritoneum	2	0.4	2	0.3		0.0		0.0	4
Unspecified female genital organs	3	0.6	1	0.1		0.0		0.0	4
Thyroid gland	2	0.4	2	0.3		0.0		0.0	4
Myeloid leukemia	3	0.6	1	0.1		0.0		0.0	4
Colon	2	0.4	1	0.1		0.0		0.0	3
Testis	1	0.2	1	0.1	1	1.1		0.0	3
Penis and other male genital organs	3	0.6		0.0		0.0		0.0	3
Unspecified parts of nervous system	3	0.6		0.0		0.0		0.0	3
Endocrine glands	3	0.6		0.0		0.0		0.0	3
Thymus, heart and mediastinum	1	0.2	1	0.1		0.0		0.0	2
Other neoplasm of skin	1	0.2	1	0.1		0.0		0.0	2
Oropharynx	1	0.2		0.0		0.0		0.0	1
Other ill defined sites within the digestive organs	1	0.2		0.0		0.0		0.0	1
Nasal cavities, middle ear and sinuses	1	0.2		0.0		0.0		0.0	1
Secondary lymph nodes		0.0	1	0.1		0.0		0.0	1
Secondary respiratory and digestive organs	1	0.2		0.0		0.0		0.0	1
Monocytic leukemia	1	0.2		0.0		0.0		0.0	1
Other specified leukemia	1	0.2		0.0		0.0		0.0	1
Total Deaths	998	191.5	614	85.6	130	139.1	13	48.7	1755

Leading Cancer Death by Age Group, 1999-Bexar County

Under 1 Year	SAMHD	23,458
Cause	Number	Rate/1000
Leukemia of unspecified	1	0.0
Brain	1	0.0
		-
		-
		-
		-
		-
TOTAL (all Causes)	2	0.1

1 - 4 Years	T.S.D. P	92,727
Cause	Number	Rate/100K
Brain	2	2.2
Leukemia of unspecified	1	1.1
		-
		-
		-
		-
		-
TOTAL (all Causes)	3	3.2

5 - 14 Years	T.S.D. P	216,269
Cause	Number	Rate/100K
Brain	1	0.5
Connective and other sof	1	0.5
lymphoid leukemia	1	0.5
		-
		-
		-
		-
TOTAL (all Causes)	3	1.4

15 - 24 Years	T.S.D. P	197,214
Cause	Number	Rate/100K
Leukemia of unspecified	4	
Testis	2	1.0
Brain	2	1.0
Other ill defined sites wit	1	0.5
Ovary and other uterine	1	0.5
Lymphoid and histolytic ti	1	0.5
		-
TOTAL (all Causes)	11	5.6

25 - 44 Years	T.S.D. P	424,600
Cause	Number	Rate/100K
Female Breast	19	4.5
Rectum, rectosigmoid ju	10	2.4
Melanoma of skin	7	1.6
Without specification of s	7	1.6
Trachea, bronchus and l	7	1.6
Cervix uteri	5	1.2
Brain	5	1.2
TOTAL (all Causes)	91	21.4

45 - 64 Years	T.S.D. P	264,630
Cause	Number	Rate/100K
Trachea, bronchus and l	91	34.4
Female Breast	62	23.4
Rectum, rectosigmoid ju	50	18.9
Pancreas	26	9.8
Without specification of s	24	9.1
Brain	23	8.7
Lymphoid and histolytic ti	19	7.2
TOTAL (all Causes)	464	175.3


65 - 74 Years	T.S.D. P	75,937
Cause	Number	Rate/100K
Trachea, bronchus and l	141	185.7
Rectum, rectosigmoid ju	37	48.7
Pancreas	28	36.9
Liver and intrahepatic bil	26	34.2
Female Breast	26	34.2
Without specification of s	23	30.3
Prostate	16	21.1
TOTAL (all Causes)	466	613.7

75 + Years	T.S.D. P	65,576
Cause	Number	Rate/100K
Trachea, bronchus and l	173	263.8
Rectum, rectosigmoid ju	77	117.4
Prostate	57	86.9
Without specification of s	39	59.5
Pancreas	30	45.7
Lymphoid and histolytic ti	30	45.7
Ovary and other uterine	29	44.2
TOTAL (all Causes)	715	1,090.3



Rate per 100,000 Population

Texas State Data Center 1999 Population


San Antonio Metropolitan Health District Number of Births





**1999 Cancer Deaths
by Zipcode**





**1999 Prostate Cancer Deaths
by Zipcode**




1999 Breast Cancer Deaths by Zipcode





1999 Ovarian Cancer Deaths by Zipcode







**1999 Colon Cancer Deaths
by Zipcode**





**1999 Cancer Deaths
to Persons < 20 Years Old
by Zipcode**







**1999 Lung Cancer Deaths
by Zipcode**





**1999 Leukemia Cancer Deaths
by Zipcode**






**1999 Pancreas
Cancer Deaths
by Zipcode**



**1999 Liver Cancer Deaths
by Zipcode**



1999 Bexar County Selected Cancer Deaths by Zip Code

IPCODE	Current Population Estimate	Total Cancer Deaths	Breast Cancer Deaths	Prostate Cancer Deaths	Colon Rectum Cancer Deaths	Lung Cancer Deaths	Liver Cancer Deaths	Leukemia Cancer Deaths	Cervix Cancer Deaths	Pancreas Cancer Deaths	Ovary Cancer Deaths	Cancer Deaths Age < 20
78002	3121	2	0	0	0	1	0	0	0	0	0	0
78006	18744	1	0	0	0	0	0	0	0	0	0	0
78015	5022	5	1	0	0	0	0	1	0	1	0	0
78023	3994	7	1	0	1	1	0	0	0	0	0	0
78052	2379	1	0	0	0	1	0	0	0	0	0	0
78069	3686	1	0	0	0	1	0	0	0	0	0	0
78073	3084	5	0	0	0	2	1	0	0	0	0	0
78101	4076	3	1	0	0	0	0	1	0	0	0	0
78108	7975	0	0	0	0	0	0	0	0	0	0	0
78109	16313	12	0	2	0	2	2	1	0	0	1	0
78112	2413	2	0	0	0	1	0	0	0	0	0	0
78148	13803	19	2	0	2	7	0	1	0	1	0	0
78152	1928	1	0	0	0	0	0	0	0	0	0	0
78154	11246	1	0	0	1	0	0	0	0	0	0	0
78201	42202	73	6	5	7	12	3	6	2	5	3	0
78202	11291	32	1	3	3	7	2	4	1	0	1	0
78203	6888	8	0	0	0	2	0	3	1	0	0	0
78204	10928	14	0	0	3	3	0	0	1	0	1	0
78205	1577	2	0	0	1	1	0	0	0	0	0	0
78207	54201	60	2	5	3	17	2	7	0	6	1	0
78208	4559	5	0	0	0	1	0	0	0	1	0	0
78209	33667	84	9	3	7	20	1	12	0	3	5	0
78210	37590	61	8	2	8	18	3	1	1	3	2	0
78211	29122	40	3	4	3	7	2	4	1	2	4	0
78212	28096	52	2	1	7	17	2	6	0	1	1	0
78213	38801	58	4	2	5	12	1	4	0	7	3	0
78214	22626	51	5	0	6	11	2	5	0	4	0	0
78215	1122	1	0	0	0	0	0	1	0	0	0	0
78216	33784	59	5	2	7	14	1	7	0	2	0	0
78217	32796	42	4	2	4	14	1	0	0	4	2	0
78218	29639	51	2	0	4	14	3	7	0	2	4	0
78219	16556	28	1	2	1	9	1	2	0	0	0	1
78220	15909	45	2	3	6	15	1	4	1	1	1	0
78221	35367	33	4	1	3	5	2	3	0	3	0	0
78222	14146	22	2	0	2	4	1	3	0	1	0	0
78223	38534	64	8	2	7	15	2	5	0	2	3	1
78224	15249	9	1	1	1	3	0	0	0	0	1	0
78225	13078	29	2	0	4	8	2	2	0	1	1	2
78226	7037	4	1	0	0	3	0	0	0	0	0	0
78227	44505	57	4	2	4	19	4	6	1	4	1	0

1999 Bexar County Selected Cancer Deaths by Zip Code

ICD9	Current Population Estimate	Total Cancer Deaths	Breast Cancer Deaths	Prostate Cancer Deaths	Colon		Lung Cancer Deaths	Liver Cancer Deaths	Leukemia Cancer Deaths	Cervix Cancer Deaths	Pancreas Cancer Deaths	Ovary Cancer Deaths	Cancer Deaths Age < 20
					Rectum Cancer Deaths	Cancer Deaths							
78228	57154	78	6	7	11	9	5	9	2	2	2	2	1
78229	26686	27	1	3	5	3	1	5	0	1	1	0	0
78230	33653	66	10	7	8	9	2	4	1	2	6	0	0
78231	10745	13	1	0	2	2	0	2	1	1	1	1	0
78232	33300	52	6	1	6	12	1	7	0	5	3	0	0
78233	41832	40	1	1	3	13	4	5	0	2	3	0	0
78234	8094	1	0	0	0	0	0	0	1	0	0	0	0
78235	852	1	0	0	0	0	0	0	1	0	0	0	0
78236	8829	0	0	0	0	0	0	0	0	0	0	0	0
78237	36967	52	2	1	6	10	4	5	0	3	3	0	0
78238	25865	27	1	2	2	8	2	3	0	0	2	0	0
78239	25728	54	5	2	5	16	2	5	0	1	1	2	0
78240	45567	49	5	4	8	12	2	4	0	2	0	1	0
78241	1620	1	0	0	0	0	0	1	0	0	0	0	0
78242	24717	28	4	1	2	4	1	6	0	1	1	0	0
78244	18827	21	3	0	3	4	0	3	0	0	1	1	0
78245	27920	35	2	1	6	5	2	8	0	2	1	0	0
78247	35317	23	4	0	1	3	1	3	0	1	0	0	0
78248	5818	7	2	0	0	3	0	1	0	0	1	0	0
78249	26270	27	1	3	3	7	0	2	0	0	1	0	0
78250	66808	46	7	1	3	7	1	4	0	5	0	0	0
78251	21452	20	1	2	2	7	2	0	0	1	1	2	0
78252	1364	1	0	0	0	0	1	0	0	0	0	0	0
78253	5637	7	0	0	0	0	1	0	0	2	0	0	0
78254	1535	1	0	0	0	1	0	0	0	0	0	0	0
78255	2990	6	1	0	1	1	0	1	0	0	0	0	0
78256	1452	0	0	0	0	0	0	0	0	0	0	0	0
78257	1895	6	0	1	0	1	0	0	1	1	0	0	0
78258	4100	6	0	0	0	2	0	0	0	1	0	0	0
78259	6511	2	0	0	0	1	0	1	0	0	0	0	0
78260	2399	0	0	0	0	0	0	0	0	0	0	0	0
78261	842	1	0	0	0	0	1	0	0	0	0	0	0
78263	3141	2	0	0	0	0	0	1	0	0	0	0	0
78264	4377	10	0	1	0	5	0	0	0	2	0	0	0
78266	2362	1	0	0	0	0	0	0	0	0	0	0	0
Total	1,339,680	1,755	144	80	177	412	72	176	16	89	62	11	0

1999 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1101.00	3,029	45	3	99.0	0	0.0	15	495.2	0	0.0	0	0.0	0	-
1102.00	1,533	23	2	130.5	1	65.2	8	521.9	1	65.2	0	0.0	1	65.2
1103.00	5,484	46	6	109.4	2	36.5	10	182.3	1	18.2	0	0.0	4	72.9
1104.00	1,251	11	1	79.9	1	79.9	4	319.7	1	79.9	1	79.9	0	-
1105.00	3,210	17	1	31.2	3	93.5	6	186.9	1	31.2	0	0.0	0	-
1106.00	6,360	31	0	0.0	2	31.4	5	78.6	1	15.7	0	0.0	0	-
1107.00	1,864	19	2	107.3	1	53.6	5	268.2	3	160.9	0	0.0	0	-
1108.00	3,243	34	4	123.3	1	30.8	15	462.5	0	0.0	0	0.0	0	-
1109.00	797	8	1	125.5	0	0.0	5	627.4	0	0.0	0	0.0	0	-
1110.00	3,445	38	2	58.1	0	0.0	12	348.3	1	29.0	0	0.0	0	-
1201.85	8,019	4	1	12.5	0	0.0	1	12.5	0	0.0	0	0.0	0	-
1202.85	7,590	68	12	158.1	2	26.4	22	289.9	2	26.4	0	0.0	1	13.2
1203.00	6,926	75	15	216.6	0	0.0	26	375.4	1	14.4	2	28.9	1	14.4
1204.00	5,009	47	10	199.6	1	20.0	15	299.5	0	0.0	0	0.0	0	-
1205.01	8,875	79	14	157.7	2	22.5	26	293.0	1	11.3	1	11.3	0	-
1205.02	5,936	51	9	151.6	3	50.5	13	219.0	2	33.7	1	16.8	1	16.8
1206.00	6,261	52	8	127.8	0	0.0	15	239.6	0	0.0	0	0.0	0	-
1207.00	10,319	166	24	232.6	2	19.4	40	387.6	3	29.1	0	0.0	0	-
1208.00	6,599	78	15	227.3	3	45.5	16	242.5	0	0.0	0	0.0	0	-
1209.01	4,218	54	9	213.4	1	23.7	19	450.5	0	0.0	1	23.7	0	-
1209.02	6,666	40	7	105.0	1	15.0	11	165.0	1	15.0	1	15.0	1	15.0
1210.00	6,707	60	16	238.6	0	0.0	16	238.6	0	0.0	0	0.0	0	-
1211.03	10,798	42	10	92.6	0	0.0	9	83.3	1	9.3	1	9.3	0	-
1211.04	11,509	61	11	95.6	4	34.8	11	95.6	2	17.4	0	0.0	0	-
1211.05	8,302	33	5	60.2	0	0.0	5	60.2	0	0.0	0	0.0	1	12.0
1211.06	8,654	36	8	92.4	1	11.6	7	80.9	2	23.1	0	0.0	1	11.6
1211.07	11,847	71	21	177.3	1	8.4	17	143.5	0	0.0	3	25.3	0	-
1211.08	6,390	38	14	219.1	0	0.0	9	140.8	0	0.0	1	15.6	0	-
1212.01	9,935	56	7	70.5	3	30.2	18	181.2	0	0.0	1	10.1	0	-
1212.02	13,137	78	12	91.3	4	30.4	27	205.5	1	7.6	2	15.2	0	-
1213.00	5,371	69	20	372.4	4	74.5	19	353.8	0	0.0	0	0.0	0	-
1214.01	8,972	76	16	178.3	2	22.3	16	178.3	2	22.3	0	0.0	0	-
1214.02	3,305	13	5	151.3	0	0.0	4	121.0	0	0.0	0	0.0	1	30.3
1215.01	5,230	21	3	57.4	2	38.2	3	57.4	0	0.0	0	0.0	0	-
1215.02	9,599	74	16	166.7	1	10.4	14	145.8	1	10.4	1	10.4	0	-
1215.03	9,403	67	10	106.3	5	53.2	16	170.2	1	10.6	1	10.6	0	-
1215.04	4,306	58	13	301.9	1	23.2	13	301.9	2	46.4	0	0.0	0	-
1216.01	5,283	16	3	56.8	0	0.0	5	94.6	1	18.9	0	0.0	0	-
1216.03	7,374	37	11	149.2	1	13.6	9	122.1	0	0.0	0	0.0	0	-

1999 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1216.04	4,456	16	2	44.9	1	22.4	5	112.2	0	0.0	0	0.0	0	-
1217.00	8,527	44	14	164.2	2	23.5	15	175.9	0	0.0	0	0.0	0	-
1218.01	6,337	22	3	47.3	1	15.8	9	142.0	0	0.0	1	15.8	0	-
1218.02	3,517	18	3	85.3	1	28.4	7	199.0	0	0.0	0	0.0	0	-
1218.03	4,644	16	3	64.6	1	21.5	4	86.1	0	0.0	1	21.5	0	-
1218.04	6,207	18	6	96.7	0	0.0	3	48.3	0	0.0	0	0.0	0	-
1218.05	7,616	33	4	52.5	1	13.1	9	118.2	0	0.0	1	13.1	0	-
1219.01	1,508	9	2	132.6	0	0.0	1	66.3	0	0.0	0	0.0	0	-
1219.02	5,445	17	2	36.7	0	0.0	4	73.5	0	0.0	0	0.0	0	-
1301.00	4,800	42	8	166.7	0	0.0	13	270.8	1	20.8	0	0.0	2	41.7
1302.00	2,245	20	5	222.7	0	0.0	7	311.8	0	0.0	0	0.0	0	-
1303.00	4,182	29	4	95.6	0	0.0	14	334.8	0	0.0	0	0.0	0	-
1304.00	8,360	82	11	131.6	4	47.8	17	203.3	2	23.9	0	0.0	2	23.9
1305.00	6,013	49	12	199.6	0	0.0	11	182.9	2	33.3	0	0.0	4	66.5
1306.00	5,167	62	12	232.2	0	0.0	24	464.5	0	0.0	0	0.0	0	-
1307.85	3,680	23	3	81.5	0	0.0	8	217.4	1	27.2	0	0.0	1	27.2
1308.00	4,884	50	10	204.8	1	20.5	10	204.8	2	41.0	0	0.0	2	41.0
1309.00	4,140	52	15	362.3	3	72.5	12	289.9	0	0.0	0	0.0	1	24.2
1310.00	5,478	55	16	292.1	0	0.0	15	273.8	1	18.3	0	0.0	0	-
1311.00	3,341	33	5	149.7	2	59.9	12	359.2	0	0.0	0	0.0	2	59.9
1312.00	3,098	39	9	290.5	0	0.0	14	451.9	1	32.3	0	0.0	0	-
1313.00	5,156	59	15	290.9	2	38.8	11	213.3	2	38.8	1	19.4	0	-
1314.00	5,918	27	7	118.3	0	0.0	3	50.7	0	0.0	0	0.0	0	-
1315.01	7,682	41	7	91.1	0	0.0	7	91.1	1	13.0	0	0.0	1	13.0
1315.02	7,829	35	6	76.6	0	0.0	15	191.6	1	12.8	1	12.8	1	12.8
1316.01	2,232	3	1	44.8	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1316.03	12,681	41	13	102.5	1	7.9	8	63.1	1	7.9	0	0.0	0	-
1316.04	3,811	21	6	157.4	1	26.2	6	157.4	0	0.0	0	0.0	0	-
1317.00	3,463	1	0	0.0	0	0.0	0	0.0	0	0.0	1	28.9	0	-
1318.00	7,123	32	4	56.2	1	14.0	12	168.5	0	0.0	0	0.0	1	14.0
1401.00	2,363	16	3	127.5	1	42.5	7	297.5	0	0.0	1	42.5	0	-
1402.00	3,810	35	4	105.0	2	52.5	10	262.5	2	52.5	0	0.0	0	-
1403.00	3,911	34	6	153.4	0	0.0	8	204.6	0	0.0	0	0.0	1	25.6
1404.00	4,217	30	3	71.1	0	0.0	12	284.6	0	0.0	0	0.0	0	-
1405.00	4,141	39	9	217.3	0	0.0	13	313.9	0	0.0	1	24.1	2	48.3
1406.00	2,602	27	6	230.6	0	0.0	6	230.6	1	38.4	0	0.0	1	38.4
1407.00	4,588	56	4	87.2	3	65.4	20	435.9	1	21.8	0	0.0	0	-
1408.00	5,724	40	7	122.3	2	34.9	9	157.2	2	34.9	0	0.0	0	-
1409.00	1,923	28	4	208.0	0	0.0	11	572.0	0	0.0	0	0.0	0	-

1999 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1410.00	3,964	18	2	50.5	0	0.0	5	126.1	1	25.2	0	0.0	0	-
1411.00	8,017	64	13	162.2	1	12.5	20	249.5	1	12.5	1	12.5	0	-
1412.00	7,335	67	10	136.3	3	40.9	27	368.1	2	27.3	1	13.6	1	13.6
1413.00	6,094	48	11	180.5	0	0.0	9	147.7	1	16.4	1	16.4	1	16.4
1414.00	9,256	93	18	194.5	2	21.6	16	172.9	1	10.8	0	0.0	1	10.8
1415.00	781	1	1	128.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1416.00	1,216	9	7	82.2	0	0.0	0	0.0	1	82.2	0	0.0	0	-
1417.00	3,620	23	7	193.4	0	0.0	2	55.2	0	0.0	0	0.0	0	-
1418.00	3,259	16	3	92.1	1	30.7	6	184.1	2	61.4	0	0.0	0	-
1419.00	4,341	35	5	115.2	1	23.0	10	230.4	1	23.0	1	23.0	0	-
1501.00	6,308	47	3	47.6	1	15.9	19	301.2	3	47.6	0	0.0	1	15.9
1502.00	1,765	14	2	113.3	1	56.7	4	226.6	0	0.0	0	0.0	0	-
1503.00	5,382	37	8	148.6	2	37.2	7	130.1	2	37.2	1	18.6	0	-
1504.00	4,844	48	9	165.8	5	103.2	14	289.0	2	41.3	1	20.6	0	-
1505.00	9,510	87	17	178.8	7	73.6	22	231.3	2	21.0	1	10.5	2	21.0
1506.00	4,853	43	6	123.6	0	0.0	13	267.9	0	0.0	0	0.0	1	20.6
1507.00	6,474	75	18	278.0	5	77.2	19	293.5	0	0.0	0	0.0	1	15.4
1508.00	3,154	21	5	158.5	0	0.0	5	158.5	0	0.0	1	31.7	1	31.7
1509.00	6,103	63	12	196.6	6	98.3	18	294.9	0	0.0	0	0.0	0	-
1510.00	3,504	18	2	57.1	0	0.0	5	142.7	0	0.0	0	0.0	1	28.5
1511.00	7,707	84	10	129.8	3	38.9	25	324.4	0	0.0	1	13.0	0	-
1512.00	8,667	42	5	57.7	3	34.6	12	138.5	0	0.0	1	11.5	1	11.5
1513.00	9,166	55	9	98.2	1	10.9	8	87.3	0	0.0	1	10.9	2	21.8
1514.00	4,949	32	4	80.8	6	121.2	9	181.9	1	20.2	0	0.0	0	-
1515.00	2,615	23	5	191.2	3	114.7	7	267.7	0	0.0	0	0.0	1	38.2
1516.00	7,333	49	7	95.5	1	13.6	14	190.9	1	13.6	2	27.3	0	-
1517.00	7,059	53	9	127.5	1	14.2	12	170.0	1	14.2	2	28.3	0	-
1518.00	1,208	9	3	248.3	0	0.0	4	331.1	0	0.0	0	0.0	1	82.8
1519.00	3,511	23	3	85.4	3	85.4	2	57.0	2	57.0	0	0.0	1	28.5
1520.00	632	4	1	158.2	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1521.00	4,121	31	2	48.5	1	24.3	9	218.4	1	24.3	0	0.0	1	24.3
1522.00	5,884	40	8	136.0	1	17.0	14	237.9	2	34.0	0	0.0	0	-
1601.00	7,033	49	11	156.4	3	42.7	8	113.7	3	42.7	0	0.0	1	14.2
1602.00	2,929	39	6	204.8	1	34.1	12	409.7	0	0.0	0	0.0	0	-
1603.00	5,217	62	12	230.0	4	76.7	17	325.9	1	19.2	0	0.0	1	19.2
1604.00	5,098	45	7	137.3	3	58.8	10	196.2	1	19.6	0	0.0	0	-
1605.00	8,738	62	10	114.4	2	22.9	15	171.7	0	0.0	1	11.4	1	11.4
1606.00	6,075	58	11	181.1	4	65.8	14	230.5	0	0.0	0	0.0	1	16.5
1607.85	10,082	55	5	49.6	5	49.6	15	148.8	1	9.9	0	0.0	2	19.8

1999 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET-MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1608.00	17	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
1609.00	9,138	58	9	98.5	3	32.8	11	120.4	2	21.9	2	21.9	0	-
1610.85	3,420	26	4	117.0	1	29.2	7	204.7	1	29.2	1	29.2	0	-
1611.00	8,363	44	6	71.7	3	35.9	13	155.4	2	23.9	1	12.0	1	12.0
1612.00	1,743	8	0	0.0	0	0.0	2	114.7	1	57.4	1	57.4	0	-
1613.00	12,590	56	15	119.1	2	15.9	8	63.5	0	0.0	0	0.0	2	15.9
1614.01	6,730	3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1614.85	1,975	3	1	50.6	1	50.6	0	0.0	0	0.0	1	50.6	0	-
1615.01	7,645	36	7	91.6	2	26.2	9	117.7	0	0.0	1	13.1	0	-
1615.02	7,224	31	6	83.1	1	13.8	7	96.9	0	0.0	0	0.0	3	41.5
1616.00	4,797	15	4	83.4	1	20.8	5	104.2	0	0.0	2	41.7	0	-
1617.00	556	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1618.00	4,984	74	17	341.1	0	0.0	19	381.2	1	20.1	0	0.0	0	-
1619.00	4,794	15	1	20.9	0	0.0	5	104.3	1	20.9	1	20.9	0	-
1620.00	8,278	40	7	84.6	2	24.2	11	132.9	0	0.0	0	0.0	1	12.1
1701.00	9,052	54	11	121.5	1	11.0	10	110.5	1	11.0	1	11.0	1	11.0
1702.00	7,091	63	7	98.7	5	70.5	14	197.4	2	28.2	0	0.0	0	-
1703.00	7,323	63	7	95.6	2	27.3	19	259.5	0	0.0	0	0.0	1	13.7
1704.00	10,968	104	12	109.4	3	27.4	37	337.3	2	18.2	1	9.1	0	-
1705.00	5,216	52	13	249.2	1	19.2	11	210.9	0	0.0	0	0.0	1	19.2
1706.00	4,768	41	7	146.8	0	0.0	13	272.7	2	41.9	0	0.0	0	-
1707.00	6,017	41	8	133.0	2	33.2	5	83.1	2	33.2	1	16.6	0	-
1708.00	1,559	20	6	384.9	0	0.0	6	384.9	2	128.3	1	64.1	0	-
1709.00	6,580	68	9	136.8	4	60.8	15	228.0	3	45.6	1	15.2	0	-
1710.00	6,611	65	5	75.6	4	60.5	19	287.4	2	30.3	0	0.0	2	30.3
1711.00	4,528	40	6	132.5	1	22.1	15	331.3	1	22.1	0	0.0	0	-
1712.00	4,227	29	3	71.0	1	23.7	7	165.6	2	47.3	0	0.0	0	-
1713.00	7,990	65	14	175.2	3	37.5	18	225.3	4	50.1	1	12.5	2	25.0
1714.00	6,717	30	4	59.6	1	14.9	6	89.3	0	0.0	0	0.0	1	14.9
1715.00	8,519	64	13	152.6	3	35.2	17	199.6	1	11.7	0	0.0	3	35.2
1716.00	6,887	32	6	87.1	1	14.5	8	116.2	0	0.0	2	29.0	0	-
1717.00	7,936	44	8	100.8	2	25.2	13	163.8	0	0.0	1	12.6	0	-
1718.00	12,370	84	18	145.5	4	32.3	14	113.2	0	0.0	1	8.1	1	8.1
1719.01	8,831	59	14	158.5	2	22.6	13	147.2	0	0.0	2	22.6	0	-
1719.02	2,701	4	0	0.0	0	0.0	1	37.0	0	0.0	0	0.0	0	-
1719.03	5,842	25	5	85.6	0	0.0	11	188.3	0	0.0	1	17.1	0	-
1719.04	9,514	44	12	126.1	1	10.5	15	157.7	1	10.5	0	0.0	1	10.5
1719.05	12,517	59	16	127.8	2	16.0	14	111.8	2	16.0	1	8.0	2	16.0
1719.06	1,892	8	3	158.6	0	0.0	1	52.9	0	0.0	1	52.9	1	52.9


1999 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET-MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1720.00	6,742	61	14	207.7	1	14.8	13	192.8	1	14.8	1	14.8	1	14.8
1801.00	7,631	84	13	170.4	4	52.4	26	340.7	0	0.0	2	26.2	1	13.1
1802.00	9,973	113	21	210.6	5	50.1	31	310.8	1	10.0	0	0.0	0	-
1803.00	4,632	40	4	86.4	0	0.0	17	367.0	1	21.6	2	43.2	0	-
1804.00	4,625	19	4	86.5	2	43.2	3	64.9	1	21.6	2	43.2	0	-
1805.01	5,519	34	7	126.8	2	36.2	12	217.4	0	0.0	0	0.0	0	-
1805.02	9,036	43	7	77.5	3	33.2	8	88.5	0	0.0	1	11.1	3	33.2
1806.00	11,203	153	17	151.7	4	35.7	49	437.4	3	26.8	1	8.9	0	-
1807.01	4,151	60	9	216.8	4	96.4	16	385.4	0	0.0	0	0.0	1	24.1
1807.02	7,325	77	10	136.5	6	81.9	15	204.8	1	13.7	0	0.0	0	-
1808.00	3,250	17	2	61.5	2	61.5	4	123.1	0	0.0	0	0.0	1	30.8
1809.01	5,050	64	10	198.0	1	19.8	18	356.4	2	39.6	0	0.0	0	-
1809.02	7,664	43	6	78.3	0	0.0	12	156.6	4	52.2	0	0.0	1	13.0
1810.01	3,489	24	8	229.3	1	28.7	5	143.3	0	0.0	0	0.0	0	-
1810.03	5,475	11	0	0.0	1	18.3	2	36.5	0	0.0	1	18.3	0	-
1810.04	3,412	17	1	29.3	1	29.3	4	117.2	1	29.3	1	29.3	0	-
1810.05	4,725	22	5	105.8	0	0.0	5	105.8	0	0.0	1	21.2	0	-
1811.00	6,568	48	13	197.9	0	0.0	10	152.3	1	15.2	0	0.0	0	-
1812.00	5,439	63	22	404.5	0	0.0	14	257.4	1	18.4	1	18.4	1	18.4
1813.00	13,385	62	12	89.7	1	7.5	18	134.5	1	7.5	3	22.4	0	-
1814.01	6,939	51	11	158.5	2	28.8	21	302.6	0	0.0	2	28.8	0	-
1814.02	1,905	14	1	52.5	0	0.0	3	157.5	0	0.0	0	0.0	0	-
1815.01	9,108	54	16	175.7	1	11.0	13	142.7	0	0.0	0	0.0	3	32.9
1815.02	9,255	95	13	140.5	4	43.2	30	324.1	0	0.0	2	21.6	2	21.6
1816.00	9,648	49	13	134.7	2	20.7	10	103.6	0	0.0	0	0.0	0	-
1817.01	499	2	1	200.4	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1817.03	5,070	16	6	118.3	1	19.7	4	78.9	0	0.0	0	0.0	0	-
1817.04	4,995	15	2	40.0	1	20.0	5	100.1	0	0.0	0	0.0	0	-
1817.05	2,518	20	3	119.1	2	79.4	6	238.3	1	39.7	0	0.0	0	-
1817.06	6,470	27	6	92.7	1	15.5	7	108.2	0	0.0	2	30.9	0	-
1817.07	14,196	44	12	84.6	0	0.0	12	84.6	0	0.0	2	14.1	0	-
1817.08	15,379	62	13	84.5	2	13.0	11	71.5	1	6.5	1	6.5	0	-
1817.09	13,012	34	10	76.9	0	0.0	6	46.1	1	7.7	1	7.7	0	-
1817.10	6,257	20	5	79.9	0	0.0	3	47.9	0	0.0	0	0.0	1	16.0
1818.01	2,839	21	6	211.3	0	0.0	4	140.9	0	0.0	0	0.0	1	35.2
1818.02	9,705	41	14	144.3	2	20.6	8	82.4	1	10.3	1	10.3	1	10.3
1818.03	4,924	24	6	121.9	0	0.0	5	101.5	2	40.6	1	20.3	0	-
1818.04	10,812	45	7	64.7	2	18.5	14	129.5	1	9.2	0	0.0	0	-
1818.05	14,159	40	7	49.4	0	0.0	9	63.6	2	14.1	0	0.0	2	14.1

1999 Death Summary By Census Tract


CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS (w/o MV)	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1819.00	2,911	13	1	34.4	0	0.0	2	68.7	1	34.4	0	0.0	1	34.4
1820.00	2,815	12	5	177.6	0	0.0	1	35.5	0	0.0	0	0.0	1	35.5
1821.00	10,658	45	13	122.0	0	0.0	19	178.3	0	0.0	0	0.0	0	-
1901.00	4,692	61	4	85.3	3	63.9	28	596.8	0	0.0	0	0.0	1	21.3
1902.00	5,602	66	11	196.4	1	17.9	14	249.9	3	53.6	1	17.9	1	17.9
1903.00	125	6	1	800.0	0	0.0	3	2,400.0	0	0.0	0	0.0	0	-
1904.00	3,890	27	2	51.4	0	0.0	9	231.4	1	25.7	0	0.0	0	-
1905.00	11,069	81	15	135.5	1	9.0	19	171.7	2	18.1	2	18.1	3	27.1
1906.00	11,270	79	12	106.5	4	35.5	21	186.3	2	17.7	1	8.9	2	17.7
1907.00	3,153	31	7	222.0	4	126.9	10	317.2	1	31.7	0	0.0	0	-
1908.00	2,255	22	6	266.1	0	0.0	6	266.1	0	0.0	0	0.0	0	-
1909.00	9,320	123	21	225.3	2	21.5	44	472.1	3	32.2	1	10.7	0	-
1910.01	10,399	83	13	125.0	3	28.8	22	211.6	2	19.2	2	19.2	0	-
1910.02	8,529	74	14	164.1	0	0.0	24	281.4	1	11.7	1	11.7	1	11.7
1911.01	1,854	27	6	323.6	1	53.9	6	323.6	0	0.0	2	107.9	0	-
1911.02	2,691	45	7	260.1	0	0.0	14	520.3	1	37.2	0	0.0	0	-
1912.00	8,933	95	27	302.3	4	44.8	22	246.3	0	0.0	1	11.2	0	-
1913.00	7,306	55	15	205.3	1	13.7	12	164.2	0	0.0	0	0.0	0	-
1914.01	9,992	46	7	70.1	2	20.0	15	150.1	0	0.0	1	10.0	0	-
1914.02	4,835	8	3	62.0	0	0.0	1	20.7	0	0.0	0	0.0	0	-
1914.03	7,358	24	6	81.5	1	13.6	5	68.0	2	27.2	2	27.2	0	-
1914.04	8,591	26	3	34.9	0	0.0	9	104.8	1	11.6	0	0.0	0	-
1914.05	7,074	46	13	183.8	0	0.0	11	155.5	0	0.0	0	0.0	0	-
1915.01	6,750	34	6	88.9	0	0.0	8	118.5	0	0.0	1	14.8	0	-
1915.02	6,826	34	8	117.2	0	0.0	13	190.4	2	29.3	1	14.6	0	-
1916.00	6	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1917.00	7,321	65	9	122.9	1	13.7	19	259.5	1	13.7	1	13.7	0	-
1918.01	6,686	27	5	74.8	0	0.0	6	89.7	1	15.0	1	15.0	0	-
1918.02	1,691	26	1	59.1	1	59.1	8	473.1	0	0.0	0	0.0	0	-
1918.03	1,405	25	6	427.0	1	71.2	7	498.2	1	71.2	1	71.2	0	-
Missing	3,827	23	5	-	1	-	5	-	0	-	2	-	0	-
Total	1,358,087	9,453	1,755	129.2	313	23.0	2,542	187.2	173	12.7	115	8.5	108	8.0

Death Rate per 100,000 Population
Differences due to Missing data (unable to assign address to Census Tract)
Accidents do not include Motor Vehicle




1999 Deaths Related to Diabetes

Legend



Deaths Related to Diabetes by Age




Deaths Related to Diabetes by Cause of Death

	1998	%	1999	%
Diabetes Mellitus	305	28.0%	249	23.3%
Old Myocardial Infarction & Other Chronic Isch. Heart Disease	157	14.4%	93	8.7%
Diseases Pulmonary Circ. & Other forms of Heart Disease	119	10.9%	86	8.0%
Essential Hypertension & Hypertensive Real Disease	75	6.9%	58	5.4%
Cerebrovascular Diseases	27	2.5%	38	3.6%
Renal Failure, Acute & Chronic	36	3.3%	37	3.5%
Acute Myocardial Infarction	30	2.8%	23	2.2%
Arteriosclerosis	26	2.4%	23	2.2%
Hypertensive Heart Disease	14	1.3%	13	1.2%
Other Diseases of Arteries, Arterioles & Capillaries	14	1.3%	12	1.1%
Chronic Liver Diseases & Cirrhosis	14	1.3%	10	0.9%
Nutritional Deficiencies	1	0.1%	1	0.1%
Total Deaths	818		643	

1999 Total Deaths 9,453
Diabetes Related 1,069 11%

1999 Deaths Related to Diabetes By Race & Ethnicity



■ Hispanic	617
■ Black	94
□ Non Hispanic White	355
■ Other	3

■ Hispanic ■ Black □ Non Hispanic White ■ Other


1999 Bexar County Sexually Transmitted Diseases for Teens Ages 13 to 19

Zipcode	Female Syphillis	Male Syphillis	Female Gonorrhea	Male Gonorrhea	Female Chlamydia	Male Chlamydia	Total
78002	0	0	0	1	2	1	4
78006	0	0	0	0	0	0	0
78015	0	0	0	0	0	0	0
78023	0	0	0	0	2	0	2
78052	0	0	0	0	2	0	2
78069	0	0	1	0	4	0	5
78073	0	0	1	0	6	2	9
78101	0	0	0	0	1	0	1
78108	0	0	1	0	3	1	5
78109	0	0	5	2	18	5	30
78112	0	1	2	1	7	1	12
78148	0	0	3	0	12	1	16
78152	0	0	0	0	0	0	0
78154	0	0	0	0	2	1	3
78201	0	0	14	7	60	11	92
78202	0	0	27	8	68	12	115
78203	0	0	6	5	21	11	43
78204	0	0	5	3	18	7	33
78205	0	0	1	0	4	0	5
78207	0	0	22	20	123	47	212
78208	0	0	5	1	12	2	20
78209	0	0	6	1	22	1	30
78210	0	0	26	18	125	60	229
78211	0	0	13	2	56	10	81
78212	0	0	3	7	36	12	58
78213	0	0	6	0	23	2	31
78214	3	0	7	5	32	9	56
78215	0	0	0	0	3	0	3
78216	0	0	8	2	24	4	38
78217	0	0	3	4	17	5	29
78218	0	0	11	6	31	11	59
78219	0	0	5	3	24	7	39
78220	0	0	15	11	46	18	90
78221	0	0	13	9	47	16	85
78222	0	0	6	2	18	7	33
78223	0	0	13	8	59	19	99
78224	0	0	2	1	20	4	27
78225	0	0	4	1	20	2	27
78226	0	0	4	0	17	0	21

1999 Bexar County Sexually Transmitted Diseases for Teens Ages 13 to 19

78227	2	0	21	8	88	23	142
78228	0	0	16	3	74	18	111
78229	0	0	5	2	23	5	35
78230	0	0	3	1	10	2	16
78231	0	0	0	1	0	2	3
78232	0	0	2	0	9	0	11
78233	0	0	2	2	13	6	23
78234	0	0	8	4	24	9	45
78235	0	0	0	0	0	0	0
78236	0	0	3	0	11	5	19
78237	1	0	14	7	85	15	122
78238	0	0	3	0	15	2	20
78239	0	0	5	5	221	6	237
78240	0	0	4	2	22	5	33
78241	0	0	0	0	1	0	1
78242	0	0	9	9	41	20	79
78244	0	0	8	6	29	15	58
78245	0	0	3	1	28	7	39
78247	0	0	6	1	18	0	25
78248	0	0	0	0	0	2	2
78249	0	0	4	1	11	1	17
78250	0	0	8	1	35	4	48
78251	0	0	1	3	15	6	25
78252	0	0	0	1	2	8	11
78253	0	0	2	0	5	2	9
78254	0	0	0	0	3	0	3
78255	0	0	0	0	0	0	0
78256	0	0	0	0	0	0	0
78257	0	0	0	0	1	0	1
78258	0	0	1	0	3	0	4
78259	0	0	1	0	4	0	5
78260	0	0	0	0	0	0	0
78261	0	0	0	0	0	0	0
78263	0	0	0	0	0	1	1
78264	0	0	2	2	6	5	15
78266	0	0	0	0	0	0	0
Total	6	1	369	188	1782	458	2804

Location of Physicians, Hospitals and Health Clinics



Bexar County Substance Abuse Treatment

Youth -- Calendar Year 1999

Primary Drug	Alcohol	Cocaine	Crack	Hallucino gens	Heroin	Inhalants	Mj Hash	Other Drugs
Total Admissions	12	16	***	***	29	4	124	***
Average Age at Time of Admission	16	16	***	***	16	15	15	***
Average Age at First Use	13	14	***	***	14	14	13	***
Average Lag from First Use to Treatment (years)	4	2	***	***	2	2	3	***
Percentage Admitted for First Time	50%	50%	***	***	48%	100%	86%	***
Percentage Male	67%	38%	***	***	86%	75%	90%	***
Percentage Using Needles	8%	6%	***	***	76%	0%	0%	***
Percentage African-American	8%	19%	***	***	0%	0%	4%	***
Percentage Anglo	8%	25%	***	***	3%	25%	6%	***
Percentage Hispanic	83%	56%	***	***	97%	75%	89%	***
Percentage referred by Juvenile Justice system	67%	50%	***	***	52%	0%	86%	***
Average Education	9	9	***	***	9	9	8	***

Adult -- Calendar Year 1999

Primary Drug	Alcohol	Amphetamines	Cocaine	Crack	Downers	Hallucinogens	Heroin	Inhalants	Mj Hash	Other Drugs	Other (Synthetic) Opiate
Total Admissions	733	75	317	292	13	***	844	5	174	***	42
Average Age at Time of Admission	38	31	31	34	32	***	36	25	27	***	36
Average Age at First Use	16	20	23	25	27	***	22	14	15	***	29
Average Lag from First Use to Treatment (years)	22	12	9	9	5	***	14	11	12	***	7
Percentage Admitted for First Time	45%	32%	45%	40%	54%	***	26%	80%	67%	***	45%
Percentage Married	19%	11%	25%	15%	15%	***	21%	0%	18%	***	33%
Percentage Male	75%	65%	61%	49%	31%	***	65%	20%	71%	***	21%
Percentage Using Needles	10%	53%	36%	5%	8%	***	89%	0%	5%	***	26%
Percentage African-American	9%	1%	11%	55%	15%	***	5%	0%	24%	***	2%
Percentage Anglo	40%	72%	32%	22%	62%	***	19%	0%	20%	***	45%
Percentage Hispanic	51%	25%	59%	22%	23%	***	76%	100%	55%	***	52%
Percentage Employed	44%	33%	35%	21%	31%	***	20%	20%	52%	***	17%
Percentage Criminal Justice Referred	43%	41%	46%	25%	62%	***	20%	20%	67%	***	31%
Average Education	11	12	11	12	11	***	10	6	11	***	11
Percentage Homeless	6%	4%	5%	5%	0%	***	2%	0%	1%	***	2%
Average Income at Time of Admission	\$9,122	\$7,314	\$7,434	\$5,518	\$6,546	***	\$5,018	\$355	\$7,208	***	\$4,723

***Where the number of admissions is less than 4, the data has been removed to protect the identities of those in treatment.

Substance Abuse Treatment (TCADA-Funded Programs): Calendar Year 1999, by drug type

Data compiled March 2000

BEXAR COUNTY ALLEGED DELINQUENT BEHAVIOR

1998 1999

FELONIES		
Burglary	277	271
Motor Vehicle Theft	216	190
Other	155	225
Drug Offenses	147	151
Aggrevated Assaults	134	115
Robbery	100	87
Sexual Assaults	93	95
Weapons Violations	88	73
Homicide	13	10
Theft	2	41
Attempted Homicide	1	0

CLASS A&B MISDEMEANORS

Other	1,577	1231
Theft	1,054	848
Drug Offenses	988	918
Violation of Probation	709	715
Assault	661	586
Contempt	420	617
Weapons Violations	103	80
Total Delinquent	6,738	6662

STATUS ONLY

Runaway	414	276
Truancy	10	72

OTHER THAN STATUS ONLY

Other	3,622	2641
Alternative Education Expulsion	489	0
Liquor Laws	95	93
Disorderly Conduct	14	18
DWI & DU/D	8	6
Theft	6	3
Inhalants	0	2
Cont. At- Risk Order	0	0
Total CINS	4,658	3111

Grand Total Delinquent & CINS	11,396	9773
--	---------------	-------------

Source: Texas Juvenile Probation Commission

Bexar County Adult Probation

Profile of Bexar County Adult Probation December 1999

	Total	Non Hispanic White	Hispanic	Black	Other
Murder	113	47	42%	57	50%
Rape	338	117	35%	178	53%
Robbery	422	116	27%	208	49%
Assault Felony	735	222	30%	412	56%
Assault Misdemeanor	2,408	772	32%	1,355	56%
Arson	147	57	39%	70	48%
Burglary	1,632	525	32%	947	58%
Theft Felony	1,660	601	36%	844	51%
Theft Misdemeanor	2,433	1,191	49%	880	36%
Criminal Mischief	369	153	41%	187	51%
Drug Abuse Felony	5,761	1,618	28%	3,002	52%
Drug Abuse Misdemeanor	1,487	679	46%	609	41%
Sex Offense Felony	341	135	40%	191	56%
Sex Offense Misdemeanor	180	78	43%	93	52%
Family Offense	217	87	40%	109	50%
Prostitution	95	47	49%	36	38%
Weapons Felony	223	58	26%	137	61%
Weapons Misdemeanor	417	163	39%	176	42%
DWI Felony	1,576	413	26%	1,122	71%
DWI Misdemeanor	6,479	2,629	41%	3,581	55%
All Others	6,382	2,266	36%	3,144	49%
Total	33,415	11,974	36%	17,338	52%

Profile of Bexar County Adult Probation December 1999

	Total	Employed	Unemployed	Recidivism	Avg. Age	Avg. Educ.
Murder	113	76	67%	37	33%	23
Rape	338	252	75%	86	25%	42
Robbery	422	289	68%	133	32%	36
Assault Felony	735	504	69%	231	31%	72
Assault Misdemeanor	2,408	1,785	74%	623	26%	236
Arson	147	103	70%	44	30%	8
Burglary	1,632	1,100	67%	532	33%	162
Theft Felony	1,660	1,119	67%	541	33%	174
Theft Misdemeanor	2,433	1,566	64%	867	36%	107
Criminal Mischief	369	234	63%	135	37%	21
Drug Abuse Felony	5,761	3,628	63%	2,133	37%	803
Drug Abuse Misdemeanor	1,487	1,002	67%	485	33%	63
Sex Offense Felony	341	239	70%	102	30%	41
Sex Offense Misdemeanor	180	133	74%	47	26%	9
Family Offense	217	138	64%	79	36%	24
Prostitution	95	53	56%	42	44%	11
Weapons Felony	223	147	66%	76	34%	28
Weapons Misdemeanor	417	273	65%	144	35%	16
DWI Felony	1,576	1,055	67%	521	33%	815
DWI Misdemeanor	6,479	4,862	75%	1,617	25%	504
All Others	6,382	4,548	71%	1,834	29%	518
Total	33,415	23,106	69%	10,309	31%	3,713

GLOSSARY

Age Adjusted Death Rate: The number of deaths per age group by the population of that group by the expected deaths for that group.

Birth Rate: The number of live births per 1,000 population.

Fertility Rate: The number of live births/1000 women 15-44

Death Rate: The number of deaths per 100,000 residents unless otherwise noted.

Infant Death Rate: Number of deaths under one year of age per 1,000 live births.

Infant Mortality: Any death under one year of age.

Late Prenatal Care: No physician visits in the first trimester.

Leading Causes of Death: These data were gathered from 1999 death certificates coded by decedent's primary cause of death as determined by the attending physician. Note that "Heart Disease" deaths are the sum of deaths attributed to Heart Disease.

Maternal Death: A death attributed to delivery or a complication of pregnancy, childbirth, or the puerperium, as defined by the International Classification of Diseases.

Neonatal Mortality: A death to an infant under 28 days of age.

Overweight: The prevalence of overweight is defined as a Body Mass Index [(weight in kilograms)/(height in meters)] of > 27.8 for men and > 27.3 for women.

Regular Physical Activity: Respondents who engage in physical activity at least 20 minutes a day, 3 times a week.

Published June, 2000
By the City of San Antonio
San Antonio Metropolitan Health District
332 W. Commerce
San Antonio, Texas 78205-2489