


San Antonio Metropolitan
Health District

**HEALTH
PROFILES
1998**



SAN ANTONIO METROPOLITAN HEALTH DISTRICT



332 West Commerce
San Antonio, Texas 78205-2489
PHONE (210) 207-8780 FAX (210) 207-8999

August 1999

To our Partners in Health:

Each year the San Antonio Metropolitan Health District attempts to measure its progress in pursuit of its basic mission to promote and protect the health of all San Antonio and Bexar County residents and visitors to our community. Health Profiles 1998 is the result of our latest effort. It has been an immensely challenging, time consuming and yet rewarding experience. We continue to grow in our understanding and appreciation of the many and complex variables that contribute to creating and maintaining a healthy community. We offer this report as an important resource to the community at large in the hope that it will inform, shape and direct some of the many policy decisions that will impact on our health and quality of life as we enter the new millennium. Public Health does not have a monopoly interest in ensuring safe and healthy environments. It is our hope that elected officials, government agencies, health and human service organizations, educational institutions and other community stakeholders will find it useful and informative as they struggle with resource allocations and priority setting to advance their own initiatives.

The health concerns highlighted in this report represent a series of snapshots that capture and document conditions at a particular time and place. It can also serve as a report card that charts our progress as a community attempting to measure up to certain benchmarks and goals such as those set forth in the national Healthy People 2000 report. There are a vast array of personal, societal and environmental forces that contribute to poor health status. This year's report includes new data sets drawn from the schools and the criminal justice system. In the future we hope to expand our analysis to include other relevant information that will allow us to better appreciate the conditions under which people work, raise families and strive to live productive lives and improve their own communities.

Looking at our health statistics from a communitywide perspective, we see many positive indicators. We report continued high rates for childhood immunizations, a reduction in infant deaths and an increase in women seeking prenatal care earlier in their pregnancy. These have been hard won victories. Of great concern, however, is that we find pockets of resistance that run counter to these positive signs. Even though there have been fewer births to adolescent mothers, teenage pregnancy remains at unacceptable levels as does the close interval between pregnancies for many young women. Reports on substance abuse among our youth and increases in sexually transmitted diseases are very troubling. The picture of our community that emerges from this analysis is unsettling in another way. Advances in our information management technology, especially our ability to map and monitor conditions in small geographic sectors of the city, reveal very significant disparities in health status. Not all sectors of our community are enjoying the benefits of the positive growth and development we attribute to the city at large.

If we are to address these differences, we must be prepared to invest significant amounts of capital in the form of human, social and financial resources. It is clear as we review these trends that we must develop more effective prevention strategies. We need to target those contributing factors and conditions that are associated with many of the leading causes of death or shortened life expectancy. In our community these include smoking, alcohol and substance abuse, poor nutritional habits that can lead to obesity, unnecessary injuries and the ready availability of firearms. We can have a significant impact on these negative behaviors with creative and well crafted interventions that have broad community support. This will be the major public health challenge in the years ahead. Armed with new analytical tools we will be better equipped to focus our public health initiatives and our investment strategies more effectively to assure better outcomes.

This is the last edition of the Health Profiles report to be issued this century. As we enter the new millennium we will further refine, improve and expand this annual assessment of our community's health status. It has been and will always be an exciting and challenging exercise. I look forward to your continued support and cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read "Fernando A. Guerra". The signature is fluid and cursive, with a long horizontal stroke at the end.

Fernando A. Guerra, M.D., M.P.H.
Director of Health

Introduction

The 1998 edition of San Antonio Health Profiles presents information collected annually by the San Antonio Metropolitan Health District (SAMHD) to assist in assessing the health status of San Antonio and Bexar County. The information found in this document reflects events which occurred in calendar year 1998. Much of it was gathered from our own Vital Statistics Division and a variety of other administrative sources within the SAMHD. We have also incorporated data from the US Public Health Service, the Texas Department of Health, the Texas Education Agency, the Texas State Board of Medical Examiners and the Bexar County Probation Department. The statistics on births and deaths reflect preliminary data released by the Texas Department of Health in May 1999 and are used here to allow for timely production of this report. Later this year, the Texas Department of Health will issue a complete data set for calendar year 1998 which may include additional records that were not available when we began this analysis. At that time we will update our statistics and post them in our website edition.

Our intent is to produce a document which serves a variety of purposes from a quick reference for the casual user to a more detailed analysis for the program planner and health administrator. Community leaders and policy makers will find a rich resource to assist them in shaping and setting priorities for San Antonio as we enter the 21st century. Additional information sets have been included this year for the purpose of improving this assessment. This document should provide health and human service agencies with sufficient information to conduct need assessments or establish outcome measures for their community based programs. It will also be posted and periodically updated on the SAMHD web page (www.ci.sat.tx.us/health).

The data reported herein are based either on registered vital records (birth and death certificates), administrative records (notifiable disease reports) or surveys of Bexar County residents (behavioral risk factor surveillance). The reader should recognize, however, the potential for error that may occur because of under-reported events, survey design, data processing or coding. Every effort was made to present the most accurate and reliable information available. The most difficult errors to remedy, however, are inaccurate conclusions drawn from complex events and those which imply cause-effect relationships. Additionally, data involving the presence or absence of relatively rare health events carry the possibility of large margins of error and should also be interpreted with caution.

Questions or comments regarding this report should be directed to :

John A. Berlanga
Management Analyst
Telephone: (210) 207-6976
Facsimile: (210) 207-8999

ACKNOWLEDGMENTS:


Gratitude is extended to everyone who participated in the development of this year's edition of San Antonio Health Profiles. It was a true team effort with significant contributions from all the Bureaus and Divisions within the SAMHD. We offer a special thanks to the residents in Occupational and Preventive Medicine, USAF School of Aerospace Medicine, Brooks AFB. Their input into and review of the material added immeasurably to the quality of the final product. Dr. Ben Bradshaw at the University of Texas Health Science Center Houston School of Public Health, San Antonio Campus, is also recognized for his invaluable assistance in the calculations for age adjusted death rates and life expectancy at birth.

Table of Contents

Health Demographics	Page
1998 Selected Demographics and Health Indicators	1
Population Estimates	2
Life Expectancy	3
Birth & Maternal Health	
Maternal Health Indicators 1993-1998	4
Low Birth Weight	5
Births to Women Age 35 and older by Age -1998	6
Multiple Births	6
Births by Age of Mother & Birth Order	7
Birth by Single Mothers by Age of Mother & Birth Order	8
Birth by Mothers Age <20 by Age of Father	9
Birth by Mothers Age <20 by School District	10
City of San Antonio City Council Districts	11
Births by City of San Antonio Council Districts 1996 to 1998	12
Maternal Health Indicators by City Council District from 1996 to 1998	13-14
Births by Age of Mother and Council District	15
Birth by Single Mothers by Mothers Age and Council District	16
Births by Bexar County Precinct 1997 to 1998	17
Maps of Births by Census Tract	18-20
1998 Births Summary by Census Tract	21-28
Deaths	
Bexar County Fetal, Neonatal and Infant Mortality	29
Bexar County Leading Causes of Death	30
Selected Specific Causes of Death by Gender	31
Selected Specific Causes of Death by Race & Ethnicity	32
Leading Causes of Death by Age Group	33
Deaths by City of San Antonio Council Districts 1996 to 1998	34
Selected Death Rate by City Council District from 1996 to 1998	35-36
Deaths by Bexar County Precinct 1997 to 1998	37
Maps of Deaths by Census Tract	38-41
Death Summary by Census Tract	42-48
Other Public Health Information	
Environmental Health Indicators 1998	49
Number of High Lead Cases	50
Selected Reportable Communicable Diseases	51-52
Sexually Transmitted Diseases 1993-1998	53
Health Benchmarks	54
Behavioral Risk Factors	55
1998 Location of Physicians Offices by Zipcode	56
Education	57-59
Adult Probation	60
Housing Growth and Health Facilities	61
Glossary	62

1998 Selected Health Demographics and Health Indicators

Bexar County Population 1998 by Race and Ethnicity



Bexar County Population Demographics

Age	Total	%	Texas 98
0-4	116,801	8.7%	8.5%
5-14	212,891	15.9%	15.8%
15-44	617,906	46.0%	46.7%
45-64	255,285	19.0%	18.9%
Over 64	139,597	10.4%	10.1%
Total		100.0%	100.0%

Socio Economic Indicators

	Number	% of Pop		% of Pop	Texas 97
San Antonio Population 1998	1,171,700	87.3%	Average 97 Monthly		
Bexar County Population 1998	1,342,218		Medicaid Eligible	161,438	13.8% 9.9%
Children(<18) in Poverty (1995 Census)	116,428	29.6%	Ave 97 Monthly TANF*	52,271	4.5% 3.1%
Overall Poverty (1995 Census)	254,595	19.4%	Ave 97 Monthly Food Stamps	176,669	15.1% 10.9%
TWC Unemployment (% of Work Force)	25,900	3.3%	SAMHD Average Food Vouchers		
(Census 1990) Women Below 150% Poverty	168,486	12.6%	Redeemed per Month	\$ 2,299,455	
(Census 1990) 200% Below Poverty	429,312	32.0%	SAMHD Monthly WIC Clients	45,227	
(Census 1990) Women 15-44	309,274	23.0%	Population Under Age 1	23,203	1.7%

San Antonio Natality	Number	% of Birth	Texas 97	Bexar County Natality	Number	% of Births	Texas 97
Total Births	19,675			Total Births	23,203		
Hispanic Births	13,044	66.3%		Hispanic Births	14,616	63.0%	
Non Hispanic White Births	4,836	24.6%		Non Hispanic White Births	6,378	27.5%	
Black Births	1,187	6.0%		Black Births	1,463	6.3%	
Other Births	322	1.6%		Other Births	409	1.8%	
Incomplete Birth Record	286	2.2%		Incomplete Birth Record	337	2.3%	
Maternal Age <18	1,413	7.2%	6.7%	Maternal Age <18	1,595	6.9%	6.7%
Low Birth Weight	1,434	7.3%	7.3%	Low Birth Weight	1,674	7.2%	7.3%
Late Prenatal Care	2,968	15.1%	21.5%	Late Prenatal Care	3,374	14.5%	21.5%
Unmarried Mothers	6,040	30.7%	30.7%	Single Mothers	6,875	29.6%	30.7%

Bexar County Mortality	Number	Rate	Texas 97	Bexar County Mortality	Number	Rate	Texas 97
Deaths - All Causes	9,052	520.3	515.9	Cancer - all	1,875	122.1	125.9
Infant Mortality**	149	6.4	6.4	-lung	465	37.5	38.2
Heart Disease (excluding CV)	2,561	128.0	145.8	-breast	163	20.4	18.5
Heart Disease (including CV)	3,375			-prostate	110	4.8	23.4
Stroke	339	15.7	30.9	Unintentional Injury (n/a MV)	199	13.9	33.6
Homicide	106	9.9	7.9	-motor vehicle	130	24.0	18.9
Suicide	134	11.4	10.7				
Diabetes	313	18.6	17.8				

Environmental

Animals Impounded	49,940	Children w/ Blood Lead Levels >10 u/dl	880
Animal Bites Reported	3,433	Ozone Action Days in 1998	19
Rabies cases in Animals	19	San Antonio Tons of Municipal Solid Waste Collected	389,301

Communicable Diseases	Number	Rate	Texas 97	Communicable Diseases	Number	Rate	Texas 97
-Primary & Secondary Syphilis	24	1.8	3.5	Tuberculosis	92	6.9	10.3
-Gonorrhea	1,887	140.6	135.9	Hepatitis A	334	24.9	23.0
AIDS	237	17.7	24.3	Hepatitis B	89	6.6	6.4
Chlamydia	6012	447.9	262.5	Hepatitis C	45	3.4	1.9

Bexar County Births & Deaths to non-resident

Births	3,264	Deaths	3,468
Maternal Age <18	161	Late Prenatal Care	56
Single Mothers	697	Low Birth Weight	401

Source: 1998 Population Estimates (Texas State Data Center/Texas Cancer Data Center)

All Births and Deaths are by County of Residence.

Low Birth Weight represents live-born infants weighing less than 2,500 grams at birth.

Late prenatal care refers to mother who did not receive prenatal care during the first trimester of pregnancy.


Communicable disease rates are per 100,000 population. Death Rates are Age Adjusted per 100,000 Population.

*TANF=Temporary Assistance to needy families

**Infant Mortality rates are per 1,000 live births.

Population Estimates


Estimated Bexar County Population by Race and Ethnicity 1990 to 2030



Estimated Bexar County Population by Race and Ethnicity

	1990	1998	Pop. Increase	% Increase 1990 to 1998	% 1998 Pop.
Hispanic	589,123	703,626	114,503	19%	52%
Non Hispanic White	497,074	520,685	23,611	5%	39%
Black	81,533	92,278	10,745	13%	7%
Other	17,664	25,629	7,965	45%	2%
Total	1,185,394	1,342,218	156,824	12%	100%

Estimated Bexar County Population by Age (1998)



Estimated Population Bexar County by Births and Deaths

Population 1990	Births 4/1990-1998	Deaths 4/1990 - 1998	Pop. Increase	Net Migration	Total Estimate	% Increase in Pop.
1,185,394	197,197	75,559	121,638	35,186	1,342,218	12%


Source: San Antonio Metropolitan Health District

The Texas Cancer Data Center and the Texas State Data Center was selected for Population Estimates


Population Forecast for Bexar County, Texas by Race and Ethnicity: 1990-2030

Life Expectancy

Bexar County Life Expectancy at Birth 1998



Bexar County Death Rate by Gender, Age, Race and Ethnicity-1998



Death Rate Per 100,000 Population (including Infant Death)

Maternal Health Indicators 1993 - 1998

	1993	1994	1995	1996	1997	1998
Total Births	22,541	22,599	22,346	22,691	22,810	23,203
Births to Mothers 10 -17	1,611	1,751	1,746	1,696	1,775	1,595
Subsequent Births to Mothers 10 - 17	324	238	238	235	256	203
Births to Single Mothers	4,176	6,377	5,614	5,655	6,954	6,875
Receiving Late or no Prenatal Care	4,573	4,361	4,003	3,542	3,681	3,374
Low Birth Weight (<2500 grams)	1,571	1,561	1,620	1,657	1,630	1,674
Infant Deaths	184	170	173	178	173	149


Hospital	Total Births	Single Mother	Births to Mothers 10-17	Very Low Birth Wt. <1500 Grams	Low Birth Wt. >1500& <2500 Grams	Late Prenatal Care
SW TX METHODIST	4,191	827	106	56	249	392
METHODIST WOMEN CHILDREN	2,807	862	113	39	140	309
SANTA ROSA DOWNTOWN	2,745	1,094	354	94	245	620
UNIVERSITY HOSPITAL	2,556	572	215	59	166	368
METROPOLITAN METHODIST	2,240	1,060	193	12	127	133
BAPTIST MED. CENTER(DOWNTN)	1,991	676	209	18	96	524
WILFORD HALL MED CENTER	1,816	248	41	16	100	209
NE BAPTIST	1,661	409	47	19	83	183
SW GENERAL	1,070	380	142	7	42	260
SANTA ROSA NW	621	220	89	2	24	176
NIX HEALTH CARE	566	245	42	-	27	81
N CENTRAL BAPTIST	564	116	8	3	17	37
SE BAPTIST	308	155	33	8	23	60
DELIVERED AT HOME	63	10	2	-	1	20
BROOKE ARMY MED. CENTER	2	1	-	-	-	2
ST LUKE BAPTIST	1	-	-	-	-	-
OTHER LOCATION	1	-	1	-	1	-
Total	23,203	6,875	1,595	333	1,341	3,374

Infant/Neonatal Deaths 1998


Cause	Neonatal (< 28 days)	Infant (28 days - 1yr)		Total
Conditions Originating in the Prenatal Period	51	46%	3	54
Congenital Abnormalities	19	17%	4	23
Ill Defined Conditions	9	8%	9	18
SIDS	0	0%	7	7
Homicide	0	0%	2	2
All Accidents	0	0%	2	2
Heart Disease	4	4%	3	7
Other	27	25%	9	36
Total	110	100%	39	149

Low Birth Weight


Bexar County Low Birth Weight (<2500 grams) by Race & Ethnicity




% Bexar County Low Birth Weight (<2500 grams) by Race & Ethnicity



Bexar County Births by Race & Ethnicity



Births to Women Age 35 and older by Age -1998



Multiple Births

Single and Multiple Birth Events in Bexar County 1992-1998

	Mother Age	Single	Twin	Triplet	Quad	Total Births
1998	10 - 16	850	13			863
	17 - 21	5,557	56			5,613
	22 - 26	6,129	103			6,232
	27 +	10,113	352	30		10,495
1997	10 - 16	882	21	3		906
	17 - 21	5,374	87			5,461
	22 - 26	6,213	113			6,326
	27 +	9,842	260	15		10,117
1996	10 - 16	898	6	3		907
	17 - 21	5,296	70	3		5,369
	22 - 26	6,261	145	6		6,412
	27 +	9,761	284			10,045
1995	10 - 16	985	14			999
	17 - 21	5,209	56	3		5,268
	22 - 26	6,158	109			6,267
	27 +	9,575	230	9	4	9,818
1994	10 - 16	949	8			957
	17 - 21	5,403	76			5,479
	22 - 26	6,158	112	3		6,273
	27 +	9,638	244	11		9,893
1993	10 - 16	859	11			870
	17 - 21	5,545	73		1	5,619
	22 - 26	6,085	112	1		6,198
	27 +	9,604	215	12		9,831
1992	10 - 16	774	6			780
	17 - 21	5,490	84	3		5,577
	22 - 26	5,923	85	9		6,017
	27 +	9,451	231	10	3	9,695

* All numbers indicate single live births in each category (e.g. 6 sets of triplets born in 1997)

Birth by Age of Mother and Birth Order

Birth Order

Age of Mother	Birth Order														Total	Percent	
	1	2	3	4	5	6	7	8	9	10	11	12	13+	missing			
12	2															2	0%
13	17															17	0%
14	82															82	0%
15	267	14														281	2%
16	428	49	4													481	4%
17	593	122	13	1												729	7%
18	766	222	59	6	1											1054	11%
19	785	364	82	19	2											1252	17%
20	708	426	129	26	4											1293	22%
21	583	441	188	49	13	2										1276	28%
22	533	441	240	79	21	2										1316	34%
23	456	424	235	89	25	3	5									1237	39%
24	395	479	234	98	26	7	2									1241	44%
25	409	410	259	97	34	13	6	1								1229	49%
26	413	386	248	95	39	17	3		2		1					1204	55%
27	447	437	284	104	44	11	2	4								1333	60%
28	339	368	271	112	39	16	6	1	2							1154	65%
29	354	368	225	107	25	11	2	1	2							1095	70%
30	318	383	206	99	36	20	4	2								1068	75%
31	264	297	215	93	42	22	2			1		1				937	79%
32	203	305	196	110	37	10	3	4	2		2					872	82%
33	185	263	214	89	44	8	9	3	2	1	2					820	86%
34	153	218	198	67	25	8	6	1								676	89%
35	135	198	154	73	31	15	6	1	2							615	92%
36	109	151	144	82	25	11	7	2	1							532	94%
37	88	120	103	67	27	11	3	2								421	96%
38	51	77	69	48	14	12	5	2	2							280	97%
39	42	62	46	37	23	7	3	3	2		1					226	98%
40	29	46	35	24	6	10	4	1	1				1			157	99%
41	10	27	23	10	8	3	2	2	2							87	99%
42	20	15	16	10	6	3	3	2								75	99%
43	5	9	7	2	6	2		1	1	1			1			35	99%
44	2	4	5	3	4	1	1									20	99%
45	1	1	2	2	1		1									8	100%
46		1	1	2												4	100%
47+			1													1	100%
Unavailable	61															61	100%
Total	9,253	7,128	4,106	1,700	608	225	85	33	21	3	6	1	2	32	23,203		

Birth by Single Mothers by Age of Mother & Birth Order

Birth Order

	1	2	3	4	5	6	7	8	Missing	Total	Percent
Age of Mother											
12	2									2	0%
13	17									17	0%
14	71									71	1%
15	216	11								227	5%
16	321	34	3							358	10%
17	428	79	9	1						517	17%
18	472	129	34	3	1					639	27%
19	455	180	44	5	1					685	37%
20	386	170	42	15	1					614	46%
21	253	171	80	23	4	1				532	53%
22	191	130	89	30	12	1				453	60%
23	157	113	75	33	4	3	4			389	66%
24	107	113	71	31	11	4	1			338	70%
25	101	87	58	29	9	5	2			291	75%
26	67	63	58	35	22	9	1			255	78%
27	76	71	51	27	13	4	1	1		244	82%
28	51	57	50	18	12	4	3			195	85%
29	42	45	43	18	9	3		1		161	87%
30	30	46	28	25	7	7		1		144	89%
31	22	30	33	10	10	6				111	91%
32	22	28	15	18	3	2	2			90	92%
33	27	24	24	17	12	1	2	1		108	94%
34	21	23	21	7	4	1	2			79	95%
35	20	19	19	12	7	2		1		80	96%
36	9	14	20	9	9	2	3			66	97%
37	17	8	6	9	3	3		1		47	98%
38	10	17	6	8	1	2				44	98%
39	9	8	7	5	2	3	1			35	99%
40	2	7	5	6	1	3				24	99%
41	2	5	7	1		1		1		17	99%
42	1		3	3		1	1			9	100%
43	2	1	2	1						6	100%
44		1	2	1	1	1				6	100%
45			1							1	100%
Total	3,607	1,684	906	400	159	69	23	7	20	6,875	


1998 Birth by Age of Father by Age of Mother less than 20 Years of Age

Age of Father	Age of Mother								
	12	13	14	15	16	17	18	19	Total
12									0
13									0
14		1		4	1		1		7
15			6	7	8	2	3	1	27
16		2	7	39	35	28	9	4	124
17		2	8	36	71	72	54	22	265
18			6	31	66	92	90	70	355
19			1	12	40	86	146	130	415
20			3	8	33	69	132	153	398
21			1	6	12	41	103	132	295
22			3	5	8	20	69	103	208
23			1	3	7	14	33	92	150
24				1	5	17	19	49	91
25				1	3	10	26	34	74
26			1		1	8	10	21	41
27				1	2	3	15	36	57
28						3	7	11	21
29					1	1	7	15	24
30						1	3	10	14
31				1		3	4	6	14
32					1		2	2	5
33					1	1	1	1	4
34					1	1	3	2	7
35						1	1	5	7
36						1		2	3
37					1			1	2
38							1	2	3
39								2	2
40								1	1
41							1		1
42								1	1
43								1	1
44								1	1
45									0
46									0
47+							1	1	2
Unavailable	2	12	45	126	184	258	315	342	1284
Total	2	17	82	281	481	732	1,056	1,253	3904

Birth by Age of Mother less than 20 Years of Age By School District-Bexar County


School District

DISTRICT	Age 10	Age 11	Age 12	Age 13	Age 14	Age 15	Age 16	Age 17	Age 18	Age 19	Total
San Antonio	0	0	1	4	30	101	172	260	361	410	1,339
Northside	0	0	0	3	15	46	78	115	200	217	674
North East	0	0	0	2	7	25	41	71	127	196	469
Edgewood	0	0	1	3	10	24	44	69	87	84	322
Harlandale	0	0	0	2	2	20	36	60	72	89	281
South San Antonio	0	0	0	1	5	17	26	49	58	63	219
Southwest	0	0	0	1	9	16	28	23	34	52	163
Judson	0	0	0	1	0	6	11	22	40	45	125
East Central	0	0	0	0	0	8	8	21	18	26	81
Southside	0	0	0	0	3	5	8	10	16	17	59
Somerset	0	0	0	0	0	1	6	5	7	4	23
Schertz-Cibolo-Universal City	0	0	0	0	0	1	3	1	4	9	18
Alamo Heights	0	0	0	0	0	0	2	5	2	8	17
Medina Valley	0	0	0	0	0	1	2	0	3	1	7
Randolph Field	0	0	0	0	0	0	1	0	2	1	4
Boerne	0	0	0	0	0	0	0	1	1	0	2
Comal	0	0	0	0	0	0	0	0	1	1	2
Fort Sam Houston	0	0	0	0	0	0	0	0	0	2	2
Lackland	0	0	0	0	0	0	0	0	0	0	-



Births in each School District Limited to only the area above

City of San Antonio City Council Districts



Mayor Howard W. Peak

- | | |
|---|----------------|
| 1 | Bobby Perez |
| 2 | Mario Salas |
| 3 | Debra Guerrero |
| 4 | Raul Prado |
| 5 | Rick Vasquez |

- | | |
|----|-----------------|
| 6 | Jose Menendez |
| 7 | Ed Garza |
| 8 | Bonnie Conner |
| 9 | Tim Bannwolf |
| 10 | David Carpenter |

METRO HEALTH
SAN ANTONIO'S PUBLIC HEALTH TEAM

1996 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATH	
		%	#	%	#	%	#	%	#	RATE	#
1	2,013	9.5%	(191)	20.6%	(415)	7.9%	(160)	30.5%	(613)	7.9	(16)
2	1,753	11.9%	(208)	22.1%	(388)	9.0%	(158)	41.5%	(727)	13.1	(23)
3	1,796	10.6%	(190)	16.7%	(300)	8.6%	(155)	28.5%	(511)	9.5	(17)
4	2,436	10.5%	(256)	17.5%	(427)	7.8%	(189)	29.4%	(715)	6.2	(15)
5	1,918	11.5%	(221)	21.1%	(405)	7.2%	(139)	34.0%	(653)	9.9	(19)
6	2,171	7.9%	(171)	17.9%	(388)	8.0%	(174)	25.0%	(543)	6.9	(15)
7	1,884	7.1%	(134)	15.6%	(294)	6.9%	(130)	25.7%	(485)	8.0	(15)
8	2,261	2.5%	(57)	9.6%	(216)	6.0%	(136)	15.1%	(342)	4.9	(11)
9	1,597	3.4%	(54)	9.0%	(143)	6.1%	(97)	17.6%	(281)	5.6	(9)
10	1,705	3.5%	(59)	10.3%	(175)	6.3%	(108)	16.0%	(273)	5.3	(9)
Total	19,534	7.9%	(1,541)	16.1%	(3,151)	7.4%	(1,446)	26.3%	(5,143)	7.6	(149)

1997 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATH	
		%	#	%	#	%	#	%	#	RATE	#
1	2,047	9.8%	(200)	19.3%	(396)	6.3%	(129)	34.2%	(701)	7.3	(15)
2	1,681	11.3%	(190)	23.3%	(391)	9.7%	(163)	45.0%	(756)	10.1	(17)
3	1,756	11.4%	(201)	18.7%	(328)	6.9%	(121)	38.0%	(667)	7.4	(13)
4	2,327	10.8%	(252)	18.5%	(430)	7.8%	(181)	38.7%	(900)	9.9	(23)
5	1,918	11.9%	(228)	22.1%	(423)	7.1%	(136)	41.4%	(794)	6.3	(12)
6	2,191	9.3%	(204)	17.0%	(372)	7.0%	(153)	30.3%	(664)	8.7	(19)
7	1,880	8.7%	(164)	16.0%	(301)	6.3%	(119)	29.3%	(551)	6.4	(12)
8	2,325	3.0%	(70)	9.5%	(221)	6.9%	(160)	18.8%	(436)	6.5	(15)
9	1,692	3.6%	(61)	12.4%	(210)	6.7%	(114)	22.9%	(387)	3.5	(6)
10	1,696	3.0%	(51)	11.2%	(190)	6.0%	(101)	22.2%	(376)	7.7	(13)
Total	19,513	8.3%	(1,621)	16.7%	(3,262)	7.1%	(1,377)	31.9%	(6,232)	7.4	(145)

1998 Birth Summary by San Antonio City Council District

COUNCIL	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT DEATH	
		%	#	%	#	%	#	%	#	RATE	#
1	1,879	9.0%	(170)	17.9%	(337)	7.0%	(131)	34.4%	(647)	7.5	(14)
2	1,675	9.2%	(154)	19.6%	(329)	9.8%	(164)	43.3%	(725)	12.5	(21)
3	1,734	9.7%	(168)	15.6%	(271)	7.5%	(130)	35.4%	(614)	5.8	(10)
4	2,464	11.0%	(272)	16.5%	(406)	8.1%	(199)	34.2%	(842)	4.5	(11)
5	1,805	10.4%	(188)	17.8%	(322)	8.0%	(145)	38.4%	(694)	8.3	(15)
6	2,190	7.5%	(164)	15.8%	(345)	7.4%	(162)	31.0%	(679)	3.7	(8)
7	1,866	7.1%	(133)	16.0%	(299)	6.2%	(115)	30.8%	(574)	5.9	(11)
8	2,440	2.7%	(67)	10.6%	(259)	4.6%	(112)	20.1%	(491)	2.9	(7)
9	1,787	2.4%	(42)	10.2%	(183)	7.1%	(126)	19.2%	(343)	9.5	(17)
10	1,835	3.0%	(55)	11.8%	(217)	8.2%	(150)	23.5%	(431)	5.4	(10)
Total	19,675	7.2%	(1,413)	15.1%	(2,968)	7.3%	(1,434)	30.7%	(6,040)	6.3	(124)




Infant Death Rates Per 1,000 Live Births

Low Birth Weight represents live-born infants weighing less than 2,500 grams at birth.



Late prenatal care refers to mother who did not receive prenatal care during the first trimester of pregnancy.

% of Births in each District

Maternal Health Indicators by City Council District 1996 to 1998



Maternal Health Indicators by City Council District 1996 to 1998



1998 Birth by Age of Mother and Council District

Council District


	1	2	3	4	5	6	7	8	9	10	Total
Age of Mother											
12		1				1					2
13	2	1	2	4	1	2	2	1		1	16
14	5	10	6	16	9	14	8	4	3	3	78
15	31	29	32	47	34	28	25	9	10	5	250
16	54	44	48	86	58	48	34	23	12	10	417
17	78	69	80	119	86	71	64	30	17	36	650
18	94	110	91	145	122	115	88	67	33	52	917
19	120	121	121	164	111	127	97	84	75	84	1,104
20	126	130	116	166	143	126	95	102	62	73	1,139
21	116	124	114	135	128	150	101	106	59	93	1,126
22	123	100	122	182	131	146	97	104	72	77	1,154
23	114	100	114	137	111	120	94	115	76	87	1,068
24	105	98	91	151	104	131	99	131	57	110	1,077
25	110	90	91	143	85	147	106	112	75	94	1,053
26	90	89	86	129	99	122	80	144	78	118	1,035
27	100	83	102	115	83	112	110	154	117	112	1,088
28	108	79	81	130	69	117	89	159	114	90	1,036
29	73	52	76	83	61	91	96	158	109	111	910
30	67	42	72	86	71	93	92	128	129	103	883
31	59	53	44	60	52	88	74	139	118	95	782
32	44	37	55	63	40	80	77	129	102	87	714
33	63	43	38	61	43	51	69	102	98	91	659
34	45	25	25	51	30	45	54	111	80	59	525
35	27	40	22	47	29	43	55	78	75	71	487
36	33	32	28	45	30	39	41	71	67	49	435
37	31	22	18	25	27	29	46	59	45	40	342
38	20	18	12	27	15	18	21	40	37	22	230
39	11	12	24	12	12	14	21	27	25	22	180
40	8	7	11	13	8	10	13	28	11	15	124
41	7	8	6	8	6	5	7	10	10	7	74
42	10	4	1	8	3	1	4	10	16	7	64
43	4		2	3	2	4	4	3	3	5	30
44	1		1		1	2	3	1	2	4	15
45+		2	2	3	1			1		2	11
Total	1,879	1,675	1,734	2,464	1,805	2,190	1,866	2,440	1,787	1,835	19,675

1998 Birth by Single Mothers by Age of Mother and Council District

Council District

Age of Mother	1	2	3	4	5	6	7	8	9	10	Total
12		1				1					2
13	2	1	2	4	1	2	2	1		1	16
14	4	8	4	14	8	13	6	4	3	3	67
15	27	25	28	32	27	22	19	8	8	5	201
16	41	38	37	56	41	34	24	18	10	8	307
17	51	54	50	81	66	55	41	25	13	28	464
18	51	77	51	74	83	66	51	47	22	32	564
19	69	80	66	77	54	64	62	37	40	50	599
20	53	64	52	82	74	59	42	42	31	36	535
21	47	63	46	61	51	61	35	45	18	43	470
22	43	34	39	58	42	52	27	39	26	32	392
23	30	41	40	31	30	30	43	36	29	29	339
24	32	30	27	42	35	34	35	26	7	27	295
25	33	24	26	32	23	34	32	18	13	20	255
26	22	36	19	31	27	28	24	15	17	19	238
27	22	28	25	19	19	20	24	21	17	16	211
28	27	20	15	26	19	13	15	15	18	9	177
29	14	14	16	18	12	13	18	17	14	12	148
30	13	9	19	18	14	14	9	14	11	6	127
31	16	10	5	14	9	8	7	12	9	9	99
32	2	12	9	12	10	6	12	8	6	7	84
33	13	15	4	12	11	10	6	6	8	6	91
34	7	6	6	10	5	7	6	10	8	4	69
35	3	7	4	10	9	8	10	5	7	10	73
36	6	8	5	7	6	9	6	6	3	1	57
37	4	6	5	4	6	6	3	4		4	42
38	4	9	4	6	4	3	3	2	2	5	42
39	3	2	3	3	2	1	6	5	2	3	30
40	4	1	6	2	2	2		1		2	20
41	2	2	1	2	2		2	2		2	15
42	2			2	1	1	1		1		8
43				1	1	2	1	1		1	7
44						1	2	1		1	5
45+				1							1
Total	647	725	614	842	694	679	574	491	343	431	6,040

Bexar County Precinct



County Judge
Cyndi Taylor Krier

	2 = Paul Elizondo
	1 = Robert Tejeda
	3 = Lyle Larson
	4 = Tommy Adkisson

1997 Birth Summary by Bexar County Precinct

Precinct	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6,140	9.8%	(602)	14.6%	(894)	8.0%	(494)	31.6%	(1939)	8.6	(53)
2	6,072	10.0%	(605)	18.5%	(1122)	8.3%	(502)	31.7%	(1927)	7.1	(43)
3	5,277	3.1%	(162)	8.9%	(470)	7.1%	(375)	17.6%	(930)	6.3	(33)
4	5,310	7.9%	(420)	14.1%	(751)	7.2%	(384)	27.3%	(1447)	8.3	(44)
Total	22,799	7.8%	(1,789)	14.2%	(3,237)	7.7%	(1,755)	27.4%	(6,243)	7.6	(173)


1998 Birth Summary by Bexar County Precinct

Precinct	TOTAL BIRTHS	MATERNAL AGE 10-17		LATE PRE-NATAL CARE		LOW BIRTH WEIGHT		BIRTHS TO SINGLE MOTHERS		INFANT MORTALITY	
		%	#	%	#	%	#	%	#	RATE	#
1	6,160	9.3%	(571)	15.1%	(930)	7.7%	(476)	32.8%	(2018)	6.7	(41)
2	6,001	8.4%	(506)	16.9%	(1016)	7.0%	(418)	32.5%	(1948)	6.3	(38)
3	4,928	6.9%	(339)	16.3%	(803)	8.0%	(393)	35.1%	(1731)	8.1	(40)
4	5,542	2.4%	(133)	10.1%	(558)	6.3%	(349)	18.5%	(1027)	4.7	(26)
Unavailable	572	8.0%	(46)	11.7%	(67)	6.6%	(38)	26.4%	(151)	7.0	(4)
Total	23,203	6.9%	(1595)	14.5%	(3374)	7.2%	(1674)	29.6%	(6875)	6.4	(149)


Infant Mortality rate per 1,000 Live Births

Differences due to Unavailable data (unable to assign address to Precinct)


**1998 Bexar County
Births by
Census Tract**




Legend




**1998 Bexar County
Births to Mothers
Ages 10-17 by
Census Tract**




Legend




**1998 Bexar County Births
with Late Prenatal Care
(After 1st Trimester) by
Census Tract**




Legend




**1998 Bexar County
Low Birth Weight Births
($< 2,500$ Grams) by
Census Tract**




Legend




1998 Bexar County Births to Single Mothers by Census Tract




Legend



1998 Bexar County Infant Deaths by Census Tract



Legend



1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1101.00	66	5	7.6%	7	10.6%	6	9.1%	29	43.9%	0
1102.00	18	2	11.1%	6	33.3%	0	0.0%	7	38.9%	0
1103.00	147	14	9.5%	35	23.8%	14	9.5%	77	52.4%	4
1104.00	13	1	7.7%	0	0.0%	1	7.7%	4	30.8%	0
1105.00	84	5	6.0%	27	32.1%	6	7.1%	48	57.1%	0
1106.00	89	11	12.4%	21	23.6%	8	9.0%	32	36.0%	1
1107.00	52	3	5.8%	12	23.1%	5	9.6%	22	42.3%	1
1108.00	35	2	5.7%	3	8.6%	3	8.6%	11	31.4%	0
1109.00	9	1	11.1%	3	33.3%	3	33.3%	5	55.6%	0
1110.00	56	6	10.7%	14	25.0%	2	3.6%	15	26.8%	1
1201.85	62	0	0.0%	8	12.9%	5	8.1%	4	6.5%	1
1202.85	99	3	3.0%	15	15.2%	10	10.1%	33	33.3%	1
1203.00	96	0	0.0%	0	0.0%	4	4.2%	5	5.2%	1
1204.00	60	1	1.7%	5	8.3%	4	6.7%	3	5.0%	0
1205.01	116	4	3.4%	15	12.9%	4	3.4%	38	32.8%	1
1205.02	102	5	4.9%	23	22.5%	7	6.9%	44	43.1%	2
1206.00	105	3	2.9%	7	6.7%	10	9.5%	24	22.9%	2
1207.00	123	5	4.1%	16	13.0%	6	4.9%	31	25.2%	1
1208.00	80	3	3.8%	7	8.8%	2	2.5%	11	13.8%	1
1209.01	54	1	1.9%	15	27.8%	5	9.3%	16	29.6%	1
1209.02	101	5	5.0%	9	8.9%	3	3.0%	28	27.7%	1
1210.00	112	8	7.1%	18	16.1%	4	3.6%	37	33.0%	0
1211.03	178	2	1.1%	13	7.3%	12	6.7%	21	11.8%	0
1211.04	144	4	2.8%	15	10.4%	6	4.2%	29	20.1%	1
1211.05	154	1	0.6%	12	7.8%	6	3.9%	14	9.1%	0
1211.06	101	0	0.0%	7	6.9%	6	5.9%	13	12.9%	0
1211.07	122	2	1.6%	9	7.4%	7	5.7%	20	16.4%	1
1211.08	61	1	1.6%	3	4.9%	6	9.8%	6	9.8%	2
1212.01	164	9	5.5%	27	16.5%	17	10.4%	52	31.7%	0
1212.02	166	5	3.0%	21	12.7%	15	9.0%	57	34.3%	1
1213.00	28	0	0.0%	9	32.1%	1	3.6%	5	17.9%	0
1214.01	151	11	7.3%	26	17.2%	10	6.6%	74	49.0%	1

1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1214.02	57	5	8.8%	10	17.5%	7	12.3%	19	33.3%	2
1215.01	83	2	2.4%	7	8.4%	7	8.4%	16	19.3%	0
1215.02	148	6	4.1%	17	11.5%	16	10.8%	41	27.7%	1
1215.03	135	9	6.7%	22	16.3%	10	7.4%	59	43.7%	1
1215.04	63	2	3.2%	9	14.3%	4	6.3%	16	25.4%	0
1216.01	67	4	6.0%	11	16.4%	1	1.5%	28	41.8%	0
1216.03	84	1	1.2%	12	14.3%	9	10.7%	22	26.2%	1
1216.04	47	4	8.5%	5	10.6%	2	4.3%	15	31.9%	0
1217.00	107	5	4.7%	11	10.3%	5	4.7%	25	23.4%	0
1218.01	83	4	4.8%	10	12.0%	6	7.2%	12	14.5%	0
1218.02	55	0	0.0%	2	3.6%	4	7.3%	11	20.0%	0
1218.03	66	2	3.0%	9	13.6%	3	4.5%	17	25.8%	0
1218.04	80	2	2.5%	8	10.0%	6	7.5%	21	26.3%	0
1218.05	194	2	1.0%	15	7.7%	19	9.8%	18	9.3%	1
1219.01	13	1	7.7%	0	0.0%	3	23.1%	1	7.7%	0
1219.02	86	0	0.0%	3	3.5%	4	4.7%	3	3.5%	0
1301.00	79	5	6.3%	19	24.1%	10	12.7%	28	35.4%	1
1302.00	38	6	15.8%	6	15.8%	2	5.3%	19	50.0%	0
1303.00	76	9	11.8%	18	23.7%	3	3.9%	40	52.6%	1
1304.00	145	11	7.6%	32	22.1%	13	9.0%	77	53.1%	2
1305.00	63	9	14.3%	17	27.0%	10	15.9%	34	54.0%	0
1306.00	103	12	11.7%	28	27.2%	16	15.5%	58	56.3%	1
1307.85	71	5	7.0%	21	29.6%	9	12.7%	38	53.5%	1
1308.00	80	12	15.0%	11	13.8%	13	16.3%	45	56.3%	1
1309.00	73	11	15.1%	16	21.9%	10	13.7%	29	39.7%	1
1310.00	71	5	7.0%	13	18.3%	8	11.3%	34	47.9%	0
1311.00	73	11	15.1%	18	24.7%	10	13.7%	40	54.8%	3
1312.00	47	6	12.8%	6	12.8%	5	10.6%	23	48.9%	0
1313.00	78	6	7.7%	9	11.5%	10	12.8%	28	35.9%	1
1314.00	83	8	9.6%	14	16.9%	6	7.2%	32	38.6%	1
1315.01	152	11	7.2%	22	14.5%	13	8.6%	54	35.5%	1
1315.02	98	1	1.0%	18	18.4%	8	8.2%	29	29.6%	0

1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1316.01	7	0	0.0%	4	57.1%	1	14.3%	1	14.3%	1
1316.03	233	6	2.6%	27	11.6%	12	5.2%	50	21.5%	2
1316.04	44	1	2.3%	5	11.4%	4	9.1%	13	29.5%	0
1317.00	63	1	1.6%	5	7.9%	3	4.8%	3	4.8%	0
1318.00	104	6	5.8%	14	13.5%	3	2.9%	22	21.2%	2
1401.00	44	3	6.8%	11	25.0%	4	9.1%	15	34.1%	0
1402.00	74	9	12.2%	13	17.6%	2	2.7%	34	45.9%	1
1403.00	104	12	11.5%	21	20.2%	7	6.7%	36	34.6%	1
1404.00	87	4	4.6%	21	24.1%	13	14.9%	31	35.6%	1
1405.00	73	10	13.7%	15	20.5%	3	4.1%	20	27.4%	0
1406.00	31	6	19.4%	2	6.5%	1	3.2%	9	29.0%	0
1407.00	78	8	10.3%	10	12.8%	3	3.8%	24	30.8%	0
1408.00	91	9	9.9%	12	13.2%	8	8.8%	29	31.9%	0
1409.00	31	4	12.9%	3	9.7%	1	3.2%	10	32.3%	0
1410.00	66	6	9.1%	9	13.6%	3	4.5%	28	42.4%	0
1411.00	128	11	8.6%	23	18.0%	10	7.8%	49	38.3%	0
1412.00	124	12	9.7%	18	14.5%	7	5.6%	41	33.1%	0
1413.00	81	7	8.6%	14	17.3%	5	6.2%	37	45.7%	0
1414.00	145	13	9.0%	22	15.2%	7	4.8%	47	32.4%	1
1415.00	14	0	0.0%	0	0.0%	3	21.4%	1	7.1%	0
1416.00	28	1	3.6%	5	17.9%	4	14.3%	6	21.4%	2
1417.00	54	6	11.1%	9	16.7%	3	5.6%	20	37.0%	0
1418.00	65	4	6.2%	12	18.5%	4	6.2%	16	24.6%	0
1419.00	38	2	5.3%	3	7.9%	4	10.5%	7	18.4%	1
1501.00	105	7	6.7%	15	14.3%	8	7.6%	35	33.3%	0
1502.00	14	1	7.1%	3	21.4%	1	7.1%	4	28.6%	1
1503.00	108	22	20.4%	17	15.7%	11	10.2%	47	43.5%	2
1504.00	80	6	7.5%	15	18.8%	7	8.8%	28	35.0%	2
1505.00	198	20	10.1%	26	13.1%	10	5.1%	64	32.3%	0
1506.00	114	12	10.5%	16	14.0%	9	7.9%	35	30.7%	0
1507.00	103	11	10.7%	19	18.4%	6	5.8%	34	33.0%	0
1508.00	64	7	10.9%	9	14.1%	5	7.8%	30	46.9%	0

1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1509.00	112	10	8.9%	15	13.4%	12	10.7%	36	32.1%	0
1510.00	81	10	12.3%	18	22.2%	7	8.6%	33	40.7%	0
1511.00	153	13	8.5%	22	14.4%	13	8.5%	55	35.9%	2
1512.00	172	15	8.7%	26	15.1%	15	8.7%	62	36.0%	1
1513.00	191	23	12.0%	31	16.2%	14	7.3%	65	34.0%	0
1514.00	101	10	9.9%	16	15.8%	7	6.9%	37	36.6%	1
1515.00	53	3	5.7%	7	13.2%	4	7.5%	18	34.0%	0
1516.00	126	9	7.1%	13	10.3%	11	8.7%	45	35.7%	1
1517.00	121	10	8.3%	17	14.0%	9	7.4%	31	25.6%	0
1518.00	18	0	0.0%	3	16.7%	2	11.1%	9	50.0%	0
1519.00	71	10	14.1%	15	21.1%	7	9.9%	24	33.8%	1
1520.00	16	2	12.5%	4	25.0%	2	12.5%	8	50.0%	0
1521.00	89	9	10.1%	14	15.7%	4	4.5%	24	27.0%	2
1522.00	141	11	7.8%	22	15.6%	7	5.0%	38	27.0%	1
1601.00	166	24	14.5%	32	19.3%	13	7.8%	71	42.8%	2
1602.00	62	4	6.5%	13	21.0%	2	3.2%	17	27.4%	0
1603.00	100	9	9.0%	8	8.0%	6	6.0%	33	33.0%	1
1604.00	108	17	15.7%	16	14.8%	7	6.5%	42	38.9%	3
1605.00	169	21	12.4%	30	17.8%	14	8.3%	76	45.0%	0
1606.00	101	17	16.8%	20	19.8%	11	10.9%	36	35.6%	3
1607.85	195	23	11.8%	33	16.9%	14	7.2%	77	39.5%	0
1608.00	0	0		0		0		0		0
1609.00	204	13	6.4%	29	14.2%	9	4.4%	68	33.3%	0
1610.85	73	13	17.8%	18	24.7%	9	12.3%	24	32.9%	1
1611.00	193	21	10.9%	32	16.6%	13	6.7%	69	35.8%	1
1612.00	32	4	12.5%	11	34.4%	5	15.6%	11	34.4%	0
1613.00	337	49	14.5%	65	19.3%	25	7.4%	117	34.7%	4
1614.01	44	0	0.0%	5	11.4%	5	11.4%	0	0.0%	0
1614.85	46	1	2.2%	3	6.5%	3	6.5%	1	2.2%	0
1615.01	154	13	8.4%	25	16.2%	12	7.8%	50	32.5%	0
1615.02	137	18	13.1%	24	17.5%	11	8.0%	49	35.8%	1
1616.00	77	11	14.3%	14	18.2%	6	7.8%	27	35.1%	0

1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1617.00	7	0	0.0%	1	14.3%	1	14.3%	0	0.0%	0
1618.00	87	9	10.3%	7	8.0%	5	5.7%	32	36.8%	0
1619.00	101	8	7.9%	12	11.9%	5	5.0%	30	29.7%	1
1620.00	177	18	10.2%	15	8.5%	8	4.5%	53	29.9%	1
1701.00	230	34	14.8%	44	19.1%	16	7.0%	71	30.9%	1
1702.00	130	8	6.2%	36	27.7%	13	10.0%	50	38.5%	0
1703.00	158	19	12.0%	20	12.7%	10	6.3%	65	41.1%	0
1704.00	246	32	13.0%	58	23.6%	18	7.3%	97	39.4%	1
1705.00	102	6	5.9%	16	15.7%	6	5.9%	33	32.4%	0
1706.00	70	6	8.6%	20	28.6%	2	2.9%	28	40.0%	0
1707.00	117	21	17.9%	30	25.6%	10	8.5%	44	37.6%	1
1708.00	30	4	13.3%	9	30.0%	3	10.0%	16	53.3%	0
1709.00	92	10	10.9%	16	17.4%	12	13.0%	34	37.0%	2
1710.00	136	16	11.8%	28	20.6%	13	9.6%	48	35.3%	0
1711.00	91	15	16.5%	24	26.4%	5	5.5%	38	41.8%	1
1712.00	98	15	15.3%	19	19.4%	12	12.2%	42	42.9%	1
1713.00	136	15	11.0%	22	16.2%	6	4.4%	43	31.6%	0
1714.00	155	12	7.7%	38	24.5%	11	7.1%	52	33.5%	0
1715.00	154	11	7.1%	24	15.6%	15	9.7%	52	33.8%	0
1716.00	145	21	14.5%	34	23.4%	10	6.9%	58	40.0%	1
1717.00	137	7	5.1%	24	17.5%	11	8.0%	54	39.4%	0
1718.00	220	17	7.7%	36	16.4%	23	10.5%	79	35.9%	1
1719.01	269	8	3.0%	25	9.3%	24	8.9%	53	19.7%	1
1719.02	82	2	2.4%	7	8.5%	1	1.2%	20	24.4%	0
1719.03	126	20	15.9%	29	23.0%	11	8.7%	51	40.5%	0
1719.04	236	16	6.8%	26	11.0%	17	7.2%	50	21.2%	1
1719.05	232	15	6.5%	26	11.2%	30	12.9%	75	32.3%	1
1719.06	38	2	5.3%	6	15.8%	1	2.6%	7	18.4%	0
1720.00	127	2	1.6%	8	6.3%	3	2.4%	15	11.8%	2
1801.00	108	4	3.7%	14	13.0%	8	7.4%	33	30.6%	0
1802.00	209	20	9.6%	32	15.3%	16	7.7%	69	33.0%	2
1803.00	91	4	4.4%	25	27.5%	6	6.6%	37	40.7%	0

1998 Birth Summary By Census Tract

CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1804.00	66	5	7.6%	10	15.2%	4	6.1%	26	39.4%	3
1805.01	100	10	10.0%	17	17.0%	6	6.0%	49	49.0%	0
1805.02	166	16	9.6%	33	19.9%	13	7.8%	73	44.0%	2
1806.00	152	1	0.7%	13	8.6%	9	5.9%	29	19.1%	2
1807.01	48	0	0.0%	8	16.7%	1	2.1%	14	29.2%	0
1807.02	106	3	2.8%	12	11.3%	8	7.5%	28	26.4%	1
1808.00	59	3	5.1%	6	10.2%	5	8.5%	23	39.0%	2
1809.01	78	1	1.3%	12	15.4%	7	9.0%	17	21.8%	1
1809.02	139	11	7.9%	18	12.9%	9	6.5%	42	30.2%	2
1810.01	52	4	7.7%	10	19.2%	4	7.7%	13	25.0%	0
1810.03	118	4	3.4%	25	21.2%	6	5.1%	34	28.8%	1
1810.04	72	1	1.4%	7	9.7%	1	1.4%	9	12.5%	0
1810.05	86	3	3.5%	14	16.3%	3	3.5%	24	27.9%	0
1811.00	48	3	6.3%	4	8.3%	3	6.3%	8	16.7%	0
1812.00	60	1	1.7%	5	8.3%	5	8.3%	9	15.0%	1
1813.00	195	11	5.6%	29	14.9%	14	7.2%	64	32.8%	1
1814.01	131	0	0.0%	13	9.9%	6	4.6%	40	30.5%	0
1814.02	36	0	0.0%	5	13.9%	4	11.1%	11	30.6%	1
1815.01	217	1	0.5%	20	9.2%	15	6.9%	59	27.2%	0
1815.02	109	7	6.4%	13	11.9%	11	10.1%	33	30.3%	2
1816.00	160	11	6.9%	28	17.5%	12	7.5%	55	34.4%	0
1817.01	21	0	0.0%	0	0.0%	2	9.5%	4	19.0%	0
1817.03	82	3	3.7%	6	7.3%	2	2.4%	11	13.4%	0
1817.04	81	6	7.4%	13	16.0%	4	4.9%	25	30.9%	0
1817.05	37	1	2.7%	5	13.5%	2	5.4%	9	24.3%	1
1817.06	128	5	3.9%	14	10.9%	0	0.0%	30	23.4%	0
1817.07	245	4	1.6%	16	6.5%	13	5.3%	39	15.9%	1
1817.08	295	8	2.7%	36	12.2%	19	6.4%	54	18.3%	3
1817.09	281	12	4.3%	25	8.9%	18	6.4%	47	16.7%	0
1817.10	120	6	5.0%	12	10.0%	3	2.5%	22	18.3%	0
1818.01	94	0	0.0%	5	5.3%	7	7.4%	12	12.8%	0
1818.02	166	5	3.0%	11	6.6%	8	4.8%	21	12.7%	0

1998 Birth Summary By Census Tract


CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1818.03	106	6	5.7%	15	14.2%	7	6.6%	26	24.5%	1
1818.04	212	8	3.8%	24	11.3%	11	5.2%	41	19.3%	0
1818.05	235	5	2.1%	16	6.8%	21	8.9%	27	11.5%	0
1819.00	50	0	0.0%	2	4.0%	4	8.0%	3	6.0%	0
1820.00	35	1	2.9%	4	11.4%	1	2.9%	3	8.6%	0
1821.00	86	4	4.7%	4	4.7%	4	4.7%	13	15.1%	0
1901.00	63	5	7.9%	14	22.2%	4	6.3%	19	30.2%	0
1902.00	60	3	5.0%	18	30.0%	5	8.3%	16	26.7%	0
1903.00	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0
1904.00	36	0	0.0%	1	2.8%	5	13.9%	3	8.3%	1
1905.00	174	14	8.0%	25	14.4%	9	5.2%	51	29.3%	0
1906.00	221	19	8.6%	36	16.3%	17	7.7%	79	35.7%	2
1907.00	40	3	7.5%	2	5.0%	4	10.0%	17	42.5%	2
1908.00	28	0	0.0%	5	17.9%	4	14.3%	2	7.1%	0
1909.00	136	5	3.7%	18	13.2%	15	11.0%	32	23.5%	1
1910.01	171	11	6.4%	29	17.0%	15	8.8%	64	37.4%	1
1910.02	159	20	12.6%	27	17.0%	10	6.3%	46	28.9%	0
1911.01	9	0	0.0%	0	0.0%	2	22.2%	0	0.0%	0
1911.02	24	1	4.2%	2	8.3%	1	4.2%	4	16.7%	0
1912.00	77	4	5.2%	14	18.2%	1	1.3%	18	23.4%	1
1913.00	121	4	3.3%	19	15.7%	12	9.9%	32	26.4%	0
1914.01	197	1	0.5%	6	3.0%	6	3.0%	9	4.6%	1
1914.02	24	0	0.0%	0	0.0%	3	12.5%	3	12.5%	0
1914.03	130	1	0.8%	15	11.5%	6	4.6%	38	29.2%	0
1914.04	172	6	3.5%	34	19.8%	11	6.4%	64	37.2%	3
1914.05	106	1	0.9%	11	10.4%	4	3.8%	11	10.4%	0
1915.01	60	1	1.7%	1	1.7%	8	13.3%	1	1.7%	0
1915.02	46	1	2.2%	3	6.5%	2	4.3%	4	8.7%	0
1916.00	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0
1917.00	59	0	0.0%	3	5.1%	2	3.4%	2	3.4%	1
1918.01	164	0	0.0%	6	3.7%	11	6.7%	11	6.7%	2
1918.02	25	0	0.0%	1	4.0%	1	4.0%	0	0.0%	0

1998 Birth Summary By Census Tract


CENSUS	TOTAL BIRTHS	MATERNAL AGE 10-17	% MATERNAL AGE 10-17	LATE OR NO PRE-NATAL CARE	% OR NO LATE PRE-NATAL CARE	LOW BIRTH WEIGHT	% LOW BIRTH WEIGHT	BIRTHS TO SINGLE MOTHERS	% BIRTHS TO SINGLE MOTHERS	INFANT DEATHS
1918.03	35	0	0.0%	1	2.9%	2	5.7%	5	14.3%	0
Missing	174	8		16		9		42		4
Total	23203	1595	6.9%	3374	14.5%	1674	7.2%	6875	29.6%	149
Differences due to Unavailable data (unable to assign address to Census Tract)										

Bexar County Fetal, Neonatal & Infant Mortality


Fetal, Neonatal & Infant Mortality Rates per 100k pop 1992-1998



Infant Mortality Rate by Race & Ethnicity per 1,000 Births 1990-1998



Infant Mortality Numbers by Race & Ethnicity 1990-1998




*Infant Mortality Rates per 1000 Live births

Leading Causes of Death (Bexar County)

Cause	1992	1993	1994	1995	1996	1997	1998
Heart Disease	2,546	2,543	2,589	2,592	2,522	2,685	2,561
Cancer, All Forms	1,785	1,773	1,784	1,758	1,824	1,848	1,875
Stroke	303	344	330	420	359	369	339
Chronic Obstructive Pulmonary Disease (COPD)	343	371	381	366	335	362	336
Accidents, All Causes	244	272	277	294	303	295	329
Hypertension & Hypertensive Renal Disease	157	247	236	228	276	291	330
Diabetes Mellitus	200	231	242	282	306	314	313
Pneumonia	317	314	324	282	263	274	304
Renal Failure	170	245	230	176	154	182	175
Chronic Liver Disease	124	131	154	135	150	142	156
Suicide	162	151	160	164	150	118	134
Homicide	267	255	213	157	133	123	106
HIV / AIDS	169	154	188	176	157	90	70
Subtotal Leading Causes	6,787	7,031	7,108	7,030	6,932	7,003	6,958
Total Deaths All Causes	8,441	8,743	8,808	8,792	8,826	9,115	9,052

Bexar County Sudden Infant Death Syndrome 1992-1998




SELECTED SPECIFIC CAUSES OF DEATH BY GENDER 1998-BEXAR COUNTY

	Male	Rate	Female	Rate
Acute Myocardial Infarction	121	18.6	137	19.8
All Other Accidents & Adverse Effects	125	19.2	74	10.7
All other infectious & Parasitic Diseases	3	0.5	5	0.7
Anemia	10	1.5	20	2.9
Arteriosclerosis	55	8.4	106	15.4
Asthma	2	0.3	5	0.7
Benign Neoplasm Ca in Situ	5	0.8	5	0.7
Bronchitis, Chronic & Unspecified	2	0.3	2	0.3
Cerebrovascular Diseases	133	20.4	206	29.8
Certain Cond. Orig. in Perinatal Period	27	4.1	27	3.9
Cholelithiasis & Other Disorders of the Gallbladder	6	0.9	27	3.9
Chronic Liver Diseases & Cirrhosis	105	16.1	51	7.4
Congenital Abnormalities	17	2.6	26	3.8
Diabetes Mellitus	145	22.2	168	24.3
Diseases of the Endocardium (valve disease)	22	3.4	33	4.8
Diseases Pulmonary Circ. & Other forms of Heart Disease	583	89.4	570	82.6
Emphysema	0	0.0	0	0.0
Essential Hypertension & Hypertensive Real Disease	128	19.6	202	29.3
Hernia of Abdominal Cavity & Other Intes., Periton Di	7	1.1	0	0.0
HIV/AIDS	66	10.1	4	0.6
Homicide & Injury Purposely Inflicted	92	14.1	14	2.0
Hypertensive Heart Disease	51	7.8	46	6.7
Malignant Cancer & Lymphoma	976	149.7	899	130.2
Meningitis	4	0.6	2	0.3
Motor Vehicle Accidents	93	14.3	37	5.4
Nutritional Deficiencies	13	2.0	9	1.3
Old Myocardial Infarction & Other Chronic Isch. Heart Disease	458	70.2	531	76.9
Other Acute & Subacute Forms of Ischaemic Heart Disease	0	0.0	0	0.0
Other Chronic Obstructive Pulmonary Disease	177	27.1	159	23.0
Other Diseases of Arteries, Arterioles & Capillaries	50	7.7	40	5.8
Pneumonia	150	23.0	154	22.3
Renal Failure, Acute & Chronic	85	13.0	90	13.0
Septicemia	0	0.0	0	0.0
Suicide & Self Inflicted Injury	102	15.6	32	4.6
Symptoms, Signs & Ill Defined Conditions	101	15.5	102	14.8
Ulcer of Stomach & Duodenum	8	1.2	9	1.3
Unlisted Deaths	643		695	
Total Deaths	4,565		4,487	

Rate per 100,000 Population

Bexar County Hepatitis C Deaths 1996-1998




Figures may not reflect actual cases due to passive reporting methodologies

SELECTED SPECIFIC CAUSES OF DEATH BY RACE & ETHNICITY 1998-BEXAR COUNTY

	Non Hispanic		Hispanic	Rate	Black	Rate	Other	Rate
	White	Rate						
Acute Myocardial Infarction	131	25.2	104	14.8	22	23.8	1	3.9
All Other Accidents & Adverse Effects	98	18.8	81	11.5	19	20.6	1	3.9
All other infectious & Parasitic Diseases	1	0.2	7	1.0	0	0.0	0	0.0
Anemias	14	2.7	12	1.7	4	4.3	0	0.0
Arteriosclerosis	68	13.1	71	10.1	21	22.8	1	3.9
Asthma	5	1.0	1	0.1	1	1.1	0	0.0
Benign Neoplasm Ca in Situ	6	1.2	3	0.4	1	1.1	0	0.0
Bronchitis, Chronic & Unspecified	3	0.6	1	0.1	0	0.0	0	0.0
Cerebrovascular Diseases	163	31.3	142	20.2	34	36.8	0	0.0
Certain Cond. Orig. in Perinatal Period	8	1.5	37	5.3	9	9.8	0	0.0
Cholelithiasis & Other Disorders of the Gallbladder	5	1.0	5	0.7	1	1.1	0	0.0
Chronic Liver Diseases & Cirrhosis	40	7.7	110	15.6	6	6.5	0	0.0
Congenital Abnormalities	15	2.9	26	3.7	2	2.2	0	0.0
Diabetes Mellitus	92	17.7	195	27.7	24	26.0	2	7.8
Diseases of the Endocardium (valve disease)	42	8.1	12	1.7	1	1.1	0	0.0
Diseases Pulmonary Circ. & Other forms of Heart Disease	606	116.4	401	57.0	142	153.9	4	15.6
Emphysema	0	0.0	0	0.0	0	0.0	0	0.0
Essential Hypertension & Hypertensive Real Disease	174	33.4	124	17.6	31	33.6	1	3.9
Hernia of Abdominal Cavity & Other Intes., Periton Di	10	1.9	6	0.9	1	1.1	0	0.0
HIV/AIDS	26	5.0	37	5.3	7	7.6	0	0.0
Homicide & Injury Purposely Inflicted	12	2.3	76	10.8	16	17.3	2	7.8
Hypertensive Heart Disease	43	8.3	34	4.8	19	20.6	1	3.9
Malignant Cancer & Lymphoma	1095	210.3	632	89.8	134	145.2	14	54.6
Meningitis	1	0.2	5	0.7	0	0.0	0	0.0
Motor Vehicle Accidents	46	8.8	69	9.8	14	15.2	1	3.9
Nutritional Deficiencies	16	3.1	6	0.9	0	0.0	0	0.0
Old Myocardial Infarction & Other Chronic Isch. Heart Disease	544	104.5	368	52.3	71	76.9	6	23.4
Other Acute & Subacute Forms of Ischaemic Heart Disease	0	0.0	0	0.0	0	0.0	0	0.0
Other Chronic Obstructive Pulmonary Disease	232	44.6	79	11.2	24	26.0	1	3.9
Other Diseases of Arteries, Arterioles & Capillaries	52	10.0	34	4.8	4	4.3	0	0.0
Pneumonia	178	34.2	104	14.8	19	20.6	3	11.7
Renal Failure, Acute & Chronic	79	15.2	72	10.2	24	26.0	0	0.0
Septicemia		0.0	0	0.0	0	0.0	0	0.0
Suicide & Self Inflicted Injury	77	14.8	45	6.4	10	10.8	0	0.0
Symptoms, Signs & Ill Defined Conditions	92	17.7	92	13.1	18	19.5	2	7.8
Ulcer of Stomach & Duodenum	10	1.9	5	0.7	2	2.2	1	3.9
Unlisted Deaths	526	101.0	415	59.0	70	75.9	4	15.6
Total Deaths	4510	866.2	3411	484.8	751	813.8	45	175.6

Premature Death Rate (Age 0 to 65) by Selected Causes 1990, 1994 & 1998



Rate per 100,000 Population

Leading Causes of Death by Age Group, 1998-Bexar County

Under 1 Year			1 - 4 Years		
<i>Cause</i>	SAMHD <i>Number</i>	23,203 <i>Rate/1000</i>	<i>Cause</i>	T.S.D. Pop. <i>Number</i>	93,598 <i>Rate/100K</i>
Perinatal Cond.	54	2.3	Endocrine/Nutritional/Metabolic	10	10.7
Ill Defined	25	1.1	Injury/Accidents	4	4.3
Congenital Abnorm.	23	1.0	Motor Vehicle	3	3.2
Endocrine/Nutritional/Metabolic	11	0.5	Benign Neoplasm	2	2.1
Other Heart Disease	7	0.3	Ill Defined	2	2.1
Injury/Poisoning	6	0.3	Malign. Neoplasm	1	1.1
Other Deaths	23		Other Deaths	6	
TOTAL (all Causes)	149	6.4	TOTAL (all Causes)	28	29.9

5 - 14 Years			15 - 24 Years		
<i>Cause</i>	T.S.D. Pop. <i>Number</i>	212,891 <i>Rate/100K</i>	<i>Cause</i>	T.S.D. Pop. <i>Number</i>	194,568 <i>Rate/100K</i>
Malign. Neoplasm	6	2.8	Homicide	34	17.5
Endocrine/Nutritional/Metabolic	4	1.9	Motor Vehicle	30	15.4
Motor Vehicle	3	1.4	Malign. Neoplasm	18	9.3
Injury/Accidents	2	0.9	Suicide	13	6.7
Homicide	2	0.9	Other Heart Disease	6	3.1
Pneumonia	2	0.9	Pneumonia	2	1.0
Other Deaths	6		Other Deaths	30	
TOTAL (all Causes)	25	11.7	TOTAL (all Causes)	133	68.4

25 - 44 Years			45 - 64 Years		
<i>Cause</i>	T.S.D. Pop. <i>Number</i>	319,201 <i>Rate/100K</i>	<i>Cause</i>	T.S.D. Pop. <i>Number</i>	183,214 <i>Rate/100K</i>
Endocrine/Nutritional/Metabolic	103	32.3	Malign. Neoplasm	519	283.3
Malign. Neoplasm	92	28.8	Other Heart Disease	202	110.3
Suicide	64	20.1	Endocrine/Nutritional/Metabolic	186	101.5
Injury/Accidents	54	16.9	Ischaemic Heart Disease	86	46.9
Homicide	53	16.6	Chronic Liver	77	42.0
Other Heart Disease	39	12.2	Diabetes Mellitus	69	37.7
Other Deaths	174		Other Deaths	486	
TOTAL (all Causes)	579	181.4	TOTAL (all Causes)	1,625	886.9

65 - 74 Years			75 + Years		
<i>Cause</i>	T.S.D. Pop. <i>Number</i>	76,279 <i>Rate/100K</i>	<i>Cause</i>	T.S.D. Pop. <i>Number</i>	63,318 <i>Rate/100K</i>
Malign. Neoplasm	497	651.6	Malign. Neoplasm	741	1,170.3
Other Heart Disease	224	293.7	Ischaemic Heart Disease	713	1,126.1
Endocrine/Nutritional/Metabolic	190	249.1	Endocrine/Nutritional/Metabolic	679	1,072.4
Ischaemic Heart Disease	185	242.5	Other Heart Disease	674	1,064.5
Diabetes Mellitus	96	125.9	Hypertension	226	356.9
Hypertension	80	104.9	Pneumonia	212	334.8
Other Deaths	518		Other Deaths	1,478	
TOTAL (all Causes)	1,790	2,346.6	TOTAL (all Causes)	4,723	7,459.2

Rate per 100,000 Pop.

Texas State Data Center 1998 Population
San Antonio Metropolitan Health District Number of Births

1996 Death Summary by San Antonio City Council District

COUNCIL	Pop	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	86,200	1,026	212.3	(183)	55.7	(48)	473.3	(408)	37.1	(32)	12.8	(11)	17.4	(15)
2	97,900	935	191.0	(187)	28.6	(28)	368.7	(361)	26.6	(26)	13.3	(13)	19.4	(19)
3	88,000	799	173.9	(153)	31.8	(28)	372.7	(328)	31.8	(28)	11.4	(10)	11.4	(10)
4	97,500	673	141.5	(138)	27.7	(27)	254.4	(248)	25.6	(25)	8.2	(8)	12.3	(12)
5	87,000	823	134.5	(117)	49.4	(43)	351.7	(306)	36.8	(32)	10.3	(9)	20.7	(18)
6	111,700	511	86.8	(97)	12.5	(14)	163.8	(183)	26.9	(30)	10.7	(12)	15.2	(17)
7	101,800	713	132.6	(135)	35.4	(36)	270.1	(275)	17.7	(18)	12.8	(13)	9.8	(10)
8	142,000	629	109.9	(156)	12.0	(17)	150.0	(213)	11.3	(16)	7.7	(11)	2.8	(4)
9	110,100	724	159.9	(176)	15.4	(17)	243.4	(268)	15.4	(17)	13.6	(15)	8.2	(9)
10	120,300	684	136.3	(164)	14.1	(17)	192.9	(232)	19.1	(23)	14.1	(17)	5.8	(7)
Total	1,042,500	7,517	144.5	(1,506)	26.4	(275)	270.7	(2,822)	23.7	(247)	11.4	(119)	11.6	(121)

1997 Death Summary by San Antonio City Council District




COUNCIL	Pop	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	91,700	981	182.1	(167)	30.5	(28)	367.5	(337)	38.2	(35)	8.7	(8)	24.0	(22)
2	102,700	953	181.1	(186)	25.3	(26)	341.8	(351)	19.5	(20)	7.8	(8)	20.4	(21)
3	93,900	790	167.2	(157)	43.7	(41)	297.1	(279)	24.5	(23)	10.6	(10)	9.6	(9)
4	111,700	731	119.1	(133)	34.0	(38)	207.7	(232)	35.8	(40)	6.3	(7)	14.3	(16)
5	92,500	754	137.3	(127)	36.8	(34)	280.0	(259)	25.9	(24)	5.4	(5)	13.0	(12)
6	116,100	531	90.4	(105)	21.5	(25)	147.3	(171)	18.1	(21)	6.0	(7)	4.3	(5)
7	107,200	824	164.2	(176)	27.1	(29)	263.1	(282)	22.4	(24)	6.5	(7)	3.7	(4)
8	148,900	698	100.7	(150)	13.4	(20)	155.8	(232)	14.1	(21)	11.4	(17)	5.4	(8)
9	120,100	810	134.1	(161)	20.8	(25)	227.3	(273)	24.1	(29)	11.7	(14)	3.3	(4)
10	124,800	670	130.6	(163)	10.4	(13)	174.7	(218)	14.4	(18)	7.2	(9)	4.8	(6)
Total	1,115,600	7,742	136.7	(1,525)	25.0	(279)	236.1	(2,634)	22.9	(255)	8.2	(92)	9.6	(107)

1998 Death Summary by San Antonio City Council District

COUNCIL	Pop	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	97,200	921	158.4	(154)	30.9	(30)	386.8	(376)	18.5	(18)	10.3	(10)	10.3	(10)
2	107,500	887	157.2	(169)	19.5	(21)	331.2	(356)	15.8	(17)	14.0	(15)	6.5	(7)
3	99,800	769	140.3	(140)	30.1	(30)	305.6	(305)	21.0	(21)	9.0	(9)	10.0	(10)
4	120,900	690	100.1	(121)	24.0	(29)	210.1	(254)	9.9	(12)	8.3	(10)	11.6	(14)
5	98,000	760	119.4	(117)	55.1	(54)	298.0	(292)	13.3	(13)	7.1	(7)	12.2	(12)
6	120,500	516	76.3	(92)	24.9	(30)	156.8	(189)	12.4	(15)	5.0	(6)	7.5	(9)
7	112,600	757	133.2	(150)	28.4	(32)	274.4	(309)	16.0	(18)	5.3	(6)	7.1	(8)
8	155,800	753	128.4	(200)	11.6	(18)	170.1	(265)	5.8	(9)	10.9	(17)	4.5	(7)
9	130,100	790	137.6	(179)	12.3	(16)	224.4	(292)	10.0	(13)	6.1	(8)	3.8	(5)
10	129,300	758	160.9	(208)	20.1	(26)	180.2	(233)	10.8	(14)	15.5	(20)	6.2	(8)
Total	1,171,700	7,601	130.6	(1,530)	24.4	(286)	245.0	(2,871)	12.8	(150)	9.2	(108)	7.7	(90)




Rate per 100,000 Population For each District

Selected Death Rate by City Council District 1996-1998



All Rates per 100,000 Population

Selected Death Rate by City Council District 1996-1998




All Rates per 100,000 Population

Bexar County Precinct

County Judge

Cyndi Taylor Krier

-  2 = Paul Elizondo
-  1 = Robert Tejeda
-  3 = Lyle Larson
-  4 = Tommy Adkisson



1997 Death Summary by Bexar County Precinct

Precinct	1997 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	307,900	1,962	126.3	(389)	29.9	(92)	200.7	(618)	22.7	(70)	8.8	(27)	10.1	(31)
2	322,987	2,355	136.5	(441)	26.9	(87)	245.2	(792)	23.5	(76)	8.4	(27)	10.2	(33)
3	361,590	2,174	133.0	(481)	16.0	(58)	190.8	(690)	19.1	(69)	8.6	(31)	3.0	(11)
4	334,092	2,615	161.6	(540)	22.4	(75)	273.6	(914)	20.4	(68)	7.8	(26)	14.7	(49)
Total	1,326,569	9,106	139.5	(1,851)	23.5	(312)	227.2	(3,014)	21.3	(283)	8.4	(111)	9.3	(124)


1998 Death Summary by Bexar County Precinct

Precinct	1998 Pop Estimate	TOTAL DEATHS	CANCER		DIABETES MELLITUS		HEART & CARDIOVASC.		ACCIDENTS		SUICIDES		HOMICIDES	
			Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#	Death Rate	#
1	314,183	1,941	112.4	(353)	28.3	(89)	232.0	(729)	16.2	(51)	8.0	(25)	8.6	(27)
2	329,578	2,241	121.4	(400)	33.7	(111)	267.6	(882)	15.8	(52)	7.0	(23)	9.7	(32)
3	368,969	2,458	141.7	(523)	16.3	(60)	248.8	(918)	14.6	(54)	11.4	(42)	3.8	(14)
4	340,910	2,289	169.5	(578)	14.7	(50)	233.2	(795)	11.4	(39)	12.6	(43)	9.4	(32)
Missing		123		(21)		(3)		(51)		(3)		(1)		(1)
Total	1,342,480	(9052)	139.7	(1875)	23.3	(313)	251.4	(3375)	14.8	(199)	10.0	(134)	7.9	(106)


All Rates per 100,000 Population

Differences due to Unavailable data (unable to assign address to Precinct)


1998 Bexar County Total Deaths by Census Tract




Legend




1998 Bexar County Cancer Deaths by Census Tract




Legend




**1998 Bexar County
Diabetes Deaths by
Census Tract**




Legend




**1998 Bexar County
Heart and CV Disease
Deaths by
Census Tract**




Legend




**1998 Bexar County
Accidental Deaths
(Excluding Motor Vehicle)
by Census Tract**




Legend




**1998 Bexar County
Suicide Deaths
by Census Tract**




Legend



**1998 Bexar County
Homicide Deaths
by Census Tract**



Legend



Essential Public Health Functions

1. Monitor health status of community
2. Investigate health problems in community
3. Inform, educate, and empower stakeholders
4. Forge community partnerships
5. Develop health policy and support planning
6. Enforce health code and regulations
7. Link people to appropriate health resources
8. Assure a competent public health workforce
9. Evaluate the quality and effectiveness of efforts
10. Research and innovation in community health

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1101.00	3,029	23	1	33.0	0	0.0	11	363.2	3	99.0	0	0.0	0	-
1102.00	1,533	17	3	195.7	1	65.2	8	521.9	0	0.0	0	0.0	0	-
1103.00	5,484	48	3	54.7	2	36.5	24	437.6	2	36.5	0	0.0	0	-
1104.00	1,251	15	1	79.9	0	0.0	4	319.7	1	79.9	1	79.9	1	79.9
1105.00	3,210	16	0	0.0	2	62.3	5	155.8	0	0.0	0	0.0	2	62.3
1106.00	6,360	27	6	94.3	4	62.9	9	141.5	0	0.0	0	0.0	0	-
1107.00	1,864	23	6	321.9	0	0.0	7	375.5	1	53.6	0	0.0	1	53.6
1108.00	3,243	39	3	92.5	1	30.8	18	555.0	0	0.0	0	0.0	0	-
1109.00	797	5	0	0.0	0	0.0	4	501.9	0	0.0	0	0.0	0	-
1110.00	3,445	35	1	29.0	0	0.0	13	377.4	0	0.0	2	58.1	1	29.0
1201.85	8,019	4	2	24.9	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1202.85	7,590	77	10	131.8	1	13.2	28	368.9	3	39.5	0	0.0	3	39.5
1203.00	6,926	80	16	231.0	1	14.4	29	418.7	2	28.9	2	28.9	1	14.4
1204.00	5,009	51	11	219.6	0	0.0	16	319.4	2	39.9	0	0.0	0	-
1205.01	8,875	58	17	191.5	4	45.1	18	202.8	0	0.0	1	11.3	0	-
1205.02	5,936	44	4	67.4	2	33.7	12	202.2	0	0.0	1	16.8	1	16.8
1206.00	6,261	67	11	175.7	4	63.9	25	399.3	1	16.0	0	0.0	1	16.0
1207.00	10,319	133	16	155.1	4	38.8	59	571.8	0	0.0	2	19.4	0	-
1208.00	6,599	75	19	287.9	3	45.5	23	348.5	2	30.3	3	45.5	0	-
1209.01	4,218	49	15	355.6	1	23.7	18	426.7	1	23.7	2	47.4	1	23.7
1209.02	6,666	42	14	210.0	0	0.0	12	180.0	1	15.0	2	30.0	0	-
1210.00	6,707	56	13	193.8	2	29.8	20	298.2	0	0.0	1	14.9	0	-
1211.03	10,798	44	15	138.9	3	27.8	12	111.1	1	9.3	1	9.3	0	-
1211.04	11,509	63	20	173.8	4	34.8	13	113.0	0	0.0	2	17.4	0	-
1211.05	8,302	22	7	84.3	1	12.0	7	84.3	0	0.0	0	0.0	0	-
1211.06	8,654	33	9	104.0	0	0.0	12	138.7	0	0.0	2	23.1	0	-
1211.07	11,847	52	14	118.2	0	0.0	15	126.6	1	8.4	0	0.0	0	-
1211.08	6,390	26	5	78.2	0	0.0	10	156.5	0	0.0	0	0.0	0	-
1212.01	9,935	70	24	241.6	1	10.1	22	221.4	3	30.2	1	10.1	1	10.1
1212.02	13,137	63	16	121.8	1	7.6	21	159.9	2	15.2	1	7.6	1	7.6
1213.00	5,371	73	18	335.1	0	0.0	27	502.7	1	18.6	1	18.6	0	-
1214.01	8,972	57	10	111.5	0	0.0	25	278.6	1	11.1	3	33.4	1	11.1
1214.02	3,305	12	6	181.5	0	0.0	1	30.3	0	0.0	0	0.0	0	-
1215.01	5,230	29	7	133.8	1	19.1	14	267.7	0	0.0	0	0.0	0	-
1215.02	9,599	87	20	208.4	2	20.8	37	385.5	0	0.0	0	0.0	2	20.8
1215.03	9,403	54	17	180.8	1	10.6	17	180.8	1	10.6	0	0.0	1	10.6

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	DIABET- MELLIT	HEART & CV	ACCIDENTS	SUICIDES	HOMICIDE	Death Rate	Death Rate	Death Rate	Death Rate
1215.04	4,306	46	15	0	15	0	0	4	348.4	0.0	0.0	92.9
1216.01	5,283	25	7	1	8	0	0	1	151.4	18.9	0.0	18.9
1216.03	7,374	32	9	1	11	0	0	3	149.2	0.0	0.0	40.7
1216.04	4,456	19	8	0	8	0	0	0	179.5	0.0	0.0	0.0
1217.00	8,527	47	19	1	12	2	2	0	140.7	11.7	23.5	23.5
1218.01	6,337	34	8	0	10	0	0	1	157.8	0.0	0.0	15.8
1218.02	3,517	14	8	1	5	0	0	0	142.2	28.4	0.0	0.0
1218.03	4,644	24	6	0	7	0	0	1	150.7	0.0	21.5	21.5
1218.04	6,207	15	4	2	3	1	0	1	48.3	32.2	16.1	0.0
1218.05	7,616	37	7	2	11	1	1	0	144.4	26.3	13.1	13.1
1219.01	1,508	12	5	0	1	0	0	1	66.3	0.0	0.0	66.3
1219.02	5,445	17	5	0	4	1	1	0	73.5	0.0	18.4	18.4
1301.00	4,800	50	7	1	25	2	2	1	520.8	20.8	41.7	20.8
1302.00	2,245	20	4	0	6	3	0	0	267.3	0.0	133.6	0.0
1303.00	4,182	40	7	1	20	0	0	0	478.2	23.9	0.0	0.0
1304.00	8,360	76	13	1	29	3	0	0	346.9	12.0	35.9	0.0
1305.00	6,013	67	6	2	31	1	0	0	515.5	33.3	16.6	0.0
1306.00	5,167	68	11	3	34	0	0	0	658.0	58.1	0.0	0.0
1307.85	3,680	16	3	1	3	0	0	1	81.5	27.2	0.0	27.2
1308.00	4,884	61	10	2	25	0	0	2	511.9	41.0	0.0	41.0
1309.00	4,140	27	10	0	10	3	0	0	241.5	0.0	72.5	0.0
1310.00	5,478	73	21	1	31	3	1	0	565.9	18.3	54.8	18.3
1311.00	3,341	37	7	0	15	0	0	1	449.0	0.0	0.0	29.9
1312.00	3,098	24	2	3	11	1	0	0	355.1	96.8	32.3	0.0
1313.00	5,156	61	12	0	25	1	0	0	484.9	0.0	19.4	0.0
1314.00	5,918	38	7	0	12	0	2	0	202.8	0.0	0.0	33.8
1315.01	7,682	29	6	1	12	0	0	0	156.2	13.0	0.0	0.0
1315.02	7,829	34	7	0	8	3	0	2	102.2	0.0	38.3	0.0
1316.01	2,232	13	3	1	6	0	1	0	268.8	44.8	0.0	44.8
1316.03	12,681	62	24	0	16	1	0	0	126.2	0.0	7.9	0.0
1316.04	3,611	23	4	2	6	0	0	0	157.4	52.5	0.0	0.0
1317.00	3,463	2	1	0	0	0	0	0	0.0	0.0	0.0	0.0
1318.00	7,123	43	12	0	13	0	0	0	182.5	0.0	0.0	0.0
1401.00	2,353	15	6	2	3	0	0	0	127.5	85.0	0.0	0.0
1402.00	3,810	26	5	0	13	0	0	0	341.2	0.0	0.0	0.0
1403.00	3,911	34	7	2	17	1	0	0	434.7	51.1	25.6	0.0

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET-MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1404.00	4,217	32	7	166.0	1	23.7	9	213.4	1	23.7	0	0.0	1	23.7
1405.00	4,141	32	7	169.0	1	24.1	16	386.4	1	24.1	0	0.0	1	24.1
1406.00	2,602	28	3	115.3	0	0.0	12	461.2	3	115.3	1	38.4	1	38.4
1407.00	4,588	49	6	130.8	1	21.8	24	523.1	0	0.0	1	21.8	0	0.0
1408.00	5,724	45	5	87.4	2	34.9	18	314.5	3	52.4	0	0.0	2	34.9
1409.00	1,923	16	2	104.0	1	52.0	8	416.0	0	0.0	0	0.0	0	0.0
1410.00	3,964	19	3	75.7	2	50.5	9	227.0	0	0.0	0	0.0	0	0.0
1411.00	8,017	47	7	87.3	2	24.9	19	237.0	0	0.0	0	0.0	0	0.0
1412.00	7,335	62	9	122.7	2	27.3	18	245.4	3	37.4	1	12.5	1	12.5
1413.00	6,094	50	6	98.5	1	16.4	19	311.8	0	0.0	1	13.6	2	27.3
1414.00	9,256	85	20	216.1	4	43.2	28	302.5	3	32.4	2	21.6	1	16.4
1415.00	781	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
1416.00	1,216	6	2	164.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
1417.00	3,620	22	1	27.6	1	27.6	6	165.7	2	55.2	0	0.0	0	0.0
1418.00	3,259	24	4	122.7	2	61.4	10	306.8	0	0.0	0	0.0	0	0.0
1419.00	4,341	26	5	115.2	0	0.0	10	230.4	0	0.0	2	46.1	1	30.7
1501.00	6,308	56	8	126.8	6	95.1	27	428.0	0	0.0	0	0.0	0	0.0
1502.00	1,765	17	4	226.6	0	0.0	8	453.3	1	56.7	0	0.0	0	0.0
1503.00	5,382	45	4	74.3	5	92.9	22	408.8	0	0.0	0	0.0	0	0.0
1504.00	4,844	45	9	185.8	1	20.6	21	433.5	0	0.0	1	20.6	1	18.6
1505.00	9,510	96	16	168.2	7	73.6	39	410.1	1	10.5	0	0.0	3	31.5
1506.00	4,853	35	4	82.4	3	61.8	11	226.7	4	82.4	1	20.6	0	0.0
1507.00	6,474	56	11	169.9	1	15.4	29	447.9	0	0.0	1	15.4	1	15.4
1508.00	3,154	24	6	190.2	0	0.0	11	348.8	0	0.0	0	0.0	0	0.0
1509.00	6,103	48	8	131.1	2	32.8	19	311.3	1	16.4	0	0.0	0	0.0
1510.00	3,504	22	3	85.6	1	28.5	6	171.2	0	0.0	0	0.0	0	0.0
1511.00	7,707	74	12	155.7	3	38.9	30	389.3	1	13.0	1	13.0	1	28.5
1512.00	8,667	30	1	11.5	1	11.5	10	115.4	0	0.0	0	0.0	3	38.9
1513.00	9,166	62	11	120.0	1	10.9	25	272.7	1	10.9	2	21.8	2	23.1
1514.00	4,949	31	7	141.4	2	40.4	8	161.6	0	0.0	0	0.0	1	10.9
1515.00	2,615	18	0	0.0	1	38.2	12	458.9	1	38.2	1	38.2	0	0.0
1516.00	7,333	50	13	177.3	0	0.0	22	300.0	1	13.6	0	0.0	0	0.0
1517.00	7,059	42	12	170.0	0	0.0	16	226.7	1	14.2	2	28.3	0	0.0
1518.00	1,208	15	3	248.3	1	82.8	3	248.3	0	0.0	0	0.0	0	0.0
1519.00	3,511	23	5	142.4	3	85.4	8	227.9	2	57.0	0	0.0	0	0.0
1520.00	632	3	1	158.2	0	0.0	1	158.2	0	0.0	0	0.0	0	0.0

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET-MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1521.00	4,121	20	2	48.5	1	24.3	7	169.9	1	24.3	1	24.3	0	-
1522.00	5,884	37	11	186.9	1	17.0	6	102.0	1	17.0	1	17.0	0	-
1601.00	7,033	54	7	99.5	3	42.7	18	255.9	3	42.7	0	0.0	0	-
1602.00	2,929	22	8	273.1	3	102.4	4	136.6	1	34.1	0	0.0	0	-
1603.00	5,217	40	7	134.2	5	95.8	8	153.3	2	38.3	1	19.2	0	-
1604.00	5,098	42	3	58.8	2	39.2	18	353.1	1	19.6	0	0.0	1	19.6
1605.00	8,738	86	14	160.2	4	45.8	39	446.3	1	11.4	2	22.9	2	22.9
1606.00	6,075	42	7	115.2	3	49.4	15	246.9	1	16.5	0	0.0	1	16.5
1607.85	10,982	48	12	119.0	3	29.8	14	138.9	3	29.8	0	0.0	1	9.9
1608.00	17	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1609.00	9,138	61	12	131.3	3	32.8	22	240.8	1	10.9	1	10.9	0	-
1610.85	3,420	17	3	87.7	1	29.2	4	117.0	0	0.0	0	0.0	1	29.2
1611.00	8,363	50	7	83.7	4	47.8	18	215.2	0	0.0	1	12.0	1	12.0
1612.00	1,743	8	0	0.0	1	57.4	4	229.5	1	57.4	0	0.0	0	-
1613.00	12,590	48	9	71.5	1	7.9	18	143.0	2	15.9	1	7.9	2	15.9
1614.01	6,730	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1614.85	1,975	1	1	50.6	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1615.01	7,645	31	5	65.4	1	13.1	14	183.1	0	0.0	0	0.0	0	-
1615.02	7,224	31	5	69.2	3	41.5	6	83.1	2	27.7	0	0.0	1	13.8
1616.00	4,797	15	3	62.5	1	20.8	6	125.1	0	0.0	0	0.0	0	-
1617.00	556	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1618.00	4,984	72	18	361.2	1	20.1	21	421.3	2	40.1	0	0.0	0	-
1619.00	4,794	33	5	104.3	1	20.9	12	250.3	0	0.0	2	41.7	0	-
1620.00	8,278	49	9	108.7	0	0.0	22	265.8	3	36.2	1	12.1	0	-
1701.00	9,052	89	12	132.6	6	66.3	43	475.0	0	0.0	0	0.0	1	11.0
1702.00	7,091	57	11	155.1	3	42.3	21	296.2	1	14.1	0	0.0	1	14.1
1703.00	7,323	58	9	122.9	3	41.0	22	300.4	1	13.7	0	0.0	0	-
1704.00	10,968	95	18	164.1	6	54.7	38	346.5	3	27.4	1	9.1	2	18.2
1705.00	5,216	51	7	134.2	3	57.5	25	479.3	0	0.0	1	19.2	0	-
1706.00	4,768	43	2	41.9	3	62.9	21	440.4	2	41.9	0	0.0	0	-
1707.00	6,017	48	5	83.1	2	33.2	18	299.2	3	49.9	0	0.0	4	66.5
1708.00	1,559	10	1	64.1	0	0.0	5	320.7	0	0.0	0	0.0	0	-
1709.00	6,580	46	6	91.2	3	45.6	19	288.8	0	0.0	0	0.0	1	15.2
1710.00	6,611	57	6	90.8	5	75.6	23	347.9	2	30.3	0	0.0	2	30.3
1711.00	4,528	27	1	22.1	1	22.1	18	397.5	0	0.0	1	22.1	0	-
1712.00	4,227	22	4	94.6	2	47.3	7	165.6	0	0.0	0	0.0	0	-

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET-MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1713.00	7,990	59	7	87.6	1	12.5	27	337.9	2	25.0	0	0.0	0	0.0
1714.00	6,717	35	13	193.5	1	14.9	11	163.8	0	0.0	2	29.8	1	14.9
1715.00	8,519	63	9	105.6	2	23.5	24	281.7	4	47.0	0	0.0	1	11.7
1716.00	6,887	30	8	116.2	4	58.1	9	130.7	0	0.0	0	0.0	1	14.5
1717.00	7,936	40	11	138.6	3	37.8	8	100.8	3	37.8	0	0.0	0	0.0
1718.00	12,370	67	10	80.8	1	8.1	28	226.4	2	16.2	1	8.1	1	8.1
1719.01	8,831	30	8	90.6	2	22.6	10	113.2	0	0.0	0	0.0	0	0.0
1719.02	2,701	5	1	37.0	0	0.0	2	74.0	0	0.0	1	37.0	0	0.0
1719.03	5,842	23	7	119.8	0	0.0	7	119.8	0	0.0	2	34.2	0	0.0
1719.04	9,514	38	7	73.6	0	0.0	16	168.2	0	0.0	0	0.0	1	10.5
1719.05	12,517	49	11	87.9	3	24.0	11	87.9	1	8.0	2	16.0	1	8.0
1719.06	1,892	4	0	0.0	0	0.0	2	105.7	1	52.9	0	0.0	0	0.0
1720.00	6,742	53	14	207.7	1	14.8	16	237.3	0	0.0	0	0.0	0	0.0
1801.00	7,631	69	12	157.3	4	52.4	37	484.9	2	26.2	0	0.0	0	0.0
1802.00	9,973	92	12	120.3	1	10.0	42	421.1	1	10.0	0	0.0	1	10.0
1803.00	4,632	31	10	215.9	1	21.6	8	172.7	2	43.2	0	0.0	1	21.6
1804.00	4,625	17	4	86.5	1	21.6	5	108.1	0	0.0	0	0.0	1	21.6
1805.01	5,519	31	8	145.0	2	36.2	14	253.7	0	0.0	0	0.0	0	0.0
1805.02	9,036	52	9	99.6	4	44.3	17	188.1	3	33.2	2	22.1	0	0.0
1806.00	11,203	147	35	312.4	5	44.6	59	526.6	2	17.9	0	0.0	0	0.0
1807.01	4,151	36	7	168.6	0	0.0	16	385.4	1	24.1	0	0.0	0	0.0
1807.02	7,325	71	14	191.1	1	13.7	36	491.5	0	0.0	2	27.3	0	0.0
1808.00	3,250	30	7	215.4	1	30.8	7	215.4	2	61.5	0	0.0	2	61.5
1809.01	5,050	55	15	297.0	2	39.6	17	336.6	0	0.0	1	19.8	0	0.0
1809.02	7,664	51	10	130.5	2	26.1	22	287.1	1	13.0	1	13.0	2	26.1
1810.01	3,489	37	12	343.9	2	57.3	11	315.3	0	0.0	1	28.7	0	0.0
1810.03	5,475	10	3	54.8	0	0.0	1	18.3	0	0.0	1	18.3	0	0.0
1810.04	3,412	12	2	58.6	0	0.0	7	205.2	1	29.3	0	0.0	0	0.0
1810.05	4,725	20	3	63.5	0	0.0	9	190.5	0	0.0	1	21.2	1	21.2
1811.00	6,568	52	16	243.6	0	0.0	21	319.7	1	15.2	0	0.0	0	0.0
1812.00	5,439	56	16	294.2	1	18.4	15	275.8	2	36.8	2	36.8	1	18.4
1813.00	13,385	63	20	149.4	0	0.0	17	127.0	0	0.0	1	7.5	0	0.0
1814.01	6,939	52	9	129.7	0	0.0	21	302.6	1	14.4	1	14.4	0	0.0
1814.02	1,905	17	2	105.0	2	105.0	5	262.5	0	0.0	1	52.5	0	0.0
1815.01	9,108	27	9	98.8	1	11.0	7	76.9	0	0.0	0	0.0	1	11.0
1815.02	9,255	70	14	151.3	1	10.8	26	280.9	1	10.8	1	10.8	0	0.0

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1816.00	9,648	49	12	124.4	1	10.4	17	176.2	2	20.7	1	10.4	1	10.4
1817.01	499	6	2	400.8	1	200.4	0	0.0	0	0.0	0	0.0	0	-
1817.03	5,070	18	5	98.6	1	19.7	8	157.8	0	0.0	0	0.0	0	-
1817.04	4,995	29	6	120.1	0	0.0	10	200.2	0	0.0	0	0.0	1	20.0
1817.05	2,518	18	0	0.0	0	0.0	8	317.7	1	39.7	1	39.7	0	-
1817.06	6,470	22	1	15.5	2	30.9	11	170.0	0	0.0	3	46.4	0	-
1817.07	14,186	48	10	70.5	7	49.3	14	98.7	1	7.0	0	0.0	0	-
1817.08	15,379	50	10	65.0	0	0.0	20	130.0	1	6.5	1	6.5	1	6.5
1817.09	13,012	24	6	46.1	3	23.1	6	46.1	1	7.7	1	7.7	1	7.7
1817.10	6,257	18	6	95.9	2	32.0	5	79.9	0	0.0	0	0.0	0	-
1818.01	2,839	15	3	105.7	0	0.0	7	246.6	0	0.0	1	35.2	0	-
1818.02	9,705	26	9	92.7	1	10.3	5	51.5	0	0.0	0	0.0	1	10.3
1818.03	4,924	17	3	60.9	0	0.0	6	121.9	0	0.0	0	0.0	0	-
1818.04	10,812	44	17	157.2	2	18.5	13	120.2	0	0.0	0	0.0	1	9.2
1818.05	14,159	42	7	49.4	1	7.1	14	98.9	1	7.1	1	7.1	1	7.1
1819.00	2,911	20	8	274.8	0	0.0	8	274.8	0	0.0	0	0.0	2	68.7
1820.00	2,815	20	5	177.6	1	35.5	7	248.7	1	35.5	0	0.0	0	-
1821.00	10,658	48	15	140.7	1	9.4	17	159.5	5	46.9	1	9.4	0	-
1901.00	4,692	50	7	149.2	2	42.6	20	426.3	2	42.6	1	21.3	0	-
1902.00	5,602	54	9	160.7	0	0.0	27	482.0	0	0.0	2	35.7	0	-
1903.00	125	3	1	800.0	0	0.0	1	800.0	0	0.0	0	0.0	0	-
1904.00	3,890	28	3	77.1	1	25.7	12	308.5	0	0.0	1	25.7	0	-
1905.00	11,069	79	13	117.4	4	36.1	31	280.1	1	9.0	2	18.1	0	-
1906.00	11,270	100	17	150.8	3	26.6	35	310.6	3	26.6	0	0.0	3	26.6
1907.00	3,153	38	6	190.3	0	0.0	21	666.0	0	0.0	1	31.7	0	-
1908.00	2,255	24	4	177.4	0	0.0	7	310.4	1	44.3	1	44.3	0	-
1909.00	9,320	116	26	279.0	2	21.5	45	482.8	2	21.5	0	0.0	0	-
1910.01	10,399	78	15	144.2	0	0.0	26	250.0	0	0.0	1	9.6	0	-
1910.02	8,529	75	12	140.7	2	23.4	29	340.0	4	46.9	1	11.7	0	-
1911.01	1,854	19	6	323.6	0	0.0	9	485.4	0	0.0	0	0.0	0	-
1911.02	2,691	35	9	334.4	0	0.0	12	445.9	0	0.0	0	0.0	0	-
1912.00	8,933	97	29	324.6	2	22.4	37	414.2	3	33.6	0	0.0	0	-
1913.00	7,306	29	9	123.2	1	13.7	8	109.5	1	13.7	0	0.0	0	-
1914.01	9,992	33	10	100.1	0	0.0	10	100.1	0	0.0	1	10.0	1	10.0
1914.02	4,835	11	3	62.0	0	0.0	2	41.4	0	0.0	0	0.0	0	-
1914.03	7,368	17	8	108.7	0	0.0	6	81.5	1	13.6	0	0.0	0	-

1998 Death Summary By Census Tract

CENSUS	1998 Pop Estimate	TOTAL DEATHS	CANCER	Death Rate	DIABET- MELLIT	Death Rate	HEART & CV	Death Rate	ACCIDENTS	Death Rate	SUICIDES	Death Rate	HOMICIDE	Death Rate
1914.04	8,591	12	2	23.3	0	0.0	4	46.6	0	0.0	0	0.0	1	11.6
1914.05	7,074	43	14	197.9	0	0.0	18	254.5	1	14.1	0	0.0	0	-
1915.01	6,750	32	12	177.8	0	0.0	9	133.3	2	29.6	1	14.8	1	14.8
1915.02	6,826	49	14	205.1	2	29.3	15	219.7	0	0.0	2	29.3	0	-
1916.00	6	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-
1917.00	7,321	57	13	177.6	3	41.0	17	232.2	0	0.0	0	0.0	0	-
1918.01	6,686	29	9	134.6	1	15.0	11	164.5	0	0.0	2	29.9	0	-
1918.02	1,691	21	7	414.0	0	0.0	8	473.1	1	59.1	0	0.0	0	-
1918.03	1,405	17	5	355.9	1	71.2	5	355.9	0	0.0	0	0.0	0	-
Missing		123	21		3		51		3		1		1	
Total	1354260	9052	1875	138.5	313	23.1	3375	249.2	199	14.7	134	9.9	106	7.8
Death Rate per 100,000 Population														
Differences due to Missing data (unable to assign address to Census Tract)														
Accidents do not include Motor Vehicle														



Environmental Health Indicators 1998

	1995	1996	1997	1998
Animal Bites (reported and substantiated)	3,825	3,794	3,960	3,433
Animals Impounded	48,384	52,816	54,223	49,940
Homes Tested for Lead Based Paint	53	73	47	57
Children with Blood Lead Levels >10 u/dl	435	1,204	755	880
Rabies in Animals*	37	17	12	19
Number of Ozone Action Days	34	14	26	24
Heat / Cold Exposure Related Illness EMS Calls	177	188	146	250
Number of TNRCC ** Hazardous Waste Cleanup Sites	2	8	17	14
Tons of Municipal Solid Waste Discarded	307,000	294,000	336,328	389,301


* Confirmed Cases

** TNRCC = Texas Natural Resource Conservation Commission

ESTIMATED EXTENT OF CHLORINATED SOLVENTS* IN THE SHALLOW GROUNDWATER EAST OF KELLY AFB, SAN ANTONIO, TEXAS 1999




Elevated Lead Cases (Children, Ages 0 to 6) 1992 - Present *



* >= 20 mg/ deciliter

METRO HEALTH
SAN ANTONIO'S PUBLIC HEALTH TEAM

Number of High Lead Cases



SELECTED REPORTABLE COMMUNICABLE DISEASES

Vaccine Preventable Diseases	Bexar Co. 1997		Bexar Co. 1998		Benchmark (Texas 1997)	
	Confirmed Cases	rate/100 K	(total cases)	rate/100 K	(total cases)	(total cases)
Measles	0	0.0	(0)	0	(7)	(7)
Mumps	2	0.1	(2)	0.4	(75)	(75)
Rubella	0	0.0	(0)	0.1	(12)	(12)
Tetanus	1	0.0	(0)	0	(6)	(6)
Pertussis	40	1.6	(22)	1.2	(233)	(233)
Polio	0	0.0	(0)	0	(0)	(0)
Chicken Pox*	850	7.5	(100)	138	(26688)	(26688)

*Figures may not reflect actual cases due to passive reporting methodologies


Sexually Transmitted Diseases	Bexar Co. 1997		Bexar Co. 1998		Benchmark (Texas 1997)	
	rate/100 K (total cases)	rate/100 K	(total cases)	rate/100 K	(total cases)	(total cases)
Chlamydia	375.3 (4953)	447.9	(6012)	262.5	(50675)	(50675)
Gonorrhea	136.1 (1797)	140.6	(1887)	137.8	(26611)	(26611)
Syphilis (All Stages)	30.6 (404)	18.6	(250)	3.5	(676)	(676)
AIDS	23.4 (309)	17.7	(237)	24.4	(4720)	(4720)

Other Notifiable Diseases	Bexar Co. 1997		Bexar Co. 1998		Benchmark (Texas 1997)	
	rate/100 K	(total cases)	rate/100 K	(total cases)	rate/100 K	(total cases)
Amebiasis	0.0	(0)	0.1	(1)	.8	(153)
Brucellosis	0.3	(4)	0.1	(1)	.1	(19)
Campylobacter	7.9	(105)	9.0	(121)	5.1	(981)
Cholera	0.0	(0)	0.0	(0)	.0	(1)
Dengue	0.0	(0)	0.0	(0)	.1	(10)
Encephalitis (Arthropod-Borne)	0.0	(0)	0.0	(0)	.2	(44)
Escherichia coli O157:H7	0.2	(2)	0.1	(1)	.2	(42)
Hantavirus Infections	0.0	(0)	0.0	(0)	.0	(4)
Hemolytic Uremic Syndrome	0.0	(0)	0.1	(1)	.0	(7)
Hepatitis A	33.1	(437)	24.9	(334)	23.4	(4511)
Hepatitis B	7.6	(100)	6.6	(89)	6.4	(1245)
Hepatitis C	0.76	(10)	3.4	(45)	1.9	(376)
Hepatitis D	0.0	(0)	0.0	(0)	.0	(0)
Legionellosis	0.76	(10)	0.1	(2)	.2	(32)
Listeriosis	0.5	(7)	0.3	(4)	.3	(37)
Lyme Disease	0.1	(1)	0.0	(0)	.6	(60)
Malaria	0.5	(6)	0.3	(4)	.6	(111)
Meningitis (Viral)	8.8	(116)	18.3	(246)	5.3	(1018)
Meningitis (Bacterial)	1.9	(25)	3.2	(43)	2.4	(458)
Meningococcal Infections	1.0	(13)	1.1	(15)	1.0	(195)
Rocky Mountain Spotted Fever	0.0	(0)	0.0	(0)	.0	(4)
Salmonellosis	11.6	(153)	17.2	(231)	14.5	(2793)
Shigellosis	26.6	(351)	24.6	(330)	18.1	(3504)
Strep (Grp A) Invasive	1.3	(17)	3.2	(43)	.9	(167)
Tuberculosis	7.7	(101)	6.9	(92)	10.3	(1992)
Typhoid Fever	0.0	(0)	0.0	(0)	.1	(20)
Typhus, Murine	0.0	(0)	0.0	(0)	.4	(72)
Vibrio Infections	0.0	(0)	0.1	(2)	.2	(36)


Rate per 100,000 Pop.

Preventable/ Selected Reportable Diseases


Number of Cases Vaccine Preventable Diseases 1990-1998




Number of Cases Other Selected Reportable Diseases 1993-1998







Sexually Transmitted Diseases 1993-1998



1998 Reported Sexually Transmitted Diseases (Chlamydia, Gonorrhea and Syphilis)



Bexar County Population Health Benchmarks 1998




■ Health Objectives for Year 2000 □ 1998 Bexar County Rates

* Rates are calculated for 100,000 population

** Infant Mortality Rates are calculated for 1,000 births


Behavioral Risk Factor Surveillance 1998



Behavioral Risk Factor Surveillance by Race and Ethnicity

All % = Percent of Responses


	Diabetes	Tobacco Use	Overweight (BMI)*	Sedentary Lifestyle	No Health Insurance	5 or More Fruits/Veg's per day
Bexar County Non Hispanic White	4.9%	19.1%	37.8%	53.9%	11.0%	30.9%
Bexar County Hispanic	4.3%	25.6%	43.7%	59.6%	29.7%	16.0%
Bexar County Black	10.1%	23.9%	30.8%	53.9%	10.7%	32.7%
Texas Non Hispanic White	4.7%	22.3%	31.6%	52.9%	12.8%	24.3%
Texas Hispanic	6.7%	20.4%	41.0%	67.7%	54.2%	19.1%
Texas Black	8.7%	21.5%	48.3%	56.8%	25.5%	17.4%




Source: Behavioral Risk Factor Surveillance Survey (BRFSS) is a random telephone survey of 334 Bexar County Residents & 6005 Texas .

* BMI = Body Mass Index


1998 Location of Physicians Offices by Zipcode



3,037 Physicians in Bexar County for 1998
 Source: Texas State Board of Medical Examiners




Percent of Economically Disadvantaged Children by School District 1997-98



Source: Texas Education Agency
 1701 North Congress Ave
 Austin, TX 78701-1494
 (512)463-9734

% ECONOMICALLY DISADVANTAGED: Percentage of total students reported as economically disadvantaged. Economically disadvantaged students are those who are reported as eligible for free or reduced-price meals under the National School Lunch and Child Nutrition Program or other public assistance. Students reported with any one of these status codes may or may not be enrolled in a special program such as compensatory or special education. (Source: PEIMS, 110)


Percent of Students Tested at or Above Achievement Test Criterion by School District 1997 - 98



Source: Texas Education Agency
 1701 North Congress Ave
 Austin, TX 78701-1494
 (512)463-9734

PERCENT AT OR ABOVE CRITERION: The number of examinees in the class of 1998 who, on their most recent test, scored at or above the criterion score (1110 on the SAT I or 24 on the ACT) expressed as a percent of all examinees. Beginning with the class of 1996, the denominator for this calculation is the number of examinees rather than the number of graduates. (Source: SAT I/ACT File)

Annual Dropout Rate 97-98 by District in Bexar County



Source: Texas Education Agency
 1701 North Congress Ave
 Austin, TX 78701-1494
 (512)463-9734

ANNUAL DROPOUT RATE (1996-97): The total number of students who dropped out during 1996-97 in grades 7-12 expressed as a percent of the total number of students in membership at any time during 1996-97 in grades 7-12. The TEA "recovers" and deletes from the numerator many students who are erroneously reported by districts, such as students who are found to be enrolled in another district, or students who have received their GED (General Education Development) certificate

Race and Ethnicity of Bexar County Adult Probation

	Total	Non Hispanic White	Hispanic		Black		Other		
Murder	125	51	41%	63	50%	8	6%	3	2%
Rape	363	123	34%	194	53%	43	12%	3	1%
Robbery	437	118	27%	211	48%	106	24%	2	0%
Assault Felony	745	229	31%	414	56%	98	13%	4	1%
Assault Misdemeanor	2,590	784	30%	1,479	57%	318	12%	9	0%
Arson	138	53	38%	66	48%	18	13%	1	1%
Burglary	1,759	562	32%	1,033	59%	155	9%	9	1%
Theft Felony	1,775	637	36%	918	52%	217	12%	3	0%
Theft Misdemeanor	2,363	1,129	48%	866	37%	359	15%	9	0%
Criminal Mischief	398	148	37%	215	54%	35	9%	-	0%
Drug Abuse Felony	5,789	1,563	27%	3,046	53%	1,165	20%	15	0%
Drug Abuse Misdemeanor	1,450	603	42%	651	45%	189	13%	7	0%
Sex Offense Felony	358	142	40%	199	56%	15	4%	2	1%
Sex Offense Misdemeanor	167	78	47%	82	49%	5	3%	2	1%
Family Offense	220	79	36%	118	54%	21	10%	2	1%
Prostitution	81	39	48%	35	43%	7	9%	-	0%
Weapons Felony	261	74	28%	157	60%	30	11%	-	0%
Weapons Misdemeanor	398	146	37%	177	44%	69	17%	4	1%
DWI Felony	1,493	378	25%	1,071	72%	43	3%	1	0%
DWI Misdemeanor	6,144	2,313	38%	3,579	58%	238	4%	14	0%
All Others	6,504	2,214	34%	3,278	50%	984	15%	28	0%
Total	33,558	11,463	34%	17,852	53%	4,123	12%	118	0%

Profile of Bexar County Adult Probation 1998

	Total	Employed		Unemployed		Recidivism		Avg. Age	Avg. Educ
Murder	125	86	69%	39	31%	26	21%	37	11
Rape	363	248	68%	115	32%	47	13%	37	11
Robbery	437	297	68%	140	32%	45	10%	28	11
Assault Felony	745	512	69%	233	31%	77	10%	34	11
Assault Misdemeanor	2,590	1,986	77%	604	23%	263	10%	32	11
Arson	138	93	67%	45	33%	9	7%	32	11
Burglary	1,759	1,202	68%	557	32%	197	11%	27	11
Theft Felony	1,775	1,210	68%	565	32%	207	12%	32	11
Theft Misdemeanor	2,363	1,568	66%	795	34%	113	5%	30	12
Criminal Mischief	398	274	69%	124	31%	28	7%	28	11
Drug Abuse Felony	5,789	3,651	63%	2,138	37%	921	16%	35	11
Drug Abuse Misdemeanor	1,450	1,028	71%	422	29%	77	5%	26	11
Sex Offense Felony	358	238	66%	120	34%	45	13%	44	10
Sex Offense Misdemeanor	167	130	78%	37	22%	9	5%	42	13
Family Offense	220	144	65%	76	35%	30	14%	34	11
Prostitution	81	44	54%	37	46%	7	9%	34	12
Weapons Felony	261	173	66%	88	34%	36	14%	31	10
Weapons Misdemeanor	398	268	67%	130	33%	16	4%	28	11
DWI Felony	1,493	1,008	68%	485	32%	627	42%	42	11
DWI Misdemeanor	6,144	4,770	78%	1,374	22%	472	8%	37	11
All Others	6,504	4,670	72%	1,834	28%	555	9%	33	11
Total	33,558	23,600	70%	9,958	30%	3,807	11%	33	11

1998 Single Family Houses by Year of Construction by Health Facility Location



Bexar Appraisal District Information as of 1998
 Data as of 01/01/1998
 Information is not field verified

Military Base
 Lake

Year Built

	1980 to 1998
	1960 to 1979
	1940 to 1959
	1920 to 1939
	1900 to 1919
	1828 to 1899

WIC Clinic
 Health Clinic

METRO HEALTH
 SAN ANTONIO'S PUBLIC HEALTH TEAM

Glossary

Birth Rate: The number of live births per 1,000 population.

Late Prenatal Care: No Physician visits in the first trimester.

Maternal Death: A death attributed to delivery or a complication of pregnancy, childbirth, or the puerperium, as defined by the International Classification of Diseases.

Infant Mortality: Any death under one year of age.

Infant Death Rate: Number of Deaths under one year of age per 1,000 live births.

Neonatal Mortality: A death to an infant under 28 days of age.

Fetal Mortality: Fetal death is death prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy. In this summary, only the fetal deaths of 20 weeks or more are reported.

Death Rate: The number of deaths per 100,000 residents unless otherwise noted.

Age Adjusted Death Rate: The number of deaths per age group by the population of that group by the expected deaths for that group

Behavioral Risk: The percent at risk for adverse health events attributable to personal lifestyle, habits or behavior. This information was derived from responses by 334 Bexar County residents to an annual statewide telephone survey.

Overweight: The prevalence of overweight is defined as a Body Mass Index [(weight in kilograms)/(height in meters)] of > 27.8 for men and > 27.3 for women.

Regular Physical Activity: Respondents who engage in physical activity at least 20 minutes a day, 3 times per week.

Leading Causes of Death: These data were gathered from 1998 death certificates coded by decedent's underlying cause of death as determined by attending physician. Note that "Heart Disease" deaths are the sum of deaths attributed to Hypertensive Heart Disease