Health Profiles 2013

Everybody can be a part of a healthier San Antonio

Thomas L. Schlenker, MD, MPH
Director of Public Health
San Antonio Metropolitan Health District

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT

Healthy People

Make Healthy Communities

http://www.sanantonio.gov/health/healthprofiles-main.html

Health Profiles 2013
Vital Statistics Reports

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT

Demographics: 2013

	Page
Selected Demographics, Bexar County 2013	1
Population by age by gender by race/ethnicity, Bexar County 2013	2
Projected Population by Race and Ethnicity, Bexar County 2000 to 2040	3
Births by Race and Ethnicity 2001-2013, Bexar County 2013	4
Education Statistics by School Districts, Bexar County 2013	5
Students Receiving Special Education Services by District 2013-2014	6
Live Births by Zip code, 2010 to 2013	7 to 8
Live Births by Census Tracts, 2010 to 2013	9 to 15

Prepared by John Berlanga MPA
Reviewed by Anil Mangla PHD

Selected Demographics Bexar County 2013

Population Bexar County 2013



Births Bexar County 2013



Population 2013*	Total	% of total
Total	1,817,610	100%
Hispanic	1,074,327	59%
White NH	533,562	29%
African American NH	126,970	7%
Other NH	72,659	4%

Births 2013**	Total	% of total
Total	26,590	100%
Hispanic	17,457	66%
White NH	6,203	23%
African American NH	1,750	7%
Other NH	1,180	4%

NH= Non Hispanic

*2013 American Community Survey 1-Year Estimates

**Source: Texas Department of State Health Services

Births by Race and Ethnicity-Bexar County



Bexar Co. Population Growth	Population	% Change
2013	1,817,610	
2012	1,785,704	
2010	1,714,773	23.1%
2000	1,392,931	17.5%
1990	1,185,394	19.9%
1980	988,800	19.1%
1970	830,460	20.9%
1960	687,151	

2013 Bexar Co. Age Distribution		
Median age (years)	33.2	
Under age 18	478,484	26%
18 years and over	1,339,126	74%
21 years and over	1,253,386	69%
62 years and over	252,506	14%
65 years and over	200,437	11%

2013 Bexar Co. Age Distribution	Total Population
Under 5 years	131,838
5 to 9 years	134,039
10 to 14 years	133,661
15 to 19 years	134,439
20 to 24 years	142,788
25 to 34 years	279,287
35 to 44 years	240,934
45 to 54 years	230,572
55 to 59 years	99,280
60 to 64 years	90,335
65 to 74 years	114,783
75 to 84 years	61,334
85 years and over	24,320
Total	1,817,610

*2013 American Community Survey 1-Year Estimates

* The term “other” includes American Indians and individuals having origins in any of the original peoples of the Middle East, Far East, Southeast Asia, or the Indian subcontinent (for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam).





Population Bexar County 2013

	All	Male	Female	Hispanic Male	Hispanic Female	White NH Male	White NH Female	Black Male	Black Female	Other Male	Other Female
Total	1,817,610	894,866	922,744	526,203	548,124	267,724	269,306	65,184	65,150	35,755	40,164
Age 0 to 4 years	132,199	67,610	64,589	45,744	43,681	14,077	13,300	4,417	4,214	3,372	3,394
Age 5 to 9 years	134,892	68,337	66,555	47,296	45,809	13,671	13,290	4,357	4,404	3,013	3,052
Age 10 to 14 years	133,727	67,962	65,765	46,594	45,131	13,911	13,250	4,653	4,639	2,804	2,745
Age 15 to 19 years	132,998	68,953	64,045	44,542	42,852	16,096	13,646	5,387	4,798	2,928	2,749
Age 20 to 24 years	143,459	74,491	68,968	44,731	43,537	20,265	16,794	6,271	5,669	3,224	2,968
Age 25 to 29 years	144,338	73,416	70,922	43,750	42,757	20,883	19,586	5,371	4,966	3,412	3,613
Age 30 to 34 years	135,722	68,281	67,441	40,634	40,903	19,516	18,472	4,997	4,640	3,134	3,426
Age 35 to 39 years	119,343	59,028	60,315	35,963	37,543	16,278	15,746	4,131	3,981	2,656	3,045
Age 40 to 44 years	121,681	59,635	62,046	34,818	37,482	17,914	17,273	4,401	4,324	2,502	2,967
Age 45 to 49 years	114,143	56,090	58,053	31,270	33,196	18,205	17,901	4,571	4,462	2,044	2,494
Age 50 to 54 years	115,344	56,162	59,182	29,359	31,810	20,260	20,387	4,633	4,624	1,910	2,361
Age 55 to 59 years	102,392	48,432	53,960	24,593	27,516	18,513	20,260	3,845	4,109	1,481	2,075
Age 60 to 64 years	87,186	40,590	46,596	19,560	23,437	16,920	18,237	2,915	3,157	1,195	1,765
Age 65 to 69 years	67,819	31,297	36,522	14,285	17,562	14,259	15,311	1,952	2,306	801	1,343
Age 70 to 74 years	46,727	20,920	25,807	9,293	12,122	9,767	11,086	1,286	1,754	574	845
Age 75 to 79 years	34,465	14,718	19,747	6,343	9,262	7,101	8,670	932	1,240	342	575
Age 80 to 84 years	25,747	10,401	15,346	4,100	6,834	5,477	7,114	634	960	190	438
Age 85 years or older	25,428	8,543	16,885	3,328	6,690	4,611	8,983	431	903	173	309

http://www.census.gov/popest/data/index.html



Source: Texas State Data Center, 2014

Year	White NH	African Am.	Hispanic	Other	Total
2010	519,123	118,460	1,006,958	70,232	1,714,773
2015	523,275	127,042	1,106,865	82,744	1,839,926
2020	524,262	135,691	1,210,931	96,706	1,967,590
2025	521,230	143,682	1,317,649	111,655	2,094,216
2030	513,560	150,829	1,424,762	127,761	2,216,912
2035	502,107	157,053	1,527,189	145,394	2,331,743
2040	490,061	162,775	1,624,683	164,579	2,442,098
2045	478,291	168,040	1,718,529	185,466	2,550,326
2050	466,513	173,252	1,808,867	207,941	2,656,573

Projections illustrate plausible courses of future population based on assumptions about future births, deaths, international migration, and domestic migration. Projected numbers are consistent with the most recent decennial census and projected forward.

Recent estimates of Texas population for 2014 show Texas to be continuing to grow at rates very similar to those from 2000 to 2010 but also showing a continuation of regional patterns of variation in rates of growth in Texas. Despite this we believe that the 0.5 scenario continues to be the most appropriate scenario for most counties for use in long-term planning. For planning for the next 5-10 years the 1.0 scenario may be more appropriate. The Texas State Data Center & The Office of the State Demographer Jan 2015

NH= Non Hispanic,

Births by Race and Ethnicity-Bexar County



NH= Non Hispanic,

having origins in any of the original peoples of the Middle East, Far East, Southeast Asia, or the Indian subcontinent (for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam).

Births by Race and Ethnicity-Bexar County

Year	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	16628	16956	17274	17901	18,750	18,631	18,179	17,102	16,676	17,001	17,457
White NH	6071	6022	6321	5988	6,005	5,879	6,083	6,132	6,171	6,268	6,203
Black NH	1408	1437	1447	1610	1,631	1,616	1,608	1,567	1,629	1,607	1,750
Other NH	523	585	540	695	770	814	817	879	965	1,075	1,180
Total	24,630	25,000	25,582	26,194	27,156	26,940	26,687	25,680	25,441	25,951	26,590

Snapshot 2013
Education Statistics by Bexar County School Districts

DISTRICT NAME	Total number of schools	Total Students	% African American	% Hispanic	% White NH	% Asian	% Economically Disadvantaged	% Special Ed	% Tested	% At/Above Criterion	SAT Score
Edgewood	19	11,931	1.0	98.3	0.5	0.0	95.7	9.6	63.2	2.3	1,166
Somerset	7	3,888	0.6	86.2	12.1	0.2	78.5	8.4	60.8	2.6	1,238
South San Antonio	18	9,828	1.1	96.8	1.8	0.1	88.9	7.4	56.9	3.9	1,258
San Antonio	97	54,236	6.3	91.1	2.0	0.2	93.0	10.2	62.8	6.3	1,217
Southside	9	5,123	0.9	89.8	8.7	0.3	80.4	9.8	56.9	7.1	1,273
Harlandale	30	15,154	0.3	97.3	2.2	0.1	87.7	9.4	54.8	7.6	1,269
Southwest	17	12,991	2.6	90.8	5.2	0.4	83.1	10.2	35.6	9.4	1,324
East Central	15	9,562	8.0	69.8	20.5	0.4	66.6	10.8	63.0	11.6	1,333
Judson	29	22,576	24.0	52.8	17.8	1.7	62.4	9.3	64.0	12.0	1,321
Northside	110	99,426	6.1	68.7	19.1	3.0	53.5	11.1	66.4	24.8	1,420
Ft Sam Houston	2	1,605	21.2	25.9	41.2	2.2	35.6	12.0	89.2	31.0	1,482
Lackland	2	1,054	16.7	25.7	45.4	2.4	32.1	9.9	94.9	32.4	1,566
North East	75	67,701	7.2	56.1	29.9	3.5	46.1	8.7	73.8	34.9	1,508
Randolph Field	3	1,192	15.0	22.0	47.3	3.0	10.9	5.5	94.7	38.0	1,572
Alamo Heights	6	4,805	1.7	38.8	54.9	2.4	22.1	6.9	90.4	55.0	1,644
Total listed	439	321,072									

Notes: Students % Economically Disadvantaged: Percentage of total students reported as economically disadvantaged. Economically disadvantaged students are those who are reported as eligible for free or reduced-price meals under the National School Lunch and Child Nutrition Program, or other public assistance.
% At/Above Criterion. The number of examinees on their most recent test, scored at or above the criterion score (1110 on the SAT or 24 on the ACT) expressed as a percent of all examinees.
SAT - Mean Total Score: The sum of the mathematics and critical reading SAT scores for all students divided by the number of examinees. Total scores for the SAT range from 400 to 1600 for mathematics and critical reading combined. Despite the addition of the writing portion of the SAT, the criterion score continues to be based on mathematics and critical reading only. These results include only the most recent scores on an SAT test taken anytime during their high school years.

http://ritter.tea.state.tx.us/perfreport/snapshot/2013/index.html

Students Receiving Special Education Services By Primary Disability by District PEIMS Data 2013-14

	Orthopedic Impairment	Other Health Impairment	Auditory Impairment	Visual Impairment	Mental Retardation	Emotional Disturbance	Learning Disability	Speech Impairment	Autism	Noncategorical Early Childhood	Total
Alamo Heights ISD	5	48	6	N/A	28	28	57	71	84	N/A	327
East Central ISD	9	135	16	5	101	123	289	233	111	N/A	1022
Edgewood ISD	N/A	256	14	5	120	88	328	224	92	8	1135
Ft Sam Houston ISD	5	31	N/A	N/A	11	12	52	43	28	N/A	182
Harlandale ISD	12	164	14	6	187	74	502	312	119	N/A	1390
Judson ISD	33	296	17	18	271	224	797	313	240	8	2217
Lackland ISD	0	17	0	N/A	N/A	N/A	24	36	22	N/A	99
North East ISD	46	1033	73	39	561	388	1955	1136	787	21	6039
Northside ISD	68	1511	101	45	841	791	3608	3127	1269	24	11385
Randolph Field ISD	N/A	19	0	0	N/A	5	12	15	12	N/A	63
San Antonio ISD	17	574	57	37	648	498	2265	974	350	7	5427
Somerset ISD	N/A	50	5	0	45	24	132	81	18	N/A	355
South San Antonio ISD	10	93	35	N/A	76	50	233	127	60	N/A	684
Southside ISD	0	83	0	N/A	55	32	216	73	30	N/A	489
Southwest ISD	9	134	11	9	163	60	487	355	98	9	1335
Sub-Total	214	4,444	349	164	3,107	2,397	10,957	7,120	3,320	77	32,149
Bexar County Total	214	4647	349	164	3162	2614	11500	7366	3401	307	33,724

Rate per 1000	Rate Orthopedic Impairment	Rate Other Health Impairment	Rate Auditory Impairment	Rate Visual Impairment	Rate Mental Retardation	Rate Emotional Disturbance	Rate Learning Disability	Rate Speech Impairment	Rate Autism	Rate Noncategorical Early Childhood	Rate All	Students 2013
Alamo Heights	1.0	10.0	1.2		5.8	5.8	11.9	14.8	17.5		68.1	4,805
East Central	0.9	14.1	1.7	0.5	10.6	12.9	30.2	24.4	11.6		106.9	9,562
Edgewood		21.5	1.2	0.4	10.1	7.4	27.5	18.8	7.7	0.7	95.1	11,931
Ft Sam Houston	3.1	19.3			6.9	7.5	32.4	26.8	17.4		113.4	1,605
Harlandale	0.8	10.8	0.9	0.4	12.3	4.9	33.1	20.6	7.9		91.7	15,154
Judson	1.5	13.1	0.8	0.8	12.0	9.9	35.3	13.9	10.6	0.4	98.2	22,576
Lackland	-	16.1	-				22.8	34.2	20.9		93.9	1,054
North East	0.7	15.3	1.1	0.6	8.3	5.7	28.9	16.8	11.6	0.3	89.2	67,701
Northside	0.7	15.2	1.0	0.5	8.5	8.0	36.3	31.5	12.8	0.2	114.5	99,426
Randolph Field		15.9	-	-		4.2	10.1	12.6	10.1		52.9	1,192
San Antonio	0.3	10.6	1.1	0.7	11.9	9.2	41.8	18.0	6.5	0.1	100.1	54,236
Somerset		12.9	1.3	-	11.6	6.2	34.0	20.8	4.6		91.3	3,888
South San Antonio	1.0	9.5	3.6		7.7	5.1	23.7	12.9	6.1		69.6	9,828
Southside	-	16.2	-		10.7	6.2	42.2	14.2	5.9		95.5	5,123
Southwest	0.7	10.3	0.8	0.7	12.5	4.6	37.5	27.3	7.5	0.7	102.8	12,991

http://ritter.tea.state.tx.us/adhocrpt/adser.html

The special education data in the table above is collected by the Texas Education Agency and focuses on conditions reported for the purposes of educational services. Data related to other health conditions that may affect school performance such as Asthma or Attention Deficit and Hyperactivity Disorder (ADHD) are not available. Counts less than 5 and greater than 0 are masked with the value "N/A" to comply with FERPA.

Live Births by zip code to Bexar County Residents

ZIPCODE	YR2010	YR2011	YR2012	YR2013
78002	105	114	106	104
78006	25	36	29	40
78015	40	74	77	93
78023	265	249	254	249
78052	5	4	6	8
78054	4	2	7	6
78069	38	40	36	45
78073	103	107	99	108
78101	47	49	40	51
78108	15	6	13	18
78109	526	546	626	624
78112	118	107	117	96
78148	262	274	261	286
78152	17	18	20	24
78154	103	99	99	125
78201	732	660	659	651
78202	259	228	223	222
78203	127	129	148	130
78204	176	175	160	168
78205	4	4	12	13
78207	1054	984	979	1043
78208	72	68	67	77
78209	409	400	463	441
78210	667	556	547	641
78211	632	564	566	552
78212	310	320	369	319
78213	571	607	570	677
78214	449	379	382	379
78215	6	6	10	18
78216	564	589	597	543
78217	494	512	518	478
78218	484	463	518	534
78219	242	251	248	243
78220	309	270	257	281
78221	551	557	619	566
78222	288	295	312	292
78223	760	743	792	850
78224	319	288	296	290
78225	204	206	215	205
78226	104	106	105	108
78227	867	840	823	912
78228	906	887	882	919
78229	465	481	523	526
78230	429	452	429	453
78231	91	82	68	68
78232	355	370	355	378
78233	604	598	638	593
78234	71	72	67	69
78235	10	2	18	15
78236	42	52	40	48
78237	681	659	652	646
78238	404	368	380	370
78239	375	400	395	409

Live Births by zip code to Bexar County Residents

ZIPCODE	YR2010	YR2011	YR2012	YR2013
78240	713	795	806	879
78241	2	0	0	1
78242	614	599	644	576
78244	455	461	469	501
78245	961	1078	1108	1204
78247	630	611	581	634
78248	118	110	130	107
78249	612	587	604	517
78250	761	741	731	728
78251	804	776	802	809
78252	145	146	183	186
78253	480	560	546	591
78254	726	750	747	785
78255	147	155	176	189
78256	83	74	81	75
78257	57	70	70	83
78258	507	474	532	550
78259	263	239	227	233
78260	346	344	314	359
78261	230	271	237	270
78263	39	35	41	49
78264	168	158	165	176
78266	24	17	18	27
sub-total	25,645	25,399	25,904	26,533
not geo-code	35	42	47	57
Total	25,680	25,441	25,951	26,590

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1101.00	14	13	23	21
1103.00	37	50	48	51
1105.00	87	65	70	73
1106.00	59	59	49	67
1107.00	28	19	26	23
1108.00	13	25	27	26
1109.00	6	9	17	11
1110.00	32	23	26	28
1201.00	53	49	62	62
1203.00	68	55	65	73
1204.00	46	53	69	67
1205.01	123	111	130	142
1205.02	78	67	91	89
1206.00	71	86	85	71
1207.01	62	60	57	55
1207.02	28	23	54	32
1208.00	53	69	69	60
1209.01	36	32	24	40
1209.02	94	97	87	100
1210.00	99	103	100	93
1211.08	66	68	76	77
1211.10	84	63	54	74
1211.11	84	78	91	66
1211.12	60	50	55	52
1211.15	39	50	42	48
1211.16	59	57	64	66
1211.17	46	57	49	63
1211.18	76	60	62	62
1211.19	84	70	78	70
1211.20	69	74	76	80
1211.21	36	30	22	33
1211.22	45	45	54	46
1212.03	43	65	48	54
1212.04	125	131	154	129
1212.05	57	54	53	56
1212.06	86	84	108	101
1213.00	64	59	40	63
1214.02	86	84	95	111
1214.03	63	89	75	72
1214.04	106	93	112	109
1215.01	106	97	123	105
1215.04	79	90	102	87
1215.05	52	59	64	68
1215.06	98	94	81	80
1215.07	60	64	71	68
1215.08	73	93	94	110
1216.01	75	67	73	74
1216.04	107	103	113	118
1216.05	25	20	25	16
1216.06	62	69	58	65
1217.01	39	46	32	41
1217.02	74	101	86	94
1218.02	135	136	144	130
1218.03	72	59	56	43
1218.04	79	79	93	88
1218.08	38	46	38	33
1218.09	59	51	48	68

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1218.10	44	56	55	48
1218.11	81	76	66	63
1218.12	56	74	68	84
1218.13	25	15	17	20
1219.03	39	30	25	37
1219.04	44	43	33	27
1219.05	60	79	62	48
1219.06	61	51	58	58
1219.07	185	215	192	226
1219.08	37	37	33	30
1219.09	90	81	81	96
1219.10	73	57	70	70
1302.00	38	37	44	29
1303.00	56	55	48	79
1304.01	57	65	66	82
1304.02	90	77	90	93
1305.00	94	60	85	92
1306.00	113	97	118	94
1307.00	38	43	42	45
1308.00	96	96	81	110
1309.00	83	90	88	91
1310.00	99	76	78	74
1311.00	50	50	33	37
1312.00	55	48	54	47
1313.00	74	71	74	73
1314.01	105	118	139	114
1314.02	40	37	33	30
1315.03	37	37	35	35
1315.04	65	59	54	60
1315.05	52	62	71	81
1315.06	65	83	81	72
1315.07	114	92	103	102
1316.01	23	24	27	35
1316.06	72	74	94	71
1316.08	61	76	76	81
1316.09	93	117	89	123
1316.10	88	79	82	76
1316.11	19	15	13	9
1316.12	32	34	22	27
1316.13	67	70	80	78
1316.14	58	61	61	77
1316.15	130	124	170	166
1317.00	0	1	12	3
1318.01	20	18	16	26
1318.02	55	53	60	59
1401.00	24	30	17	21
1402.00	46	54	44	41
1403.00	62	59	56	52
1404.00	61	52	56	65
1405.00	74	44	49	60
1406.00	59	34	48	56
1407.00	77	69	66	63
1408.00	90	88	87	83
1409.00	25	33	35	38
1410.00	63	61	67	54
1411.01	51	53	51	59
1411.02	73	74	84	70

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1412.00	93	81	103	112
1413.00	80	74	79	86
1414.02	67	65	62	77
1414.03	45	51	49	45
1414.04	41	54	62	66
1416.00	72	66	65	80
1417.00	82	60	80	91
1418.00	61	63	58	52
1419.00	41	56	49	63
1501.00	93	82	85	88
1503.00	100	80	83	92
1504.00	57	66	63	63
1505.01	75	75	65	71
1505.02	81	62	55	59
1506.00	80	65	88	68
1507.00	110	99	82	92
1508.00	69	50	67	66
1509.00	111	85	92	93
1510.00	55	54	66	46
1511.00	114	108	109	100
1512.00	166	146	147	149
1513.01	100	106	102	86
1513.02	58	59	59	54
1514.00	67	68	63	72
1515.00	42	36	25	38
1516.00	104	99	112	101
1517.00	92	85	116	85
1519.00	97	98	108	111
1520.00	24	44	36	43
1521.00	86	72	92	95
1522.01	114	116	104	112
1522.02	69	61	65	57
1601.00	142	125	123	127
1602.00	37	35	28	40
1603.00	78	71	98	87
1604.00	67	63	75	75
1605.01	88	93	86	108
1605.02	68	63	49	81
1606.00	96	92	79	103
1607.01	58	70	52	49
1607.02	87	80	81	89
1609.01	69	58	58	61
1609.02	95	91	89	85
1610.00	84	75	87	67
1611.00	176	144	148	158
1612.00	42	49	41	38
1613.02	107	107	129	113
1613.03	92	78	103	76
1613.04	89	89	89	74
1614.00	15	15	26	41
1615.01	153	128	142	124
1615.03	84	85	75	80
1615.04	77	90	87	90
1616.00	74	76	79	83
1618.01	71	71	57	80
1618.02	129	122	139	158
1619.01	10	12	19	18

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1619.02	118	120	153	138
1620.01	23	21	28	32
1620.03	70	78	77	83
1620.04	56	73	53	62
1701.01	79	57	80	71
1701.02	65	62	60	63
1702.00	115	111	102	96
1703.00	115	111	115	133
1704.01	114	98	99	110
1704.02	91	87	104	80
1705.00	73	76	60	77
1706.00	61	77	69	62
1707.00	91	86	68	71
1708.00	31	27	28	23
1709.00	89	65	80	92
1710.00	106	102	104	82
1711.00	62	55	59	66
1712.00	76	71	84	61
1713.01	41	54	59	56
1713.02	53	47	55	67
1714.01	75	86	78	91
1714.02	97	116	95	99
1715.01	56	42	44	49
1715.02	77	92	73	93
1716.01	61	84	67	81
1716.02	61	61	71	45
1717.00	121	129	124	144
1718.01	83	88	85	94
1718.02	126	108	104	118
1719.02	183	217	214	243
1719.03	134	92	107	130
1719.12	96	86	97	96
1719.13	96	89	96	97
1719.14	84	83	74	74
1719.15	31	21	22	29
1719.16	130	132	125	149
1719.17	126	146	132	123
1719.18	103	100	101	98
1719.19	65	79	99	108
1719.20	138	172	155	147
1719.21	73	91	103	77
1719.22	59	67	59	70
1719.23	112	146	122	116
1719.24	73	70	65	90
1719.25	132	99	127	123
1720.02	141	178	210	225
1720.03	80	80	92	80
1720.04	24	41	40	35
1720.05	100	134	108	135
1720.06	109	130	118	141
1720.07	154	154	159	162
1801.01	59	60	61	47
1801.02	14	26	30	14
1802.01	85	85	68	69
1802.02	84	70	78	79
1803.00	74	65	55	59
1804.00	83	76	57	85

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1805.01	88	63	86	78
1805.03	62	59	51	58
1805.04	79	70	72	85
1806.02	38	35	31	34
1806.03	25	29	33	31
1806.04	77	85	86	71
1807.01	47	60	66	57
1807.02	115	100	102	100
1808.00	40	23	45	39
1809.01	64	64	63	75
1809.02	94	107	96	128
1810.01	50	46	53	49
1810.03	95	132	134	128
1810.04	66	70	79	97
1810.05	74	80	83	91
1811.00	42	60	56	51
1812.00	44	36	43	54
1813.01	79	54	62	52
1813.02	78	82	67	79
1813.03	71	72	83	75
1814.02	34	26	31	24
1814.03	99	119	125	129
1814.04	75	95	82	106
1815.03	78	114	110	110
1815.04	107	95	114	120
1815.05	41	43	40	43
1815.06	62	51	60	61
1816.01	41	46	39	35
1816.02	94	82	93	97
1817.03	65	72	70	81
1817.04	81	71	80	68
1817.05	101	105	100	101
1817.11	94	104	114	100
1817.12	50	44	45	45
1817.13	110	99	86	93
1817.15	95	84	93	86
1817.16	128	111	104	125
1817.18	63	63	82	66
1817.20	46	44	48	48
1817.21	39	40	36	40
1817.22	56	48	54	59
1817.23	61	83	54	51
1817.24	70	60	71	65
1817.25	107	73	90	86
1817.26	204	214	180	200
1817.27	66	55	53	60
1817.28	162	166	173	171
1817.29	111	121	121	133
1817.30	56	58	54	51
1817.31	85	95	92	78
1818.08	15	12	17	20
1818.09	111	97	96	87
1818.11	49	33	61	44
1818.13	72	86	75	96
1818.14	20	34	27	28
1818.15	41	48	45	35
1818.16	62	43	50	44

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1818.17	36	35	37	35
1818.18	53	70	46	76
1818.19	108	89	109	81
1818.20	9	22	30	19
1818.21	33	44	37	54
1818.22	64	57	66	77
1818.23	24	20	27	15
1818.24	52	59	45	43
1818.25	78	48	60	53
1818.26	80	85	87	82
1819.01	29	33	32	37
1819.02	91	68	83	67
1820.01	73	70	70	59
1820.02	82	84	77	82
1820.03	42	45	57	65
1821.01	40	70	77	88
1821.02	73	89	84	99
1821.03	14	30	20	25
1821.05	24	27	22	30
1821.06	57	66	65	70
1901.00	47	42	54	56
1902.00	34	41	60	35
1904.00	16	13	19	23
1905.01	42	41	38	36
1905.03	39	42	56	48
1905.04	31	29	35	39
1906.01	80	61	77	68
1906.03	51	46	38	35
1906.04	69	71	64	71
1907.00	39	56	39	44
1908.00	17	9	12	8
1909.01	76	76	82	76
1909.02	48	42	49	48
1910.03	121	134	122	155
1910.04	61	72	76	78
1910.05	40	32	45	41
1910.06	124	112	95	93
1911.01	12	12	10	8
1911.02	15	18	13	21
1912.01	37	34	34	30
1912.02	79	77	71	56
1913.03	9	18	17	9
1913.04	77	89	81	62
1914.05	106	84	70	74
1914.06	60	43	51	47
1914.08	62	65	51	51
1914.09	102	114	121	117
1914.10	94	90	103	96
1914.11	42	53	53	49
1914.12	18	17	23	13
1914.13	59	62	64	60
1915.03	36	54	47	40
1915.04	7	10	7	13
1915.05	8	16	17	14
1915.06	56	50	44	61
1917.01	6	5	7	4
1917.02	64	72	66	62

Live Births by Census Tracts to Bexar County Residents

Census Tract	yr2010	yr2011	yr2012	yr2013
1918.04	64	82	56	64
1918.06	89	88	105	102
1918.07	58	68	68	83
1918.08	52	40	51	54
1918.09	76	66	73	80
1918.10	63	75	74	76
1918.11	61	47	47	54
1918.12	29	30	40	32
1918.13	75	72	76	91
1918.14	95	97	84	104
1918.15	57	77	63	59
1918.16	38	27	38	31
1918.17	138	127	136	153
1919.00	95	97	72	77
1920.00	79	59	63	61
1921.00	25	18	10	16
1922.00	23	19	35	21
1923.00	32	40	35	53
9800.01	0	0	0	1
9800.02	0	1	0	0
9800.03	9	18	35	34
9800.04	0	0	0	0
9800.05	0	0	0	1
9801.00	2	4	6	3
sub-total	25,184	25,034	25,574	26,068
not geo-coded	496	646	377	522
Total	25,680	25,680	25,951	26,590

Source: Texas Births Certificate data

Health Profiles 2013
Vital Statistics Reports

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT

Maternal Health Indicators: 2013

	Page
Selected Births Trends 2011 to 2013	1
Live Births by Ethnicity and Race-Bexar County Trends	2
Fertility rate by Ethnicity and Race-Bexar County Trends	3
Maternal Health Trends 2005 to 2013	4
Maternal Health Indicators by Hospital, Bexar County 2013	5
Multiple births- Bexar County Residents Trends, Bexar County 2013	6
Births by Age of Mother and Birth Order, Bexar County 2013	7
Births by Age of Hispanic Mother and Birth Order, Bexar County 2013	8
Births by Age of Non-Hispanic White Mother and Birth Order, Bexar County 2013	9
Births by Age of African American Mother and Birth Order, Bexar County 2013	10
Births to Single Mothers by Age and Birth Order, Bexar County 2013	11
Births to Mothers <20 by Age of Father, Bexar County 2013	12
Births by Age Groups <18, 18 to 21, 22 to 34 & 35 plus, Bexar County 2013	13
Births by Funding Source Private Insurance, Medicaid, Selfpay & Chip	14
Birth by City Council District Trends, Bexar County 2011, 2012, 2013	15
Births Occurring within School District Attendance Area	18
Teen Births Rates Bexar County	19
Low Birth Weight and Premature Trends, Bexar County 2013	20
Estimated Weeks of Gestation Trends, , Bexar County 2013	21
Mothers BMI and Weight Gain, Bexar County 2013	22
BMI, Cesarean Delivery & Premature births, Bexar County 2013	23
Trends by Month of Prenatal Care Commenced, Bexar County 2013	24
Births by Zip Code, Bexar County 2013	25 to 26
Births by Census Tract, Bexar County 2013	27 to 32

Prepared by John Berlanga MPA
Reviewed by Anil Mangla PHD

Detailed Births Trends-Bexar County

	2011 Births	Rate 1,000 Females	2012 Births	Rate 1,000 Females	2013 Births	Rate 1,000 Females
Births 15 to 19 yrs	2,912	45.8	2,711	42.8	2,558	39.7
Female Population ages 15 to 19 yrs	63,576		63,350		64,460	

American Community Survey 1-Year Estimates

	2011 Births	% of Births	2012 Births	% of Births	2013 Births	% of Births
Total Births	25,441		25,951		26,590	
Hispanic Births	16,676	66%	17,001	66%	17,457	66%
White Non Hispanic Births	6,171	24%	6,268	24%	6,203	23%
African American Non Hispanic Births	1,629	6%	1,607	6%	1,750	7%
Other Non Hispanic Births	965	4%	1,075	4%	1,180	4%
Low Birth Weight Infants <2500 grams	2,329	9%	2,378	9%	2,399	9%
Late or no Prenatal Care*	6,337	29%	8,408	35%	10,049	41%
No Prenatal Care*	597	2%	2,165	8%	3,680	14%
Births to Single Mothers	11,111	44%	12,082	47%	12,315	46%
Estimated Premature <37 Weeks	2,855	11%	2,894	11%	3,033	11%
Private Insurance	9,322	37%	9,472	36%	9,666	36%
Medicaid Payment	11,956	47%	12,450	48%	13,164	50%
Birth Within 24 Months of Previous Birth	3,678	14%	4,103	16%	4,383	16%
Births to mothers BMI ≥ 30 Before Pregnancy	7,853	31%	7,182	28%	7,664	29%
Births to Mothers with < HS/GED	5,605	22%	5,193	20%	5,173	19%
Method of Delivery CESAREAN	9,282	36%	9,125	35%	9,520	36%
Mom received WIC	13,139	52%	13,414	52%	12,293	46%
Breast Fed at Birth	20,187	79%	20,749	80%	21,293	80%
Hep B Given at Birth	22,712	89%	22,848	88%	23,692	89%

	2011 Births	Rate per 1,000 births	2012 Births	Rate per 1,000 births	2013 Births	Rate per 1,000 births
Down Syndrome - Karyotype	9	0.35	12	0.46	9	0.34
Gastroschisis	5	0.20	7	0.27	5	0.19
Cleft Lip/Palate	4	0.16	19	0.73	18	0.68
Cyanotic Congenital Heart disease	5	0.20	6	0.23	2	0.08
Hypospadias	29	1.14	19	0.73	36	1.35
Spina Bifida	4	0.16	0	0.00	2	0.08
Diaphragmatic hernia	1	0.04	2	0.08	0	0.00
Diabetes - Gestational	1,296	50.94	1,425	54.91	1,298	48.82
Diabetes - Prepregnancy	271	10.65	341	13.14	428	16.10
Hypertension - Gestational	1,424	55.97	1,784	68.74	1,632	61.38
Hypertension - Prepregnancy	307	12.07	361	13.91	700	26.33
Hypertension - Eclampsia	13	0.51	28	1.08	18	0.68
Chlamydia	1,189	46.74	1,268	48.86	1,278	48.06
Gonorrhea	220	8.65	177	6.82	218	8.20
Hepatitis B	25	0.98	36	1.39	37	1.39
Hepatitis C	74	2.91	67	2.58	71	2.67
Syphilis	21	0.83	30	1.16	38	1.43
Infant Deaths	122	4.80	165	6.36	160	6.02

* Does not include Unknown data Prenatal Care Began

**Medicaid does not include Emergency Medicaid

2012 Births as of 4/30/2013

2013 Births as of 5/5/2014

Live Births by Ethnicity and Race-Bexar County

Hispanic Births

	2010 Births	2011 Births	2012 Births	2013 Births
Hispanic (all)	17,102	16,676	17,001	17,457
Hispanic - Mexican	12,948	12,131	12,768	13,696
Hispanic - Puerto Rican	180	152	174	235
Hispanic - Cuban	15	22	30	23
Hispanic -Other	3,935	4,321	3,956	3,440
Hispanic -Unknown	32	49	73	63
White Hispanic	10,413	10,272	10,680	11,414
African American Hispanic	107	99	115	114
Am. Indian Hispanic	16	16	15	18
Asian Indian Hispanic	1	1	3	-
Chinese Hispanic	2	4	4	2
Filipino Hispanic	9	11	10	10
Japanese Hispanic	-	7	3	3
Korean Hispanic	2	2	2	3
Vietnamese Hispanic	2	3	-	1
Other Asian Hispanic	14	8	16	12
Hawaiian Hispanic	2	3	4	2
Guam Hispanic	1	5	-	3
Samoan Hispanic	1	-	-	-
Other Pacific Hispanic	3	4	2	3

Non Hispanic Births

	2010 Births	2011 Births	2012 Births	2013 Births
Non Hispanic White	6,132	6,171	6,268	6,203
Non Hispanic African Am	1,648	1,698	1,678	1,828
Non Hispanic Am. Indian	33	34	39	42
Non Hispanic Asian Indian	168	234	206	220
Non Hispanic Chinese	43	58	54	50
Non Hispanic Filipino	138	121	120	126
Non Hispanic Japanese	24	20	20	18
Non Hispanic Korean	44	49	36	45
Non Hispanic Vietnamese	52	71	75	78
Non Hispanic Other Asian	262	274	345	376
Non Hispanic Hawaiian	7	8	8	9
Non Hispanic Guam	7	12	16	7
Non Hispanic Samoan	3	6	1	2
Non Hispanic Other Pacific	42	27	24	38

2013 Births as of 5/5/2014

This page breaks this information out to highlight our diverse population.

Throughout the report we aggregate ethnicity and race, Metro Health used criteria based on population, starting with Hispanic, then Non-Hispanic White, Non-Hispanic African American and Non-Hispanic Other. This means a Hispanic-African American mother, for example, would be counted as Hispanic. This prevents double counting but may result in underreporting.

note: Persons of Hispanic origin may be of any race. The CDC allows for multiple-race reporting for an individual.

Fertility rate per 1000 Females ages 15 to 44 by Ethnicity & Race-Bexar County

	2013 Births ages 15 to 44	2012 Females	Fertility rate-Bexar County	2013 Fertility rate-USA
Total Births	26,526	386,765	68.6	62.9
Hispanic Births	17,409	240,290	72.4	n/a
White Non Hispanic Births	6,193	100,742	61.5	n/a
African American Non Hispanic Births	1,747	27,680	63.1	n/a

2013 Births as of 5/5/2014

	2012 Births ages 15 to 44	2012 Females	Fertility rate-Bexar County	2012 Fertility rate-USA
Total Births	25,877	386,765	66.9	63.0
Hispanic Births	16,946	240,290	70.5	74.4
White Non Hispanic Births	6,253	100,742	62.1	58.7
African American Non Hispanic Births	1,603	27,680	57.9	65.0

2012 Births as of 4/30/2013

	2011 Births ages 15 to 44	2011 Females	Fertility rate-Bexar County	2011 Fertility rate-USA
Total Births	25,378	380,484	66.7	63.2
Hispanic Births	16,629	235,658	70.6	75.7
White Non Hispanic Births	6,159	105,131	58.6	58.8
African American Non Hispanic Births	1,627	28,831	56.4	65.5

	2010 Births ages 15 to 44	2010 Females	Fertility rate-Bexar County	2010 Fertility rate-USA
Total Births	25,601	373,294	68.6	64.1
Hispanic Births	17,051	230,478	74.0	80.3
White Non Hispanic Births	6,117	99,205	61.7	58.7
African American Non Hispanic Births	1,557	28,310	55.0	66.6

	2009 Births ages 15 to 44	2009 Females	Fertility rate-Bexar County	2009 Fertility rate-USA
Total Births	26,595	396,269	67.1	66.7
Hispanic Births	18,101	235,658	76.8	93.3
White Non Hispanic Births	6,073	98,664	61.6	58.5
African American Non Hispanic Births	1,606	27,532	58.3	68.9

Maternal Health (Live Births) Trends-Bexar County

	2006	2007	2008	2009	2010	2011	2012	2013
Births to Bexar County Residents	26,194	27,156	26,940	26,687	25,680	25,441	25,951	26,590
	12,439	12,871	12,946	12,621	12,448	11,956	12,450	13,164
Medicaid*	47%	47%	48%	47%	48%	47%	48%	50%
	1,350	1,393	1,453	1,351	1,185	998	877	806
Births to Mothers < 18 (School Age)	5.2%	5.1%	5.4%	5.1%	4.6%	3.9%	3.4%	3.0%
Subsequent Births to Mothers < 18 (School	189	201	185	162	121	89	93	83
Age)	14.0%	14.4%	12.7%	12.0%	10.2%	8.9%	10.6%	10.3%
	10,977	11,836	12,523	12,346	12,090	11,111	12,082	12,315
Births to Single Mothers	42%	44%	46%	46%	47%	44%	47%	46%
Births to Mothers Receiving Late or no	7,365	7,421	7,049	6,680	5,822	6,337	8,408	10,049
Prenatal Care**	28%	27%	26%	25%	28%	29%	35%	41%
	2,543	2,546	2,482	2,492	2,390	2,329	2,378	2,399
Low Birth Weight Infants (<2500 grams)	9.7%	9.4%	9.2%	9.3%	9.3%	9.2%	9.2%	9.0%
	3,622	3,465	3,316	3,076	3,059	2,855	2,894	3,033
Estimated Premature <37 Weeks	13.8%	12.8%	12.3%	11.5%	11.9%	11.2%	11.2%	11.4%
Births 10 to 14 yrs	49	70	74	61	46	40	44	32
Rate age 10 to 14 yrs	0.9	1.1	1.2	0.9	0.7	0.6	0.7	0.5
Female population ages 10 to 14 yrs	56,813	61,849	61,367	64,481	65,686	65,777	66,020	64,143
Births 15 to 19 yrs	3,657	3,690	3,738	3,655	3,252	2,912	2,711	2,558
Rate age 15 to 19	63.3	63.7	63.4	61.8	50.9	45.8	42.8	39.7
Female Population ages 15 to 19 yrs	57,727	57,923	58,963	59,178	63,866	63,576	63,350	64,460
Subsequent Births to Mothers 15 to 19				887	737	618	609	527
Subsequent Births to Mothers 15 to 19 % of total				24.3%	22.7%	21.2%	22.5%	20.6%
Infant Deaths***	162	159	170	149	159	122	165	160
Infant Death rate per 1,000 Births	6.18	5.86	6.31	5.58	6.19	4.80	6.36	6.02

Births are Bexar County residents only

*Medicaid does not include Emergency Medicaid

** Does not include "unknown" date reported for initiation of prenatal care

***Infant death rate per 1,000 live births

2013 Births as of 5/5/2014

American Community Survey 1-Year Estimates 2005 to 2013

Maternal Health Indicators by Hospital-Bexar County 2013

Live births to Bexar County Residents

FACNAME	Total Births	Births 15 to 19 yrs		Births to Single Mothers		Births to Mothers Receiving Late or no Prenatal Care		Low Birth Weight Infants (<2500 grams)		Estimated Premature <37 Weeks		Medicaid Delivery	
Methodist Hospital	4510	294	7%	1711	38%	978	22%	408	9%	460	10%	1680	37%
Metropolitan Methodist Hospital	4024	584	15%	2624	65%	3158	78%	357	9%	452	11%	3301	82%
St Luke's Baptist Hospital	3273	214	7%	1194	36%	1365	42%	263	8%	335	10%	1464	45%
North Central Baptist Hospital	2875	150	5%	798	28%	835	29%	245	9%	355	12%	787	27%
University Hospital	2576	254	10%	1319	51%	920	36%	293	11%	361	14%	895	35%
Southwest General Hospital	1611	290	18%	1209	75%	380	24%	155	10%	192	12%	1337	83%
San Antonio Military Medical Cntr.	1478	64	4%	222	15%	254	17%	127	9%	169	11%	0	0%
Northeast Baptist Hospital	1403	187	13%	855	61%	529	38%	130	9%	161	11%	1084	77%
Methodist Stone Oak	1381	70	5%	445	32%	77	6%	107	8%	153	11%	471	34%
Baptist Medical Center	1310	214	16%	854	65%	608	46%	125	10%	156	12%	1120	85%
Christus Santa Rosa Hospital - Westover Hills	1115	95	9%	521	47%	507	45%	89	8%	104	9%	481	43%
Christus Santa Rosa Hospital	657	112	17%	430	65%	295	45%	76	12%	101	15%	412	63%
Mission Trail Baptist Hospital	170	26	15%	109	64%	67	39%	16	9%	27	16%	119	70%
unlisted	101	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
San Antonio Birth Center	75	0	0%	4	5%	12	16%	0	0%	0	0%	0	0%
Birth Center Stone Oak	31	0	0%	2	6%	19	61%	0	0%	0	0%	0	0%
Total	26,590	2,554	10%	12,297	46%	10,004	38%	2,391	9%	3,026	11%	13,151	49%

Live births that Occurred in Bexar County to non-County Residents

FACNAME	Total Births	Births 15 to 19 yrs		Births to Single Mothers		Births to Mothers Receiving Late or no Prenatal Care		Low Birth Weight Infants (<2500 grams)		Estimated Premature <37 Weeks		Medicaid Delivery	
Methodist Hospital	940	51	5%	664	71%	202	21%	120	13%	147	16%	308	33%
North Central Baptist Hospital	892	45	5%	702	79%	334	37%	86	10%	112	13%	219	25%
St Luke's Baptist Hospital	379	26	7%	251	66%	191	50%	19	5%	32	8%	142	37%
Metropolitan Methodist Hospital	369	37	10%	182	49%	280	76%	30	8%	27	7%	243	66%
University Hospital	283	28		153		99		95		116		115	
Methodist Stone Oak	267	9	3%	190	71%	17	6%	19	7%	35	13%	83	31%
San Antonio Military Medical Cntr.	256	22	9%	215	84%	83	32%	45	18%	44	17%	0	0%
Southwest General Hospital	236	29	12%	90		156	66%	32	14%	32	14%	186	79%
Northeast Baptist Hospital	115	10	9%	58		59	51%	15	13%	14	12%	71	62%
Christus Santa Rosa Hospital	80	13	16%	30	38%	26	33%	16	20%	19	24%	57	71%
Christus Santa Rosa Hospital - Westover Hills	77	7	9%	43	56%	33	43%	5	6%	4	5%	37	48%
Baptist Medical Center	66	10	15%	27	41%	38	58%	7	11%	8	12%	48	73%
Mission Trail Baptist Hospital	36	2	6%	27	75%	14	39%	5	14%	8	22%	23	64%
San Antonio Birth Center	13	0	0%	13	100%	6	46%	0	0%	0	0%	0	0%
Birth Center Stone Oak	9	0	0%	9	100%	4	44%	0	0%	0	0%	0	0%
Unlisted	0	0		0		0		0		0		0	
Total	2,186	193	9%	1,288	59%	1,006	46%	288	13%	339	16%	1,005	46%

2013 Births as of 5/5/2014

Multiple births- Bexar County Residents

Multiple birth Live Births (Plurality), 2013 Bexar County

Age of Mother	Single	Twin	Triplet	Quad	Missing	Total Births	% Multiple
missing	3					3	
<15	30	2	-	-		32	6.3%
15-19	2,528	30	-	-		2,558	1.2%
20-24	6,582	130	3	4		6,719	2.0%
25-29	7,445	193	9	-		7,647	2.6%
30-34	5,940	222	-	-	1	6,163	3.6%
35-39	2,678	126	9	-	1	2,814	4.8%
40-44	597	28	-	-		625	4.5%
45-49	26	2		-		28	7.1%
49>	1			-		1	0.0%
All Ages	25,830	733	21	4	2	26,590	2.9%

2013 Births as of 5/5/2014

Multiple birth Live Births (Plurality), 2012 Bexar County

Age of Mother	Single	Twin	Triplet	Quad	Missing	Total Births	% Multiple
<15	44	-	-			44	0.0%
15-19	2,675	36	-			2,711	1.3%
20-24	6,422	125	6			6,553	2.0%
25-29	7,190	195	15			7,400	2.8%
30-34	5,751	218	15			5,984	3.9%
35-39	2,557	108	9			2,674	4.4%
40-44	523	32	-			555	5.8%
45-49	23	6	-			29	20.7%
49>	1	-	-			1	0.0%
All Ages	25,186	720	45	-	-	25,951	2.9%

Multiple birth Live Births (Plurality), 2011 Bexar County

Age of Mother	Single	Twin	Triplet	Quad	Missing	Total Births	% Multiple
<15	38	2	0	0		40	5.0%
15-19	2,868	44	0	0		2,912	1.5%
20-24	6,385	141	0	4		6,530	2.2%
25-29	7,072	194	3	0		7,269	2.7%
30-34	5,347	187	12	3		5,549	3.6%
35-39	2,466	118	3	0		2,587	4.7%
40-44	495	30	6	0		531	6.8%
45-49	22	0	0	0		22	0.0%
49>	1	0	0	0		1	0.0%
All Ages	24,694	716	24	7	-	25,441	2.9%

Multiple birth Live Births (Plurality), 2010 Bexar County

Age of Mother	Single	Twin	Triplet	Quad	Missing	Total Births	% Multiple
<15	46	0	0	0	0	46	0.0%
15-19	3,219	33	0	0	0	3,252	1.0%
20-24	6,707	163	0	0	0	6,870	2.4%
25-29	6,881	220	3	12	0	7,116	3.3%
30-34	5,099	236	5	0	0	5,340	4.5%
35-39	2,372	80	0	0	0	2,452	3.3%
40-44	539	32	0	0	0	571	5.6%
45-49	29	2	0	0	0	31	6.5%
49>	2	0	0	0	0	2	0.0%
All Ages	24,894	766	8	12	-	25,680	3.1%

Note: twin and triplet columns show the total number of live births.

Missing=no birth type information available

Births by Age of Mother and Birth Order-Bexar County 2013

Age of Mother	Birth Order 1	2	3	4	5	6	7	8	9	10 or more	*not given	Total
12	-	-	-	-	-	-	-	-	-	-	-	-
13	4	-	-	-	-	-	-	-	-	-	-	4
14	26	2	-	-	-	-	-	-	-	-	-	28
15	104	5	-	-	-	-	-	-	-	-	-	109
16	224	17	1	1	-	-	-	-	-	-	-	243
17	365	48	9	-	-	-	-	-	-	-	-	422
18	542	131	16	-	-	-	-	-	-	-	-	689
19	796	252	42	4	1	-	-	-	-	-	-	1,095
20	742	380	96	21	4	-	-	-	-	-	-	1,243
21	600	441	159	56	14	1	-	-	-	-	-	1,271
22	556	458	198	67	25	4	-	-	-	-	-	1,308
23	577	509	249	99	26	7	2	-	-	-	-	1,469
24	530	465	278	103	32	14	6	-	-	-	-	1,428
25	536	507	317	117	40	13	8	2	-	-	-	1,540
26	513	494	263	122	50	17	7	3	-	-	-	1,469
27	487	496	314	140	44	26	7	2	1	-	-	1,517
28	507	508	298	141	56	16	12	6	-	-	-	1,544
29	487	511	323	146	72	19	13	4	2	-	-	1,577
30	423	471	322	142	51	26	10	5	2	1	-	1,453
31	372	466	297	159	53	20	8	6	1	1	-	1,383
32	299	424	293	127	58	28	7	6	4	3	-	1,249
33	274	380	268	133	52	18	12	9	2	6	-	1,154
34	204	289	236	91	58	24	13	3	5	1	-	924
35	191	253	205	116	51	20	11	4	3	2	-	856
36	138	199	168	90	48	19	6	3	5	-	-	676
37	105	150	142	75	38	12	9	1	4	3	-	539
38	61	106	111	60	40	15	5	4	4	1	-	407
39	61	91	78	50	28	7	10	6	1	4	-	336
40	55	63	61	31	17	14	2	2	-	-	-	245
41	34	45	54	31	12	6	5	1	-	2	-	190
42	19	27	20	15	9	5	4	4	3	2	-	108
43	7	13	9	6	10	3	4	-	1	1	-	54
44	3	6	6	5	6	1	1	-	-	-	-	28
45	5	4	1	2	2	2	-	-	-	-	-	16
46	1	1	1	-	1	-	-	-	2	-	-	6
47	1	1	1	-	-	-	-	-	-	-	-	3
48	1	1	-	-	-	-	-	-	-	-	-	2
49	1	-	-	-	-	-	-	-	-	-	-	1
50	-	-	-	-	-	-	-	-	-	-	-	-
51	1	-	-	-	-	-	-	-	-	-	-	1
52	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-
Missing**	2	-	-	1	-	-	-	-	-	-	-	3
Total	9,854	8,214	4,836	2,151	898	337	162	71	40	27	-	26,590

* Birth order of infant not given in birth record

Multiple births are recorded per each birth

**Missing mothers age in birth data

2013 Births as of 5/5/2014

Births by Age of Hispanic Mother and Birth Order-Bexar County 2013

Birth Order

Age of Mother	1	2	3	4	5	6	7	8	9	10 or more	*not given	Total
12	-	-	-	-	-	-	-	-	-	-	-	-
13	4	-	-	-	-	-	-	-	-	-	-	4
14	24	2	-	-	-	-	-	-	-	-	-	26
15	90	5	-	-	-	-	-	-	-	-	-	95
16	198	14	1	1	-	-	-	-	-	-	-	214
17	304	44	8	-	-	-	-	-	-	-	-	356
18	440	115	14	-	-	-	-	-	-	-	-	569
19	613	217	40	4	1	-	-	-	-	-	-	875
20	559	302	85	16	2	-	-	-	-	-	-	964
21	451	351	131	50	12	1	-	-	-	-	-	996
22	379	334	163	55	21	3	-	-	-	-	-	955
23	364	366	193	86	22	7	2	-	-	-	-	1,040
24	316	321	215	87	31	11	4	-	-	-	-	985
25	311	357	238	97	38	11	6	1	-	-	-	1,059
26	281	308	189	98	41	13	4	2	-	-	-	936
27	234	338	221	113	32	20	5	2	1	-	-	966
28	234	298	195	109	50	14	8	5	-	-	-	913
29	226	274	207	105	50	15	11	4	2	-	-	894
30	194	233	222	105	37	22	6	5	2	1	-	827
31	165	253	166	107	37	15	6	6	1	1	-	757
32	140	211	177	89	45	23	5	5	2	3	-	700
33	141	204	157	92	38	15	9	7	1	6	-	670
34	103	152	144	61	45	17	9	2	3	1	-	537
35	91	131	134	86	33	12	9	2	3	2	-	503
36	73	118	108	63	35	14	5	2	1	-	-	419
37	59	72	90	47	27	10	8	1	2	3	-	319
38	31	60	71	48	30	11	2	4	2	1	-	260
39	31	51	54	33	21	5	6	3	1	2	-	207
40	26	35	33	25	14	11	1	1	-	-	-	146
41	19	27	38	23	9	3	5	1	-	2	-	127
42	14	17	15	12	7	3	3	1	2	2	-	76
43	4	7	6	4	2	1	3	-	-	-	-	27
44	-	3	4	3	5	1	1	-	-	-	-	17
45	1	2	1	1	2	1	-	-	-	-	-	8
46	-	1	1	-	1	-	-	-	1	-	-	4
47	1	1	-	-	-	-	-	-	-	-	-	2
48	1	1	-	-	-	-	-	-	-	-	-	2
49	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-
Missing**	2	-	-	-	-	-	-	-	-	-	-	2
Total	6,124	5,225	3,321	1,620	688	259	118	54	24	24	-	17,457

* Birth order of infant not given in birth record

Multiple births are recorded per each birth

**Missing mothers age in birth data

2013 Births as of 5/5/2014

Births by Age of Non-Hispanic White Mother and Birth Order- Bexar County 2013

	Birth Order											
Age of Mother	1	2	3	4	5	6	7	8	9	10 or more	*not given	Total
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	1	-	-	-	-	-	-	-	-	-	-	1
15	3	-	-	-	-	-	-	-	-	-	-	3
16	14	2	-	-	-	-	-	-	-	-	-	16
17	34	1	-	-	-	-	-	-	-	-	-	35
18	61	9	2	-	-	-	-	-	-	-	-	72
19	101	17	-	-	-	-	-	-	-	-	-	118
20	110	45	6	1	-	-	-	-	-	-	-	162
21	91	57	15	3	-	-	-	-	-	-	-	166
22	115	75	16	4	1	1	-	-	-	-	-	212
23	152	90	26	7	1	-	-	-	-	-	-	276
24	148	94	31	8	1	-	1	-	-	-	-	283
25	154	104	44	13	2	1	2	-	-	-	-	320
26	159	126	56	11	5	1	1	-	-	-	-	359
27	181	114	61	21	5	3	-	-	-	-	-	385
28	195	151	79	18	6	1	1	-	-	-	-	451
29	193	178	82	26	10	3	1	-	-	-	-	493
30	165	180	73	22	8	1	-	-	-	-	-	449
31	155	148	97	32	8	1	-	-	-	-	-	441
32	114	156	89	27	9	3	1	-	-	-	-	399
33	102	125	87	24	6	3	1	2	-	-	-	350
34	74	99	66	23	9	3	1	1	-	-	-	276
35	75	91	58	21	9	5	1	1	-	-	-	261
36	49	62	43	18	10	3	-	1	3	-	-	189
37	30	47	29	19	9	1	1	-	-	-	-	136
38	21	34	28	12	9	4	1	-	1	-	-	110
39	18	22	17	16	7	1	3	2	-	1	-	87
40	14	22	14	1	2	1	1	-	-	-	-	55
41	12	13	11	4	3	2	-	-	-	-	-	45
42	5	9	3	1	1	2	-	1	-	-	-	22
43	3	3	1	1	3	1	1	-	1	1	-	15
44	3	1	2	-	1	-	-	-	-	-	-	7
45	2	1	-	1	-	-	-	-	-	-	-	4
46	1	-	-	-	-	-	-	-	1	-	-	2
47	-	-	1	-	-	-	-	-	-	-	-	1
48	-	-	-	-	-	-	-	-	-	-	-	-
49	1	-	-	-	-	-	-	-	-	-	-	1
50	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-
Missing**	-	-	-	1	-	-	-	-	-	-	-	1
Total	2,556	2,076	1,037	334	125	41	17	8	6	2	-	6,203

* Birth order of infant not given in birth record
Multiple births are recorded per each birth
**Missing mothers age in birth data
2013 Births as of 5/5/2014

Births by Age of African American Mother and Birth Order-Bexar County 2013

	Birth Order											
Age of Mother	1	2	3	4	5	6	7	8	9	10 or more	*not given	Total
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	1	-	-	-	-	-	-	-	-	-	-	1
15	8	-	-	-	-	-	-	-	-	-	-	8
16	11	1	-	-	-	-	-	-	-	-	-	12
17	23	2	1	-	-	-	-	-	-	-	-	26
18	27	7	-	-	-	-	-	-	-	-	-	34
19	68	15	2	-	-	-	-	-	-	-	-	85
20	59	29	4	3	2	-	-	-	-	-	-	97
21	42	29	10	2	2	-	-	-	-	-	-	85
22	40	37	18	8	3	-	-	-	-	-	-	106
23	42	41	25	4	3	-	-	-	-	-	-	115
24	34	36	25	7	-	3	1	-	-	-	-	106
25	36	29	30	7	-	1	-	1	-	-	-	104
26	32	41	16	9	3	2	2	-	-	-	-	105
27	27	25	19	5	5	3	2	-	-	-	-	86
28	34	33	17	11	-	1	3	1	-	-	-	100
29	29	24	17	10	12	1	1	-	-	-	-	94
30	19	25	17	9	4	1	4	-	-	-	-	79
31	21	30	21	11	6	4	2	-	-	-	-	95
32	20	26	17	10	2	2	1	1	2	-	-	81
33	12	24	15	12	7	-	2	-	1	-	-	73
34	15	14	16	4	3	3	2	-	1	-	-	58
35	13	9	9	6	7	2	1	-	-	-	-	47
36	7	6	10	4	2	1	1	-	-	-	-	31
37	6	13	12	5	1	1	-	-	2	-	-	40
38	4	6	5	-	1	-	1	-	1	-	-	18
39	2	10	3	-	-	-	-	1	-	1	-	17
40	4	2	7	3	-	1	-	1	-	-	-	18
41	2	-	3	3	-	1	-	-	-	-	-	9
42	-	-	2	2	1	-	1	2	1	-	-	9
43	-	2	1	1	2	1	-	-	-	-	-	7
44	-	1	-	1	-	-	-	-	-	-	-	2
45	-	1	-	-	-	1	-	-	-	-	-	2
46	-	-	-	-	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	
53	-	-	-	-	-	-	-	-	-	-	-	
54	-	-	-	-	-	-	-	-	-	-	-	-
Missing**	-	-	-	-	-	-	-	-	-	-	-	
Total	638	518	322	137	66	29	24	7	8	1	-	1,750

* Birth order of infant not given in birth record
Multiple births are recorded per each birth
**Missing mothers age in birth data
2013 Births as of 5/5/2014

Births to Single Mothers by Age and Birth Order-Bexar County 2013

Birth Order

Age of Mother	1	2	3	4	5	6	7	8	9	10 or more	*not given	Total
12	-	-	-	-	-	-	-	-	-	-	-	-
13	4	-	-	-	-	-	-	-	-	-	-	4
14	26	2	-	-	-	-	-	-	-	-	-	28
15	104	5	-	-	-	-	-	-	-	-	-	109
16	222	16	1	-	-	-	-	-	-	-	-	239
17	350	44	9	-	-	-	-	-	-	-	-	403
18	486	113	13	-	-	-	-	-	-	-	-	612
19	655	212	37	3	1	-	-	-	-		-	908
20	587	289	76	15	4	-	-	-	-	-	-	971
21	459	322	118	45	12	-	-	-	-	-	-	956
22	365	280	141	54	20	2	-	-	-	-	-	862
23	325	297	161	72	22	7	1	-	-	-	-	885
24	298	239	181	70	22	13	2	-	-	-	-	825
25	239	226	167	63	32	8	5	2	-	-	-	742
26	192	213	124	65	23	14	4	3	-	-	-	638
27	140	174	139	83	31	22	4	2	1	-	-	596
28	137	161	116	73	37	11	5	3	-	-	-	543
29	115	126	120	64	36	9	11	3	-	-	-	484
30	106	112	97	71	27	15	7	3	1	1	-	440
31	70	119	87	54	25	12	5	3	1	1	-	377
32	48	77	75	49	29	15	3	5	2	3	-	306
33	53	74	61	55	19	5	8	4	1	4	-	284
34	48	43	49	30	23	8	6	2	5	1	-	215
35	39	40	58	32	20	8	1	1	2	2	-	203
36	29	35	33	28	16	7	1	1	2	-	-	152
37	24	34	29	16	10	7	4	-	2	2	-	128
38	15	24	20	16	17	4	3	3	-	1	-	103
39	16	18	27	15	7	2	4	3	-	3	-	95
40	18	21	15	8	4	7	-	1	-	-	-	74
41	10	9	13	9	4	2	2	1	-	-	-	50
42	9	9	6	9	2	-	3	-	2	1	-	41
43	2	5	3	3	6	-	1	-	-	-	-	20
44	-	2	3	3	3	-	1	-	-	-	-	12
45	1	1	-	-	1	1	-	-	-	-	-	4
46	-	-	1	-	-	-	-	-	1	-	-	2
47	1	1	-	-	-	-	-	-	-	-	-	2
48	1	-	-	-	-	-	-	-	-	-	-	1
49	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	
53	-	-	-	-	-	-	-	-	-	-	-	
54	-	-	-	-	-	-	-	-	-	-	-	-
Missing**	1	-	-	-	-	-	-	-	-	-	-	1
Total	5,195	3,343	1,980	1,005	453	179	81	40	20	19	-	12,315

* Birth order of infant not given in birth record

Multiple births are recorded per each birth

**Missing mothers age in birth data

2013 Births as of 5/5/2014

Births to Mothers <20 by Age of Father-Bexar County 2013

	Age of Mother							
	12	13	14	15	16	17	18	19
Age of Father								
12	-	-	-	-	-	-	-	-
13	-	1	-	-	-	-	-	-
14	-	-	3	7	1	-	1	-
15	-	-	5	8	4	2	-	1
16	-	1	4	13	26	23	7	4
17	-	-	3	12	45	50	38	11
18	-	1	1	9	35	69	85	70
19	-	-	-	4	23	60	113	150
20	-	-	-	2	7	35	83	183
21	-	-	-	1	4	26	63	130
22	-	-	-	-	2	12	37	90
23	-	-	-	-	1	6	23	51
24	-	-	-	2	-	6	10	40
25	-	-	-	-	-	2	9	24
26	-	-	-	-	1	3	7	23
27	-	-	-	-	1	2	2	11
28	-	-	-	1	-	2	1	11
29	-	-	-	-	-	-	2	10
30	-	-	-	-	-	-	4	5
31	-	-	-	-	1	1	1	6
32	-	-	-	-	-	1	2	4
33	-	-	-	-	-	-	1	3
34	-	-	-	-	-	-	-	3
35	-	-	-	-	-	-	-	2
36	-	-	-	-	-	-	-	6
37	-	-	-	-	-	-	1	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	1	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	1	1
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	1	-
47	-	-	-	-	-	-	-	-
Age not given*	-	1	12	50	92	122	195	256

* Did not provide the age of the father on the birth certificate

2013 Births as of 5/5/2014

Births by Age Groups-Bexar County 2013

<18 Years	*Number*	% of Total
Total Births	806	100%
Births to Mothers with < HS / GED	682	84.6%
Low Birth Weight Infants <2500 grams	87	10.8%
Estimated Premature <37 Weeks	89	11.0%
Receiving Late or no Prenatal Care	434	53.8%
Births to Single Mothers	783	97.1%
Medicaid	656	81.4%
Private Insurance	73	9.1%
Births occurring within 24 months of previous birth	58	7.2%
Births to mothers ≥ BMI 30 Before Pregnancy	92	11.4%

18 - 21 Years	*Number*	% of Total
Total Births	4,298	100%
Births to Mothers with < HS / GED	1,243	28.9%
Low Birth Weight Infants <2500 grams	361	8.4%
Estimated Premature <37 Weeks	454	10.6%
Births to Mothers Receiving Late or no Prenatal Care	2,072	48.2%
Births to Single Mothers	3,447	80.2%
Medicaid	3,328	77.4%
Private Insurance	562	13.1%
Births occurring within 24 months of previous birth	814	18.9%
Births to mothers ≥ BMI 30 Before Pregnancy	952	22.1%

22 - 34 Years	*Number*	% of Total
Total Births	18,015	100%
Births to Mothers with < HS / GED	2,750	15.3%
Low Birth Weight Infants <2500 grams	1,502	8.3%
Estimated Premature <37 Weeks	1,943	10.8%
Births to Mothers Receiving Late or no Prenatal Care	6,495	36.1%
Births to Single Mothers	7,197	40.0%
Medicaid	8,261	45.9%
Private Insurance	7,096	39.4%
Births occurring within 24 months of previous birth	3,042	16.9%
Births to mothers ≥ BMI 30 Before Pregnancy	5,446	30.2%

35 & older	*Number*	% of Total
Total Births	3,468	100%
Births to Mothers with < HS / GED	498	14.4%
Low Birth Weight Infants <2500 grams	448	12.9%
Estimated Premature <37 Weeks	545	15.7%
Births to Mothers Receiving Late or no Prenatal Care	1,047	30.2%
Births to Single Mothers	887	25.6%
Medicaid	919	26.5%
Private Insurance	1,935	55.8%
Births occurring within 24 months of previous birth	469	13.5%
Births to mothers ≥ BMI 30 Before Pregnancy	1,174	33.9%

2013 Births as of 5/5/2014

Births by Funding Source-Bexar County 2013

	Private Insurance	% of Total	Medicaid	% of Total	Self Pay	% of Total	CHIP/ Other	% of Total	Total	% of Total
Total Births	9,666	100%	13,164	100%	2,702	100%	1,058	100%	26,590	100%
Hispanic Births	5,030	52%	10,179	77%	1288	48%	960	91%	17,457	66%
White Non Hispanic Births	3,585	37%	1,621	12%	962	36%	35	3%	6,203	23%
African American Births	413	4%	1,066	8%	255	9%	16	2%	1,750	7%
Mother's Age 15 to 19	289	3%	2,036	15%	165	6%	68	6%	2,558	10%
Low Birth Weight Infants <2500 grams	811	8%	1,273	10%	235	9%	80	8%	2,399	9%
Estimated Premature <37 Weeks	1,041	11%	1,576	12%	307	11%	109	10%	3,033	11%
Births to Mothers with < HS / GED	300	3%	3,800	29%	469	17%	604	57%	5,173	19%
Births to Mothers Receiving Late or no Prenatal Care*	2,475	27%	6,366	48%	828	34%	380	36%	10,049	40%
Births to Single Mothers	2,117	22%	8,995	68%	714	26%	489	46%	12,315	46%
Births within 24 months of previous birth	2,524	26%	1,277	10%	440	16%	142	13%	4,383	16%
BMI 30 and above before pregnancy	2,824	29%	3,770	29%	744	28%	326	31%	7,664	29%
Method of Delivery CESAREAN	3,888	40%	4,809	37%	419	4%	404	4%	9,520	100%

* Does not include Unknown data Prenatal Care Began
2013 Births as of 5/5/2014

Birth by City Council District

Live Birth Summary-San Antonio City Council District 2013

Council District	Total Births	Births to mothers 15 to 19		Births To Single Mothers		Low Birth Weight births		Estimated premature <37 Weeks		Late or no Prenatal Care		Medicaid Funded		Infant Deaths
	# of births	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of Deaths
1	1893	237	13%	1106	58%	167	9%	219	12%	813	43%	1140	60%	11
2	2228	296	13%	1318	59%	249	11%	317	14%	1045	47%	1495	67%	20
3	2110	306	15%	1333	63%	200	9%	257	12%	1041	49%	1497	71%	11
4	2256	312	14%	1262	56%	202	9%	258	11%	925	41%	1346	60%	16
5	2184	345	16%	1549	71%	200	9%	255	12%	1056	48%	1671	77%	16
6	2185	203	9%	1066	49%	198	9%	264	12%	798	37%	1074	49%	13
7	2075	181	9%	998	48%	179	9%	233	11%	804	39%	1035	50%	10
8	1837	75	4%	519	28%	178	10%	194	11%	549	30%	586	32%	11
9	1676	55	3%	434	26%	126	8%	163	10%	466	28%	411	25%	6
10	1747	112	6%	649	37%	156	9%	189	11%	542	31%	638	37%	8
Total	**20,191**	**2,122**	**11%**	**10,234**	**51%**	**1,855**	**9%**	**2,349**	**12%**	**8,039**	**40%**	**10,893**	**54%**	**122**

Note: council district boundary changes were approved late in 2012

Live Birth Summary-San Antonio City Council District 2012

Council District	Total Births	Births to mothers 15 to		Births To Single Mothers		Low Birth Weight births		Estimated premature <37		Late or no Prenatal Care		Medicaid Funded		Infant Deaths
	# of births	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of Deaths
1	1633	218	13%	983	60%	155	9%	185	11%	602	37%	916	56%	9
2	2102	323	15%	1296	62%	261	12%	284	14%	831	40%	1399	67%	24
3	1947	295	15%	1241	64%	154	8%	223	11%	740	38%	1299	67%	17
4	2205	341	15%	1292	59%	202	9%	241	11%	827	38%	1443	65%	16
5	1803	330	18%	1302	72%	191	11%	231	13%	753	42%	1339	74%	10
6	2395	249	10%	1135	47%	227	9%	268	11%	737	31%	1100	46%	12
7	1938	225	12%	949	49%	189	10%	225	12%	601	31%	986	51%	14
8	2178	100	5%	663	30%	190	9%	201	9%	642	29%	714	33%	16
9	1981	81	4%	561	28%	167	8%	203	10%	495	25%	523	26%	13
10	1722	114	7%	636	37%	153	9%	191	11%	492	29%	644	37%	7
Total	**19,904**	**2,276**	**11%**	**10,058**	**51%**	**1,889**	**9%**	**2,252**	**11%**	**6,720**	**34%**	**10,363**	**52%**	**138**

Live Birth Summary-San Antonio City Council District 2011

Council District	Total Births	Births to mothers 15 to		Births To Single Mothers		Low Birth Weight births		Estimated premature <37		Late or no Prenatal Care		Medicaid Funded		Infant Deaths
	# of births	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of births	% of Total	# of Deaths
1	1585	267	17%	913	58%	142	9%	172	11%	457	29%	927	58%	12
2	2021	332	16%	1195	59%	231	11%	278	14%	627	31%	1343	66%	10
3	1794	303	17%	1060	59%	166	9%	221	12%	488	27%	1185	66%	11
4	2117	346	16%	1173	55%	189	9%	257	12%	582	27%	1307	62%	11
5	1805	352	20%	1158	64%	183	10%	232	13%	591	33%	1299	72%	11
6	2472	286	12%	1125	46%	224	9%	246	10%	636	26%	1143	46%	10
7	1931	232	12%	906	47%	171	9%	186	10%	446	23%	936	48%	10
8	2162	129	6%	629	29%	179	8%	197	9%	443	20%	679	31%	7
9	1930	94	5%	530	27%	147	8%	183	9%	383	20%	518	27%	6
10	1687	123	7%	562	33%	125	7%	167	10%	400	24%	626	37%	6
Total	**19,504**	**2,464**	**13%**	**9,251**	**47%**	**1,757**	**9%**	**2,139**	**11%**	**5,053**	**26%**	**9,963**	**51%**	**94**

Council District totals do not equal county totals due to the inclusion of non-city residents in the county population.

Late Prenatal Care refers to mothers who do not receive prenatal care during the first trimester of pregnancy.

Low Birth Weight represents live-born infants weighing less than 2,500 grams (or 5 lbs, 8 oz.) at birth.

Medicaid does not include Emergency Medicaid.

Birth rate is the number of births per 1,000 Females ages 15 to 19

Note: council district boundary changes were approved late in 2012







Note: council district boundary changes were approved late in 2012







Births Occurring within School District Attendance Area - Bexar County 2013

DISTRICT	Births (All Ages)	Births to Mothers 15-19	Births to Single Mothers	Births to mothers with less than a HS/ GED	Births to mothers BMI 30 or more before pregnancy	Low Birth Weight Births	Late or no Prenatal Care	Estimated Premature <37 Weeks	Medicaid births
Alamo Heights	281	3	47	16	91	21	70	23	46
Boerne	82	2	8	-	25	7	14	6	8
Comal	348	5	44	19	114	25	71	32	32
East Central	664	65	308	109	201	59	274	82	343
Edgewood	988	147	704	384	283	94	463	103	751
Fort Sam Houston	63	3	5	4	20	-	13	4	-
Harlandale	916	138	619	319	271	82	455	112	699
Judson	1,903	168	802	222	528	180	663	249	897
Lackland	11	-	-	-	3	2	1	3	-
Medina Valley	83	6	33	10	24	6	31	5	34
North East	5,289	373	2,057	753	1,539	462	1,791	577	2,135
Northside	8,131	536	2,921	914	2,329	723	2,622	874	2,958
Randolph Field	3	-	-	-	-	-	2	-	-
San Antonio	4,910	723	3,194	1,707	1,396	481	2,387	626	3,521
Schertz-Cibolo-Universal City	97	12	51	14	26	10	28	15	57
Somerset	144	27	86	34	39	19	71	19	98
South San Antonio	793	118	499	231	249	73	328	103	538
Southside	365	53	220	91	108	34	185	38	254
Southwest	997	119	497	242	282	81	387	105	543
Sub-total	26,068	2,498	12,095	5,069	7,528	2,359	9,856	2,976	12,914
Missing	522	60	220	104	136	40	193	57	250
Total	26,590	2,558	12,315	5,173	7,664	2,399	10,049	3,033	13,164

DISTRICT	% Births to Mothers ages 15 to 19	% Births to Single Mothers	% Births to mothers with less than a HS/ GED	% Births to mothers BMI 30 or more before pregnancy	% Low Birth Weight Births	% Estimated Premature <37 Weeks	% Late or no Prenatal Care	% Medicaid births	2010 Female population ages 15 to 19
Alamo Heights	1%	17%	6%	32%	7%	8%	26%	16%	874
Boerne	2%	10%	0%	30%	9%	7%	18%	10%	300
Comal	1%	13%	5%	33%	7%	9%	21%	9%	577
East Central	10%	46%	16%	30%	9%	12%	43%	52%	1823
Edgewood	15%	71%	39%	29%	10%	10%	50%	76%	2442
Fort Sam Houston	5%	8%	6%	32%	0%	6%	22%	0%	418
Harlandale	15%	68%	35%	30%	9%	12%	56%	76%	2360
Judson	9%	42%	12%	28%	9%	13%	37%	47%	4360
Lackland							11%		399
Medina Valley	7%	40%	12%	29%	7%	6%	39%	41%	218
North East	7%	39%	14%	29%	9%	11%	36%	40%	12707
Northside	7%	36%	11%	29%	9%	11%	34%	36%	19552
Randolph Field							67%		58
San Antonio	15%	65%	35%	28%	10%	13%	52%	72%	11892
Schertz-Cibolo-Universal City	12%	53%	14%	27%	10%	15%	32%	59%	239
Somerset	19%	60%	24%	27%	13%	13%	56%	68%	483
South San Antonio	15%	63%	29%	31%	9%	13%	48%	68%	1888
Southside	15%	60%	25%	30%	9%	10%	56%	70%	1010
Southwest	12%	50%	24%	28%	8%	11%	42%	54%	2254

Differences due to unavailable data (unable to assign address)

2013 Births as of 5/5/2014

Birth rate is the number of births per 1,000 Females ages 15 to 19

Teen Births rates per 1,000 Females-Bexar County 2013

Births to Mothers < 20 Years of Age by Race/Ethnicity-Bexar County 2013

Age of Mother	Total	Hispanic	White Non-Hispanic	African Am.	Other
10					
11					
12	-	-	-	-	-
13	4	4	-	-	-
14	28	26	1	1	-
15	109	95	3	8	3
16	243	214	16	12	1
17	422	356	35	26	5
18	689	569	72	34	14
19	1,095	875	118	85	17
Total 10-19	2,590	2,139	245	166	40

Births to Mothers by age group by Race/Ethnicity-Bexar County 2013

Age of Mother	Total	Hispanic	White Non-Hispanic	African Am.	Other
10 to 14 years	32	30	1	1	0
15 to 17 years	774	665	54	46	9
15 to 19 years	2,558	2,109	244	165	40

Population of Females 10 to 19 Years of Age-Bexar County 2013*

Age of Mother	Total	Hispanic	White Non-Hispanic	African Am.	Other
10 to 14 years	64,143	42,684	14,860	4,028	2,571
15 to 19 years	64,460	42,852	13,583	4,760	3,265

Birth Rates by Age and Race/Ethnicity-Bexar County 2013

Age of Mother	Total	Hispanic	White Non-Hispanic	African Am.	Other
	Rate per 1000	Rate per 1000	Rate per 1000	Rate per 1000	Rate per 1000
10 to 14 years	0.5	0.7	0.1	0.2	0.0
15 to 19 years	39.7	49.2	18.0	34.7	12.3

Nationally in 2013 the CDC reported

• The birth rate for teens aged 15-19 (26.6 per 1,000)

http://www.cdc.gov/nchs/data/nvsr/nvsr63/nvsr63_02.pdf

2013 Births as of 5/5/2014

2013 American Community Survey 1-Year Estimates

Low Birth Weight and Premature Live Births Trends- Bexar County

Low Birth Weight (<2500 grams) Births by Race & Ethnicity-Bexar County

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	1217	1312	1454	1502	1512	1724	1765	1736	1678	1591	1512	1550	1538
White Non Hispanic	437	480	481	445	491	512	458	447	487	474	489	488	472
African Am Non Hispanic	186	181	208	204	243	235	260	230	257	226	233	247	268
Other Non Hispanic	38	34	38	82	45	72	69	69	70	99	95	93	121

% Low Birth Weight (<2500 grams) Births by Race & Ethnicity-Bexar County



Premature <37 (Estimated Gestation) Weeks Births by Race & Ethnicity-Bexar County

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	1721	1943	2019	2163	2098	2526	2495	2366	2106	2106	1907	1921	2001
White Non Hispanic	605	705	675	715	689	694	624	603	640	597	633	655	650
African Am Non Hispanic	207	209	230	244	257	302	274	256	250	258	225	226	265
Other Non Hispanic	49	60	43	71	56	104	72	91	80	98	90	92	117

% Premature <37 (Estimated Gestation) Weeks Births by Race & Ethnicity-Bexar County



Live Births by Race & Ethnicity-Bexar County

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	15161	16255	16628	16956	17274	17901	18750	18631	18179	17102	16676	17001	17457
White Non Hispanic	6338	6341	6071	6022	6321	5988	6005	5879	6083	6132	6171	6268	6203
African Am Non Hispanic	1356	1446	1408	1437	1447	1610	1631	1616	1608	1567	1629	1607	1750
Other Non Hispanic	468	535	523	585	540	695	770	814	817	879	965	1075	1180

Estimated Weeks of Gestation Live Births Bexar County 2006 to 2013

	YR2006	YR2007	YR2008	YR2009	YR2010	YR2011	YR2012	YR2013
Total Live births	26,194	27,156	26,940	26,687	25,680	25,441	25,951	26,590
Estimated Premature <37 Weeks	3,614	3,462	3,309	3,068	3,059	2,855	2,894	3,033
% of Total	13.8%	12.7%	12.3%	11.5%	11.9%	11.2%	11.2%	11.4%

Weeks	YR2006	YR2007	YR2008	YR2009	YR2010	YR2011	YR2012	YR2013
12	1	2	-	2	-	1		-
13	1	1	-	2	1	-	-	1
14	1	2	1	-	-	-	-	-
15	7	13	2	-	-	-	-	1
16	1	2	-	2	2	-	2	3
17	-	-	7	1	1	-	3	3
18	6	2	5	3	2	6	3	7
19	3	4	9	11	4	2	4	4
20	17	10	12	14	20	9	9	9
21	11	10	13	11	22	6	15	15
22	6	14	11	12	18	16	16	22
23	21	20	13	17	17	26	29	22
24	37	29	35	27	31	30	28	20
25	49	28	30	32	22	16	22	27
26	44	43	38	21	35	28	44	42
27	35	31	37	40	29	40	53	28
28	60	56	56	56	69	42	46	37
29	60	52	45	62	51	55	52	59
30	92	82	88	104	91	77	66	69
31	130	115	98	106	83	110	90	104
32	166	174	165	151	136	136	165	121
33	244	196	218	201	217	210	212	241
Sub-total	992	886	883	875	851	810	859	835

Weeks	YR2006	YR2007	YR2008	YR2009	YR2010	YR2011	YR2012	YR2013
34	475	428	388	362	372	342	406	374
35	689	723	687	603	611	559	549	589
36	1,458	1,425	1,351	1,228	1,217	1,140	1,079	1,235
Sub-total	2,622	2,576	2,426	2,193	2,200	2,041	2,034	2,198

Weeks	YR2006	YR2007	YR2008	YR2009	YR2010	YR2011	YR2012	YR2013
37	3,174	3,321	3,513	3,367	3,029	2,675	1,079	2,780
38	6,888	7,353	7,412	6,990	5,950	5,187	2,708	4,941
39	6,995	7,464	7,511	8,040	8,382	9,548	4,768	10,735
40	4,105	4,166	4,116	4,192	4,185	4,059	10,653	4,119
41	1,212	1,204	962	934	946	1,025	4,005	947
42	126	102	80	74	88	65	865	22
43	33	29	18	10	21	14	46	6
44	21	20	8	1	8	7	6	3
45	8	9	1	-	3	1	4	-
46	2	6	-	1	4	3	-	3
47	3	5	1	-	2	1	2	1
48	5	12	2	2	3	1		
49	-	-	-	-	-	-	-	
Sub-total	22,572	23,691	23,624	23,611	22,621	22,586	24,136	23,557
Missing	8	3	7	8	8	4	1	0
Total	26,194	27,156	26,940	26,687	25,680	25,441	27,030	26,590

2013 Births as of 5/5/2014

Mothers BMI and Weight Gain-Bexar County 2013

Prepregnancy BMI	Total	
Underweight:Below 18.5	934	4%
Normal Weight:18.5 to 24.9	11,137	42%
Overweight:25.0 to 29.9	6,823	26%
Obese:30 & above	7,664	29%
Total	26,558	100%

Note: Table only includes data for cases where prepregnancy Height and Weight reported

New pregnancy weight gain guidelines were released in 2009 in the Institute of Medicine report "Weight Gain During Pregnancy: Reexamining the Guidelines". http://www.iom.edu/Reports/2009/Weight-Gain-During-Pregnancy-Reexamining-the-Guidelines.aspx

	Weight Gain (lbs)
Underweight	28–40
Normal weight	25–35
Overweight	15–25

Underweight: BMI Below 18.5	weight change	
Loss weight or no change	0	0%
gain <28 pounds	379	41%
gain 28 to 40 pounds(weight gain guideline)	372	40%
gain >40 pounds	183	20%
Total	934	100%

Overweight: BMI 25.0 to 29.9	weight change	
Loss weight or no change	84	1%
gain 1 to 14 pounds	987	14%
gain 15 to 25 pounds(weight gain guideline)	1,832	27%
gain >25 pounds	3,920	57%
Total	6,823	100%

Normal Weight: BMI 18.5 to 24.9	weight change	
Loss weight or no change	48	0%
gain <25 pounds	3,093	28%
gain 25 to 35 pounds(weight gain guideline)	3,953	35%
gain >35 pounds	4,043	36%
Total	11,137	100%

Obese: BMI 30 & above	weight change	
Loss weight or no change	457	6%
gain 1 to 10 pounds	1,156	15%
gain 11 to 20 pounds(weight gain guideline)	1,883	25%
gain >20 pounds	4,168	54%
Total	7,664	100%

BMI, Cesarean Delivery & Premature births-Bexar County

BMI	Total	%	C-section Deliveries	%	Premature <37 weeks	%
Underweight	934	4%	327	35%	110	12%
Normal Weight	11,137	42%	4,013	36%	1,163	10%
Overweight	6,823	26%	2,458	36%	729	11%
Obese	7,664	29%	2,714	35%	1,022	13%
Total	26,558	100%	9,512	36%	3,024	11%

	Yr 2000	C sections	Yr 2013	C sections	Total Cohort	Relative Risk
Total C sections	3,495	14.6%	9,520	35.8%	13,015	2.4
Total Births	23,877		26,590		50,467	

Weeks of Gestation and C-section Deliveries

Weeks of Gestation	Yr 2000	Incidence of C sections	Yr 2013	Incidence of C sections
22 or less	3	0%	5	0%
23 to 33	250	7%	502	5%
34 to 36	434	12%	1,056	11%
37 to 39	1,635	47%	6,645	70%
40 or more	1,173	34%	1,312	14%
Total	3,495	100%	9,520	100%

Note: Table only includes data for cases where prepregnancy Height and Weight reported

Year	2010	2011	2012	2013
C sections	35.7%	36.5%	35.2%	35.8%

Month of Prenatal Care Commenced - Bexar County

	Yr2009		Yr2010		Yr2011		Yr2012		Yr2013	
1st Month	1,767	7.9%	1,624	7.7%	1,725	7.9%	2,051	8.6%	1,167	4.7%
2nd Month	8,106	36.4%	7,496	35.4%	7,590	34.7%	7,539	31.7%	7,372	29.9%
3rd Month	5,924	26.6%	6,439	30.4%	6,421	29.3%	6,085	25.5%	6,378	25.8%
4th Month	2,485	11.2%	2,314	10.9%	3,052	14.0%	2,842	11.9%	2,888	11.7%
5th Month	1,381	6.2%	1,164	5.5%	1,115	5.1%	1,361	5.7%	1,333	5.4%
6th Month	736	3.3%	675	3.2%	625	2.9%	763	3.2%	802	3.2%
7th Month	503	2.3%	461	2.2%	454	2.1%	608	2.6%	582	2.4%
8th Month	369	1.7%	329	1.6%	299	1.4%	403	1.7%	475	1.9%
9th Month	206	0.9%	181	0.9%	195	0.9%	266	1.1%	289	1.2%
None	1,000	4.5%	698	3.3%	597	2.7%	2,165	9.1%	3,680	14.9%
Early Prenatal Care	15,797	70.9%	15,559	73.4%	15,736	71.9%	15,675	65.8%	14,917	60.4%
Late or No Prenatal Care	6,680	30.0%	5,822	27.5%	6,337	29.0%	8,408	35.3%	10,049	40.7%
PNC Unknown	4,210	15.8%	4,299	16.7%	3,368	13.2%	1,868	7.2%	1,624	6.1%
Births with known PNC	22,271	83.5%	21,200	82.6%	21,878	86.0%	23,817	91.8%	24,677	92.8%
All Live Births	26,687	100%	25,680	100%	25,441	100%	25,951	100%	26,590	100%

The 2003 revision of the U.S. Standard Certificate of Live Birth (revised). Thirty-three states, the District of Columbia (D.C.), and two territories—California, Colorado, Delaware, D.C., Florida, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Maryland, Michigan, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Mexico, New York (including New York City), North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, Wyoming, Puerto Rico, and the Northern Marianas—had implemented the revised birth certificate as of January 1, 2010. The 33 revised states and D.C. represent 76 percent of all 2010 U.S. births. Two states, Louisiana and North Carolina, implemented the revised birth certificate in 2010, but after January 1.
Information on key data items not comparable between the 1989 and 2003 birth certificate revisions—educational attainment, prenatal care, tobacco use during pregnancy, and type of cesarean and vaginal delivery. http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_01.pdf

In Texas prior to 2005, the time of entry into prenatal care was determined on the birth certificate by asking pregnant women what month of pregnancy they commenced prenatal care. Entry into prenatal care was determined by asking post partum women the approximate date they began prenatal care, and calculating the weeks of gestation that prenatal care began by subtracting the date of entry into prenatal care from the calculated gestational age at delivery. Therefore, data on entry into prenatal care prior to and after 2004 are not comparable.

The unknown date of entry into prenatal care was due to hospital data entry. Metro Health controls for this by excluding unknown data prenatal care began.

2013 Births as of 5/5/2014

Births by Zip Code-Bexar County 2013

Zip code	Total Births	Births to mothers 15 to 19	Births to Single Mothers	Births to Mothers Receiving Late or no Prenatal Care	Low Birth Weight Births <2500 Grams	Estimated Premature <37 Weeks	Medicaid Payment	Births Occurring within 24 months of Previous Birth	Births to mothers with less than HS / GED	Births to mothers BMI 30 and above before pregnancy	Infant Deaths
78002	104	8	52	46	8	12	60	17	33	24	0
78006	40	3	8	8	5	6	8	7	6	3	1
78015	93	1	11	20	9	8	10	12	0	13	0
78023	249	6	33	55	15	15	29	25	5	37	2
78052	8	1	6	2	2	1	6	2	3	1	0
78054	6	1	3	2	0	1	5	2	2	1	0
78069	45	10	23	20	7	6	33	8	13	12	2
78073	108	20	70	52	6	9	74	15	26	47	0
78101	51	6	21	22	4	6	31	3	9	15	0
78108	18	5	10	6	2	1	12	3	3	5	0
78109	624	55	243	206	58	79	259	97	63	162	2
78112	96	12	51	40	6	8	59	13	17	32	0
78148	286	19	114	93	25	37	132	43	25	75	1
78152	24	2	8	7	1	2	8	2	3	2	0
78154	125	4	29	25	12	23	31	13	3	22	0
78201	651	85	411	294	67	78	429	120	210	226	0
78202	222	38	157	106	27	32	180	41	103	77	1
78203	130	25	82	72	15	13	93	24	53	40	2
78204	168	24	102	76	17	27	101	34	40	60	2
78205	13	1	9	8	1	1	8	2	2	2	0
78207	1043	173	740	525	105	134	820	234	468	384	10
78208	77	8	52	40	6	11	64	13	18	29	1
78209	441	16	113	128	39	43	110	65	40	61	5
78210	641	127	418	334	52	69	485	114	223	217	2
78211	552	76	358	234	53	74	394	91	205	204	8
78212	319	35	175	133	27	36	182	47	89	117	1
78213	677	76	368	271	59	68	372	116	185	213	6
78214	379	57	270	195	28	44	312	67	138	150	2
78215	18	1	7	5	0	0	8	1	1	3	0
78216	543	43	245	201	49	68	234	77	102	133	4
78217	478	36	244	190	39	60	253	77	87	126	2
78218	534	74	319	255	54	65	360	115	143	166	5
78219	243	39	146	116	27	33	177	42	57	93	1
78220	281	35	190	140	37	45	208	61	99	106	4
78221	566	83	365	288	64	74	401	100	158	193	4
78222	292	37	164	136	34	43	179	40	71	112	1
78223	850	100	499	405	79	110	550	137	218	326	4
78224	290	44	179	135	28	45	204	47	76	122	2
78225	205	29	138	100	7	18	142	35	68	86	0
78226	108	22	78	45	6	10	82	13	40	32	0
78227	912	141	544	371	93	106	570	160	259	318	8
78228	919	128	575	435	88	101	633	168	280	328	2
78229	526	31	236	207	61	62	281	88	97	150	2
78230	453	21	162	140	31	36	175	55	51	106	2
78231	68	3	22	19	2	5	15	8	6	12	0

Births by Zip Code-Bexar County 2013

Zip code	Total Births	Births to mothers 15 to 19	Births to Single Mothers	Births to Mothers Receiving Late or no Prenatal Care	Low Birth Weight Births <2500 Grams	Estimated Premature <37 Weeks	Medicaid Payment	Births Occurring within 24 months of Previous Birth	Births to mothers with less than HS / GED	Births to mothers BMI 30 and above before pregnancy	Infant Deaths
78232	378	12	101	87	22	32	96	58	25	65	3
78233	593	50	235	207	52	68	274	93	69	148	2
78234	69	3	6	15	0	4	1	13	4	15	0
78235	15	1	7	8	4	3	10	2	1	3	0
78236	48	1	1	5	3	6	1	10	0	6	0
78237	646	92	470	305	61	68	491	129	253	238	5
78238	370	35	182	150	30	43	184	64	56	118	5
78239	409	37	220	179	52	70	250	81	81	122	4
78240	879	45	275	271	80	92	318	123	98	177	4
78241	1	0	1	1	0	0	1	1	0	0	0
78242	576	107	374	242	40	64	409	118	186	193	4
78244	501	54	235	191	52	59	271	69	73	151	2
78245	1204	99	438	405	115	126	452	183	134	366	7
78247	634	33	187	167	55	67	162	86	41	136	0
78248	107	1	23	27	10	11	17	18	1	13	0
78249	517	24	144	138	36	47	142	55	26	119	2
78250	728	35	282	245	57	81	264	115	80	207	5
78251	809	44	300	238	77	101	262	118	65	202	6
78252	186	14	73	70	19	18	70	30	27	60	1
78253	591	19	116	140	46	51	100	110	27	126	5
78254	785	28	206	216	57	86	184	129	28	197	2
78255	189	4	17	44	17	19	21	24	5	22	2
78256	75	2	11	20	10	14	10	12	4	9	1
78257	83	1	16	25	9	10	18	18	9	11	1
78258	550	11	82	132	45	54	89	87	5	62	4
78259	233	7	39	57	14	14	42	32	3	40	0
78260	359	6	48	86	29	36	38	57	19	58	2
78261	270	1	33	34	17	22	26	44	3	46	0
78263	49	4	17	19	4	4	24	4	3	15	0
78264	176	22	94	93	19	24	122	32	44	71	2
78266	27	0	7	5	5	5	5	5	2	4	0
sub-total	26,533	2,553	12,290	10,030	2,392	3,024	13,133	4,374	5,170	7,643	158
Missing**	57	5	25	19	7	9	31	9	3	21	2
Total	26,590	2,558	12,315	10,049	2,399	3,033	13,164	4,383	5,173	7,664	160

All births are Bexar County residents only

*Medicaid does not include Emergency Medicaid

2013 Births as of 5/5/2014

**Missing due to lack of information to geocode address

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1101.00	21	0	1	8	11	0	11	6	0
1103.00	51	5	5	25	33	6	32	13	1
1105.00	73	10	6	46	58	9	67	20	1
1106.00	67	9	8	30	45	12	51	11	1
1107.00	23	6	4	9	16	4	16	4	0
1108.00	26	3	2	11	13	3	14	12	0
1109.00	11	2	1	5	6	1	6	2	0
1110.00	28	5	1	18	16	3	20	12	0
1201.00	62	3	0	13	5	4	0	20	0
1203.00	73	0	2	17	4	3	7	22	0
1204.00	67	0	8	14	7	7	3	22	0
1205.01	142	19	14	63	80	16	80	36	4
1205.02	89	11	11	51	56	11	73	30	1
1206.00	71	2	10	31	21	9	28	17	2
1207.01	55	2	8	17	28	11	25	15	0
1207.02	32	0	2	11	4	0	4	13	0
1208.00	60	0	3	8	5	6	3	25	1
1209.01	40	0	1	14	21	1	17	12	0
1209.02	100	9	11	40	57	15	51	19	2
1210.00	93	4	7	27	45	12	47	20	0
1211.08	77	3	4	18	18	5	20	21	0
1211.10	74	1	5	11	21	9	16	20	0
1211.11	66	7	4	26	31	7	34	21	0
1211.12	52	2	2	21	23	2	22	12	0
1211.15	48	1	1	7	12	4	7	17	0
1211.16	66	1	3	17	23	3	23	15	0
1211.17	63	4	5	16	16	6	20	20	0
1211.18	62	3	7	12	24	10	23	14	3
1211.19	70	1	3	24	18	2	16	25	0
1211.20	80	5	6	21	23	10	19	23	0
1211.21	33	0	4	10	6	2	3	6	0
1211.22	46	2	7	9	16	6	12	17	0
1212.03	54	5	7	31	27	11	41	18	0
1212.04	129	14	12	53	67	16	67	36	0
1212.05	56	3	9	23	37	6	36	15	0
1212.06	101	11	10	38	52	10	56	28	2
1213.00	63	5	6	28	25	11	23	24	1
1214.02	111	12	9	46	58	14	61	32	1
1214.03	72	12	6	36	45	9	50	21	0
1214.04	109	19	13	57	74	14	86	33	0
1215.01	105	8	8	26	31	12	37	30	0
1215.04	87	5	8	35	46	12	43	30	0
1215.05	68	8	5	25	37	7	36	19	2
1215.06	80	9	11	35	49	12	61	17	2
1215.07	68	8	8	34	36	13	44	14	1
1215.08	110	12	19	48	64	24	84	32	0
1216.01	74	8	6	30	40	11	51	24	1
1216.04	118	3	6	36	40	14	43	30	0
1216.05	16	0	0	5	6	3	7	2	0
1216.06	65	6	4	23	23	7	33	11	0
1217.01	41	6	5	10	20	6	23	11	0
1217.02	94	3	8	25	32	13	32	21	0
1218.02	130	16	11	48	36	15	36	34	0
1218.03	43	2	1	14	18	5	21	14	0
1218.04	88	9	8	29	41	9	53	31	0
1218.08	33	5	4	8	10	7	12	11	0
1218.09	68	5	12	22	21	11	19	25	0
1218.10	48	2	6	11	14	7	10	20	0
1218.11	63	4	5	11	12	11	11	17	0
1218.12	84	2	4	29	26	3	23	25	0
1218.13	20	3	0	4	10	0	11	9	0
1219.03	37	2	4	7	7	3	5	8	0
1219.04	27	0	1	7	2	0	2	10	0

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1219.05	48	0	5	8	5	4	9	15	0
1219.06	58	3	2	21	18	4	18	16	0
1219.07	226	1	17	31	33	19	24	72	0
1219.08	30	0	0	5	1	3	1	8	0
1219.09	96	2	10	22	24	12	19	25	0
1219.10	70	3	3	16	10	3	12	24	0
1302.00	29	6	6	17	19	6	21	8	1
1303.00	79	11	9	48	50	9	60	28	0
1304.01	82	15	11	42	57	11	60	23	0
1304.02	93	17	14	54	65	15	77	24	0
1305.00	92	19	8	45	64	11	74	24	0
1306.00	94	15	12	46	75	11	78	25	0
1307.00	45	3	4	22	30	6	41	14	1
1308.00	110	10	11	52	72	17	85	34	1
1309.00	91	12	12	38	59	16	69	30	1
1310.00	74	4	8	35	50	10	50	24	0
1311.00	37	8	7	22	24	8	29	10	1
1312.00	47	4	9	27	34	7	35	14	1
1313.00	73	10	10	42	48	16	46	20	0
1314.01	114	14	9	50	52	15	64	34	0
1314.02	30	4	4	12	15	5	16	9	1
1315.03	35	11	3	17	18	3	26	15	0
1315.04	60	11	5	28	37	8	43	22	0
1315.05	81	8	9	31	37	10	50	23	0
1315.06	72	9	9	36	28	4	36	16	0
1315.07	102	16	14	42	61	19	73	29	1
1316.01	35	1	3	7	16	7	12	8	0
1316.06	71	8	5	22	27	7	29	19	0
1316.08	81	7	6	31	33	9	37	23	0
1316.09	123	12	16	51	53	18	60	34	0
1316.10	76	6	8	26	31	8	33	21	0
1316.11	9	2	0	1	6	0	5	4	0
1316.12	27	2	2	9	10	3	9	5	0
1316.13	78	7	12	28	31	9	41	29	1
1316.14	77	8	7	30	28	12	33	23	0
1316.15	166	9	12	41	61	22	63	45	0
1317.00	3	0	0	2	0	0	0	0	0
1318.01	26	1	2	6	10	3	11	5	0
1318.02	59	8	6	23	25	3	27	18	0
1401.00	21	4	2	17	10	3	15	6	0
1402.00	41	3	2	15	26	3	30	10	0
1403.00	52	14	4	25	36	5	43	12	1
1404.00	65	13	4	29	45	5	52	15	0
1405.00	60	7	3	31	35	4	45	13	0
1406.00	56	13	6	28	36	9	45	15	1
1407.00	63	16	4	33	37	5	40	19	0
1408.00	83	14	14	44	61	11	67	22	0
1409.00	38	5	0	21	29	1	29	13	0
1410.00	54	6	4	26	42	9	42	15	0
1411.01	59	12	5	31	40	5	44	16	0
1411.02	70	4	10	33	46	11	62	15	0
1412.00	112	19	17	48	67	21	74	27	0
1413.00	86	11	14	41	51	15	62	27	0
1414.02	77	4	7	27	27	8	26	32	2
1414.03	45	2	5	18	19	6	26	14	0
1414.04	66	5	2	33	37	10	40	19	1
1416.00	80	5	5	37	31	9	38	23	0
1417.00	91	11	6	35	38	8	35	28	0
1418.00	52	4	0	22	26	9	31	17	0
1419.00	63	6	4	30	29	8	40	19	0
1501.00	88	13	8	41	56	12	51	25	2
1503.00	92	29	9	47	65	14	75	24	0
1504.00	63	13	3	33	42	4	47	17	0

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1505.01	71	8	5	37	51	8	52	16	1
1505.02	59	10	8	24	37	11	46	22	2
1506.00	68	14	6	35	43	5	55	19	0
1507.00	92	16	8	47	61	13	78	29	1
1508.00	66	5	3	30	49	7	59	21	2
1509.00	93	14	2	45	66	5	70	23	0
1510.00	46	4	5	30	32	6	35	17	0
1511.00	100	14	3	41	73	11	78	29	0
1512.00	149	23	18	76	90	27	103	49	1
1513.01	86	11	13	38	61	21	64	37	3
1513.02	54	9	3	22	34	4	43	16	0
1514.00	72	12	8	38	44	4	56	20	0
1515.00	38	9	2	16	29	4	27	7	0
1516.00	101	13	13	53	62	17	65	30	1
1517.00	85	10	13	46	53	10	62	30	0
1519.00	111	14	9	55	79	12	72	32	0
1520.00	43	8	2	18	24	5	26	12	0
1521.00	95	14	15	58	49	16	65	30	0
1522.01	112	16	11	53	61	13	80	34	3
1522.02	57	9	6	27	33	3	41	14	0
1601.00	127	24	13	63	87	14	107	35	4
1602.00	40	5	4	18	28	7	25	13	0
1603.00	87	14	1	44	68	7	62	21	0
1604.00	75	12	5	35	45	9	54	22	0
1605.01	108	16	9	59	81	5	92	30	0
1605.02	81	17	10	31	55	7	66	24	1
1606.00	103	20	12	52	84	10	83	30	1
1607.01	49	9	2	25	35	6	37	18	0
1607.02	89	16	5	35	63	8	65	27	0
1609.01	61	9	7	22	43	7	44	19	1
1609.02	85	14	12	35	61	13	64	30	0
1610.00	67	8	10	24	45	11	49	17	0
1611.00	158	16	8	72	85	18	98	45	3
1612.00	38	6	2	18	27	4	28	14	1
1613.02	113	14	8	48	69	13	80	38	0
1613.03	76	19	9	37	56	10	57	18	2
1613.04	74	17	8	32	51	10	57	27	1
1614.00	41	1	4	3	2	7	1	8	0
1615.01	124	28	3	50	84	11	89	38	0
1615.03	80	13	2	32	43	5	53	26	0
1615.04	90	13	10	35	62	10	62	25	1
1616.00	83	13	6	38	50	7	59	24	0
1618.01	80	14	9	34	41	9	40	22	1
1618.02	158	21	15	58	77	17	76	49	1
1619.01	18	2	0	9	10	3	12	8	0
1619.02	138	8	14	51	63	9	61	39	0
1620.01	32	4	4	17	20	3	27	9	0
1620.03	83	19	8	35	53	9	54	22	2
1620.04	62	6	4	33	27	7	41	16	0
1701.01	71	13	12	33	46	14	52	19	1
1701.02	63	16	5	29	38	9	43	19	1
1702.00	96	12	9	55	77	11	78	25	0
1703.00	133	27	18	67	92	22	101	43	0
1704.01	110	11	7	54	86	15	88	37	0
1704.02	80	13	5	42	55	10	55	25	0
1705.00	77	11	8	40	48	10	50	17	0
1706.00	62	11	7	31	38	8	50	20	0
1707.00	71	12	5	35	54	6	51	15	0
1708.00	23	3	3	12	17	4	21	7	0
1709.00	92	8	7	43	63	9	69	24	0
1710.00	82	7	11	35	62	10	57	24	2
1711.00	66	10	8	34	49	6	51	18	1
1712.00	61	8	8	33	45	9	46	17	1

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1713.01	56	5	4	30	37	9	43	19	0
1713.02	67	13	9	31	41	9	40	22	0
1714.01	91	9	3	39	47	6	55	26	0
1714.02	99	19	10	41	62	9	72	37	0
1715.01	49	7	5	19	31	4	32	13	0
1715.02	93	18	7	44	61	13	74	24	1
1716.01	81	14	13	34	51	14	56	26	0
1716.02	45	6	7	21	35	8	42	17	0
1717.00	144	22	8	65	89	12	97	42	1
1718.01	94	14	11	39	62	12	63	28	1
1718.02	118	22	12	50	84	15	79	34	1
1719.02	243	13	18	94	107	25	100	69	1
1719.03	130	15	15	56	74	17	81	36	1
1719.12	96	5	7	24	29	13	25	35	0
1719.13	97	14	11	38	41	12	56	28	0
1719.14	74	8	5	22	39	6	37	25	0
1719.15	29	5	5	13	16	3	19	13	0
1719.16	149	13	17	50	52	15	48	36	0
1719.17	123	6	14	29	35	13	22	28	0
1719.18	98	3	7	38	22	10	21	32	2
1719.19	108	4	12	35	34	11	34	30	2
1719.20	147	13	16	63	61	15	68	39	1
1719.21	77	9	6	28	33	6	32	14	1
1719.22	70	7	13	17	23	16	31	10	1
1719.23	116	8	14	39	61	16	50	33	1
1719.24	90	4	11	24	21	15	12	24	1
1719.25	123	6	9	35	53	14	49	40	0
1720.02	225	11	14	57	46	18	37	66	2
1720.03	80	4	8	19	25	5	19	24	0
1720.04	35	2	2	9	9	1	11	12	0
1720.05	135	1	12	27	20	16	12	35	0
1720.06	141	5	8	35	26	11	25	34	1
1720.07	162	6	13	38	30	16	24	46	3
1801.01	47	5	4	15	23	4	24	8	1
1801.02	14	1	1	6	6	2	8	5	0
1802.01	69	13	3	33	50	5	41	26	0
1802.02	79	7	13	42	40	8	47	20	0
1803.00	59	8	4	31	33	11	41	13	0
1804.00	85	9	11	37	55	13	62	24	0
1805.01	78	13	11	38	56	4	55	19	1
1805.03	58	12	4	34	38	5	43	13	0
1805.04	85	14	9	37	64	11	61	29	0
1806.02	34	2	3	13	22	6	21	10	0
1806.03	31	7	2	14	20	3	21	6	0
1806.04	71	3	4	26	39	7	38	23	0
1807.01	57	4	7	26	28	6	30	16	0
1807.02	100	10	10	38	54	17	53	32	2
1808.00	39	3	3	23	29	5	35	15	0
1809.01	75	6	6	25	37	5	39	22	0
1809.02	128	12	13	49	63	15	76	32	3
1810.01	49	5	2	19	23	4	29	13	0
1810.03	128	5	15	52	44	13	56	43	0
1810.04	97	3	14	28	31	17	39	30	0
1810.05	91	7	9	41	58	7	70	26	1
1811.00	51	2	2	13	17	3	15	15	0
1812.00	54	1	2	12	17	2	15	16	0
1813.01	52	2	3	15	25	3	29	15	0
1813.02	79	4	6	26	30	9	31	18	0
1813.03	75	5	14	36	17	14	56	17	1
1814.02	24	0	4	11	10	2	13	8	0
1814.03	129	7	16	34	41	13	45	38	0
1814.04	106	2	9	36	17	11	24	33	2
1815.03	110	5	2	35	48	6	44	29	0

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1815.04	120	10	8	40	46	10	54	38	0
1815.05	43	4	4	12	17	6	24	12	0
1815.06	61	4	7	23	28	6	23	14	1
1816.01	35	3	5	19	23	6	23	15	0
1816.02	97	19	8	51	67	9	72	30	1
1817.03	81	2	10	29	36	13	29	18	2
1817.04	68	4	4	32	34	6	34	19	2
1817.05	101	5	6	25	34	12	36	23	0
1817.11	100	5	3	28	23	10	15	27	0
1817.12	45	2	1	12	16	1	15	15	0
1817.13	93	0	6	33	45	10	38	26	0
1817.15	86	6	13	37	42	14	41	23	0
1817.16	125	9	12	38	58	14	55	28	1
1817.18	66	4	5	17	25	9	18	19	0
1817.20	48	2	5	15	14	6	10	15	1
1817.21	40	2	4	13	11	7	11	10	1
1817.22	59	2	2	23	18	4	20	15	0
1817.23	51	5	3	13	16	8	20	13	0
1817.24	65	1	3	20	6	3	5	21	0
1817.25	86	12	7	34	46	13	51	17	2
1817.26	200	7	9	41	40	18	38	63	0
1817.27	60	4	8	16	21	10	26	23	1
1817.28	171	8	17	56	59	20	57	45	0
1817.29	133	2	11	32	24	18	25	35	0
1817.30	51	4	3	15	14	5	14	16	0
1817.31	78	3	5	26	29	4	28	12	1
1818.08	20	2	5	8	6	2	10	6	0
1818.09	87	8	6	31	39	7	46	28	1
1818.11	44	3	3	13	18	4	14	16	0
1818.13	96	5	10	38	37	8	41	34	2
1818.14	28	0	0	11	5	0	4	9	0
1818.15	35	1	1	7	7	1	8	11	0
1818.16	44	2	2	5	6	5	7	13	0
1818.17	35	0	4	7	5	3	9	8	0
1818.18	76	2	6	20	24	11	25	18	0
1818.19	81	4	6	20	25	8	26	30	1
1818.20	19	1	1	9	3	1	4	7	0
1818.21	54	2	5	8	18	6	8	17	0
1818.22	77	1	6	21	16	7	14	22	1
1818.23	15	0	2	3	4	3	3	4	0
1818.24	43	1	5	7	13	9	7	20	0
1818.25	53	1	7	15	8	4	7	11	0
1818.26	82	7	5	22	26	7	20	19	0
1819.01	37	3	5	12	11	10	10	5	1
1819.02	67	0	12	17	3	10	3	22	2
1820.01	59	3	4	17	10	4	10	21	0
1820.02	82	1	6	13	8	7	7	24	2
1820.03	65	2	4	15	10	4	9	14	0
1821.01	88	1	8	19	10	7	9	26	0
1821.02	99	1	10	22	4	14	9	30	0
1821.03	25	0	2	2	0	2	2	6	1
1821.05	30	0	1	10	3	0	3	9	0
1821.06	70	2	5	14	18	5	11	20	0
1901.00	56	8	5	29	35	4	38	20	0
1902.00	35	2	1	13	11	2	13	9	0
1904.00	23	0	3	8	7	6	3	7	0
1905.01	36	3	2	10	15	2	19	11	0
1905.03	48	6	6	26	26	7	33	17	0
1905.04	39	4	8	12	19	10	22	11	0
1906.01	68	9	10	36	48	9	51	18	0
1906.03	35	1	0	17	23	1	22	10	0
1906.04	71	12	9	31	51	12	49	23	0
1907.00	44	6	2	17	27	4	29	20	1

Births by Census Tract-Bexar County 2013

Census Tract	Total Births	Births to mothers 15 to 19	Low Birth Weight Births < 2500 Grams	Late or No Prenatal Care**	Births to Single Mothers	Estimated Premature <37 Weeks	Medicaid	Births to mothers BMI 30 and above before pregnancy	Infant Death
1908.00	8	0	0	1	0	0	0	3	0
1909.01	76	7	8	28	33	9	41	15	0
1909.02	48	3	7	19	25	7	25	12	1
1910.03	155	24	13	72	88	13	89	49	2
1910.04	78	9	1	35	53	9	50	22	0
1910.05	41	5	5	14	29	6	24	6	0
1910.06	93	13	4	35	56	7	62	21	0
1911.01	8	0	1	2	4	1	3	1	0
1911.02	21	1	1	6	6	0	5	7	0
1912.01	30	2	3	9	11	5	8	8	1
1912.02	56	2	6	25	26	6	28	21	0
1913.03	9	1	1	1	2	0	1	2	0
1913.04	62	16	8	26	41	10	26	22	1
1914.05	74	3	2	20	28	5	23	21	0
1914.06	47	0	1	12	10	3	9	7	0
1914.08	51	5	2	20	24	3	27	15	0
1914.09	117	13	14	47	73	16	62	39	0
1914.10	96	6	11	40	39	13	48	30	0
1914.11	49	2	4	16	14	7	9	11	0
1914.12	13	0	2	3	2	2	1	9	0
1914.13	60	1	7	16	17	6	10	17	0
1915.03	40	0	3	8	5	3	6	16	0
1915.04	13	0	0	4	1	2	2	2	0
1915.05	14	0	0	1	1	0	0	2	0
1915.06	61	4	4	24	23	6	23	17	0
1917.01	4	0	0	2	1	0	0	0	0
1917.02	62	1	2	14	10	4	7	19	0
1918.04	64	1	6	21	5	6	8	21	0
1918.06	102	0	9	23	9	6	10	25	0
1918.07	83	1	9	24	17	9	19	21	1
1918.08	54	1	5	12	6	8	5	15	0
1918.09	80	1	7	19	12	9	10	27	0
1918.10	76	1	6	15	16	3	10	18	1
1918.11	54	0	5	11	4	9	2	18	1
1918.12	32	0	5	8	2	8	2	10	0
1918.13	91	2	3	19	15	5	12	28	1
1918.14	104	3	9	24	17	13	12	39	0
1918.15	59	0	4	14	10	3	12	22	0
1918.16	31	0	4	9	6	5	5	8	0
1918.17	153	6	11	41	23	16	30	41	1
1919.00	77	13	8	37	48	12	57	25	1
1920.00	61	8	2	19	35	2	30	16	1
1921.00	16	0	2	5	5	2	5	4	0
1922.00	21	1	4	12	13	2	16	7	0
1923.00	53	0	1	13	12	6	10	13	1
9800.01	1	0	0	0	0	0	0	1	0
9800.02	0	0	0	0	0	0	0	0	0
9800.03	34	1	1	5	1	1	0	7	1
9800.04	0	0	0	0	0	0	0	0	0
9800.05	1	0	0	0	0	0	0	0	0
9801.00	3	0	0	0	2	0	2	1	0
sub-total	26,068	2,498	2,359	9,856	12,095	2,976	12,914	7,528	152
**Missing	522	60	40	193	220	57	250	136	8
Total	26,590	2,558	2,399	10,049	12,315	3,033	13,164	7,664	160

All births are Bexar County residents only

2013 Births as of 5/5/2014

***2008-2012 American Community Survey 5-Year Estimates**

**Missing due to lack of information to geocode address

*Medicaid does not include Emergency Medicaid

Health Profiles 2013
Vital Statistics Reports

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT

Youth Indicators: 2013

	Page
Juvenile Probation Bexar County, Bexar county 2013	1
Juvenile Probation by zip code, Bexar county 2013	2
Family Violence by zip code, Bexar county 2013	3
Confirmed Victims of Child Abuse/Neglect in Bexar County	4
Confirmed Victims of Child Abuse/Neglect by zip code	5 to 6
WIC Children Age (2 to 4 years) Over/Underweight Risk Analysis Bexar County 2013	7 to 8
Ten Zip Codes Bexar County 2013	9

Prepared by John Berlanga MPA
Reviewed by Anil Mangla PHD

Juvenile Probation Referrals-Bexar County

Felonies	2010	2011	2012	2013
Aggravated Assault	198	197	151	146
Arson	14	11	28	13
Attempted Murder	1			-
Burglary	189	142	142	148
Criminal Mischief-Graffiti	282	147	119	137
Drug Offenses	186	139	107	107
Motor Vehicle Theft/UUMV	50	36	41	34
Murder/Manslaughter	3	2	4	3
Other	133	112	89	94
Robbery	56	50	42	34
Sexual Assault, related	92	88	87	89
Theft	21	25	24	23
Weapons Violations	51	56	46	45
Total Felonies	1,276	1,005	880	873
Class A & B Misdemeanors	**2010**	**2011**	**2012**	**2013**
Assault	901	768	734	706
Burglary - Vehicle	59	42	47	40
Contempt of Court	574	6	1	7
Criminal Mischief	182	125	158	105
Criminal Mischief-Graffiti	134	89	41	52
Criminal Trespass	164	140	104	96
Drugs - Other	176	114	111	102
Evade/Resist/Hinder Arrest	536	419	395	315
Other	255	176	177	191
Possession of Marijuana	1,054	853	1,037	1,013
Theft	929	789	742	649
Violations of Probation	1,097	1,019	900	832
Total Misdemeanors	6,061	4,540	4,447	4,108
CINS referrals*	**2010**	**2011**	**2012**	**2013**
Contempt of Court	261	504	569	341
Expulsions	211	39	18	5
Liquor Laws				-
Other	1,484	1,382	1,652	1,313
Runaway	73	55	64	69
Truancy				-
Total CINS	2,029	1,980	2,303	1,728
Grand Total	9,366	7,525	7,630	6,709

Individuals may have multiple referrals

* Conduct Indicating a Need for Supervision

Source: Bexar County Juvenile Probation

Gender and Age of Initial Referral

Male	2010	2011	2012	2013
10	28	13	25	29
11	89	72	91	76
12	290	252	189	202
13	506	434	424	383
14	746	696	663	601
15	1,038	897	949	830
16	1,289	1,028	1,021	920
Total Male	3,986	3,392	3,362	3,041
Female	**2010**	**2011**	**2012**	**2013**
10	6	8	10	10
11	45	27	27	26
12	125	110	110	108
13	265	244	245	223
14	430	355	350	324
15	540	458	509	416
16	633	496	529	447
Total Female	2,044	1,698	1,780	1,554
Grand Total	6,030	5,090	5,142	4,595

Cases by Gender and Race/Ethnicity

Male	2010	2011	2012	2013
ASIAN	9	7	15	13
BLACK	577	489	510	384
INDIAN	2	3	6	2
LATIN	2,889	2,419	2,296	2,184
OTHER	18	23	79	48
WHITE	491	451	456	410
Total Male	3,986	3,392	3,362	3,041
Female	**2010**	**2011**	**2012**	**2013**
ASIAN	4	4	3	3
BLACK	271	227	280	228
INDIAN		2		2
LATIN	1,415	1,149	1,174	1,089
OTHER	20	25	69	32
WHITE	334	291	254	200
Total Female	2,044	1,698	1,780	1,554
Grand Total	6,030	5,090	5,142	4,595

Juvenile Probation by zip code-Bexar County 2013

ZIPCODE	Juvenile Probation Referrals	2009-2013 American Community Survey 5-Year Estimates age < 18	rate per 1000
78208	29	613	47.3
78220	171	4717	36.3
78203	63	1782	35.4
78226	54	1583	34.1
78201	309	10222	30.2
78223	392	14602	26.8
78237	295	11035	26.7
78210	279	10555	26.4
78207	371	14526	25.5
78202	110	4580	24.0
78219	108	4675	23.1
78214	132	6152	21.5
78227	325	15356	21.2
78228	299	16225	18.4
78212	87	4808	18.1
78238	94	5572	16.9
78225	66	4006	16.5
78244	161	9877	16.3
78239	114	7007	16.3
78204	42	2670	15.7
78217	109	6937	15.7
78218	134	8600	15.6
78109	158	10554	15.0
78242	160	11536	13.9
78221	147	10916	13.5
78213	136	10169	13.4
78245	246	19383	12.7
78211	138	10879	12.7
78222	80	6343	12.6
78216	102	8182	12.5
78252	22	1844	11.9
78224	62	5197	11.9
78229	77	6560	11.7
78264	45	4436	10.1
78250	143	15372	9.3
78230	75	8111	9.2
78233	105	12419	8.5
78240	91	11188	8.1
78251	118	14516	8.1
78148	41	5176	7.9
78249	80	10740	7.4
78247	91	12965	7.0
78209	53	8102	6.5
78232	50	7862	6.4
78253	55	9702	5.7
78254	71	14696	4.8
78154	28	8468	3.3
78258	34	12614	2.7

ZIPCODE	Juvenile Probation Referrals	2009-2013 American Community Survey 5-Year Estimates age < 18	rate per 1000
78023	18	7874	n/a
78259	15	6759	n/a
78069	13	1629	n/a
78108	13	9697	n/a
78261	12	4392	n/a
78101	10	2531	n/a
78257	9	868	n/a
78255	7	3566	n/a
78248	5	3261	n/a
78263	4	960	n/a
78006	3	6783	n/a
78266	3	1273	n/a
78015	2	2391	n/a
78152	2	652	n/a
78215	2	56	n/a
78236	2	778	n/a
78256	2	1519	n/a
78231	1	1745	n/a
78054	0	0	n/a
78205	0	41	n/a
78241	0	0	n/a
Total	6275	480805	n/a

Source: Bexar County Juvenile Probation

Note: The CDC, National Center for Health Statistics does not publish or release rates based on fewer than 20 observations, because they feel these data do not meet their requirement for a minimum degree of accuracy.

Family Violence by zip code-San Antonio 2012 to 2013

Confirmed Cases

ZIPCODE	2012 Family Violence	2013 Family Violence	2009-2013 American Community Survey 5-Year Estimates all ages	Rate per 1000
78205	85	73	1025	77.1
78215	24	31	1155	23.8
78208	58	62	3436	17.5
78202	181	232	13165	15.7
78203	80	100	5807	15.5
78207	787	697	53946	13.8
78226	72	82	6003	12.8
78218	425	392	32206	12.7
78229	396	332	29591	12.3
78220	163	221	16752	11.5
78214	234	246	23611	10.2
78210	392	372	37627	10.2
78238	270	204	24711	9.6
78211	349	305	34415	9.5
78227	413	459	46489	9.4
78217	282	322	32596	9.3
78219	152	122	15141	9.0
78204	89	108	11035	8.9
78201	336	422	42759	8.9
78242	279	289	32786	8.7
78237	301	340	37719	8.5
78228	450	501	58783	8.1
78212	230	228	28615	8.0
78223	397	411	50536	8.0
78224	164	125	18121	8.0
78221	271	295	37086	7.6
78216	289	282	38846	7.3
78213	336	284	42263	7.3
78225	95	93	14076	6.7
78222	119	132	21220	5.9
78240	352	254	53145	5.7
78230	184	199	40063	4.8
78251	220	250	51767	4.5
78233	170	225	45987	4.3
78247	231	180	49514	4.2
78250	238	224	55723	4.1
78209	127	142	40298	3.3
78249	138	191	50491	3.3
78232	97	122	37279	2.9

ZIPCODE	2012 Family Violence	2013 Family Violence	2009-2013 American Community Survey 5-Year Estimates all ages	Rate per 1000
78245	178	167	60333	2.9
78244	80	90	30527	2.8
78258	93	78	41864	2.0
78259	39	44	22614	1.8
78248	26	25	14405	1.8
78254	52	72	47019	1.3
78239	40	31	27787	1.3
78023	17	27	26373	0.8
78231	17	20	8190	n/a
78109	16	19	36384	n/a
78257	9	24	4005	n/a
78252	11	22	7627	n/a
78235	23	9	799	n/a
78256	12	15	7115	n/a
78260	7	9	25685	n/a
78253	10	6	31061	n/a
78266	5	4	5859	n/a
78255	1	7	12152	n/a
78234	2	5	7100	n/a
78236	5	1	8562	n/a
78241	6	0	0	n/a
78261	1	2	13780	n/a
78264	0	2	12973	n/a
78002	0	1	9199	n/a
78006	0	1	27971	n/a
78073	0	1	7308	n/a
78108	0	1	30204	n/a
78152	0	1	2514	n/a
78015	0	0	9965	n/a
78052	0	0	6710	n/a
78054	0	0	0	n/a
78069	0	0	5485	n/a
78101	0	0	8970	n/a
78112	0	0	7557	n/a
78148	0	0	20354	n/a
78154	0	0	31779	n/a
78263	0	0	4109	n/a
Total	10126	10233	1860127	5.5

A family violence case may have more than one victim

Source: San Antonio Police Department

The National Center for Health Statistics does not publish or release rates based on fewer than 20 observations, because they feel these data do not meet their requirement for a minimum degree of accuracy.

Confirmed Victims of Child Abuse/Neglect-Bexar County

Age	Fiscal Year 2005		Fiscal Year 2006		Fiscal Year 2007		Fiscal Year 2008		Fiscal Year 2009		Fiscal Year 2010		Fiscal Year 2011		Fiscal Year 2012		Fiscal Year 2013	
Under 1 year	759	14%	859	15%	1,067	16%	1,064	16%	864	15%	931	16%	1,023	17%	1,073	17%	981	17%
1-4 years	1,633	30%	1,723	30%	2,087	31%	2,071	31%	1,813	32%	1,976	33%	1,876	32%	1,896	31%	1,724	29%
5 to 11 years	2,036	37%	2,168	38%	2,437	36%	2,415	37%	2,111	37%	2,190	37%	2,104	36%	2,266	37%	2,206	38%
12 to 17 years	1,081	20%	1,000	17%	1,140	17%	1,061	16%	935	16%	900	15%	909	15%	968	16%	933	16%
Unknown	2	0%	5	0%	2	0%	1	0%	4	0%	2	0%	3	0%	2	0%	2	0%
Unduplicated Confirmed Victims*	5,511	100%	5,755	100%	6,733	100%	6,612	100%	5,727	100%	5,999	100%	5,915	100%	6,205	100%	5,846	100%

Gender	Fiscal Year 2005		Fiscal Year 2006		Fiscal Year 2007		Fiscal Year 2008		Fiscal Year 2009		Fiscal Year 2010		Fiscal Year 2011		Fiscal Year 2012		Fiscal Year 2013	
Female	2,957	54%	3,008	52%	3,431	51%	3,422	52%	2,923	51%	3,050	51%	2,969	50%	3,196	52%	3,086	53%
Male	2,547	46%	2,734	48%	3,285	49%	3,175	48%	2,785	49%	2,937	49%	2,941	50%	3,000	48%	2,756	47%
Unknown	7	0%	13	0%	17	0%	15	0%	19	0%	12	0%	5	0%	9	0%	4	0%
Unduplicated Confirmed Victims*	5,511	100%	5,755	100%	6,733	100%	6,612	100%	5,727	100%	5,999	100%	5,915	100%	6,205	100%	5,846	100%

Race/ Ethnicity	Fiscal Year 2005		Fiscal Year 2006		Fiscal Year 2007		Fiscal Year 2008		Fiscal Year 2009		Fiscal Year 2010		Fiscal Year 2011		Fiscal Year 2012		Fiscal Year 2013	
African American	539	10%	589	10%	609	9%	627	9%	514	9%	569	9%	594	10%	570	9%	521	9%
Anglo	926	17%	802	14%	899	13%	822	12%	793	14%	809	13%	807	14%	815	13%	824	14%
Asian	8	0%	3	0%	7	0%	4	0%	6	0%	7	0%	15	0%	9	0%	13	0%
Hispanic	3,862	70%	4,147	72%	4,852	72%	4,780	72%	4,139	72%	4,355	73%	4,226	71%	4,505	73%	4,242	73%
Native American	1	0%		0%		0%	2	0%	1	0%	3	0%	6	0%	4	0%	1	0%
Other	175	3%	214	4%	366	5%	377	6%	274	5%	256	4%	267	5%	302	5%	245	4%
Unduplicated Confirmed Victims*	5,511	100%	5,755	100%	6,733	100%	6,612	100%	5,727	100%	5,999	100%	5,915	100%	6,205	100%	5,846	100%

Unduplicated Confirmed Victims*	Fiscal Year 2005	Fiscal Year 2006	Fiscal Year 2007	Fiscal Year 2008	Fiscal Year 2009	Fiscal Year 2010	Fiscal Year 2011	Fiscal Year 2012	Fiscal Year 2013
	5,511	5,755	6,733	6,612	5,727	5,999	5,915	6,205	5,846

Type of Abuse/Neglect**	Fiscal Year 2005	Fiscal Year 2006	Fiscal Year 2007	Fiscal Year 2008	Fiscal Year 2009	Fiscal Year 2010	Fiscal Year 2011	Fiscal Year 2011	Fiscal Year 2013
Abandonment	57	49	28	30	10	29	10	16	8
Emotional Abuse	54	42	56	46	27	28	33	31	45
Medical Neglect	303	274	237	221	196	137	187	169	188
Neglectful Supervision	3,465	4,016	4,937	4,943	4,387	4,663	4,543	4,838	4,509
Physical Abuse	1,113	1,132	1,197	1,084	902	928	1,009	955	871
Physical Neglect	650	638	685	640	384	485	485	428	336
Refusal to Accept Parental Responsibility	83	46	47	38	32	34	38	46	47
Sexual Abuse	667	499	553	452	398	372	453	464	493

Abuse/Neglect Fatalities	Fiscal Year 2005	Fiscal Year 2006	Fiscal Year 2007	Fiscal Year 2008	Fiscal Year 2009	Fiscal Year 2010	Fiscal Year 2011	Fiscal Year 2011	Fiscal Year 2013
Fatalities	18	14	13	12	13	17	20	19	10
Foster Care Fatalities***	1	2	0	2	1	1	0	1	0

*Victims were unduplicated by investigation stage

**Each confirmed case may involve more than one type of abuse

***This is a subset of Fatalities

Note: Child fatalities in foster care may be the result of injuries inflicted prior to the child's entry into foster care and are not necessarily a reflection on the current caretaker.

Source: Texas Department of Family And Protective Services, Management Reporting and Statistics by Fiscal Year (September to August)

Rate of Confirmed Victims of Child Abuse/Neglect-by zip code
Bexar County 2009 to 2013

ZIPCODE	Fiscal Year 2009	Fiscal Year 2010	Fiscal Year 2011	Fiscal Year 2012	Fiscal Year 2013	Total	2009-2013 American Community Survey 5-Year Estimates age < 18	rate per 1000
78208	56	15	27	25	15	138	613	45.0
78203	55	63	95	50	36	299	1782	33.6
78207	437	416	405	589	460	2307	14526	31.8
78226	35	63	50	42	42	232	1583	29.3
78202	128	142	118	120	134	642	4580	28.0
78220	99	110	113	123	95	540	4717	22.9
78214	134	134	116	82	142	608	6152	19.8
78210	177	185	260	205	212	1039	10555	19.7
78204	48	46	56	63	41	254	2670	19.0
78237	171	220	162	213	244	1010	11035	18.3
78217	126	128	114	109	128	605	6937	17.4
78218	132	146	135	155	180	748	8600	17.4
78228	284	277	307	282	253	1403	16225	17.3
78201	133	204	166	172	186	861	10222	16.8
78229	105	147	89	111	89	541	6560	16.5
78219	64	77	76	81	75	373	4675	16.0
78212	73	75	63	81	86	378	4808	15.7
78239	90	116	132	106	99	543	7007	15.5
78227	268	245	187	269	201	1170	15356	15.2
78223	173	264	198	222	238	1095	14602	15.0
78211	118	146	185	206	145	800	10879	14.7
78221	164	156	151	174	157	802	10916	14.7
78242	155	162	168	152	200	837	11536	14.5
78213	108	131	145	156	132	672	10169	13.2
78238	57	65	87	89	70	368	5572	13.2
78216	107	101	106	111	92	517	8182	12.6
78002	24	23	23	20	40	130	2073	12.5
78222	68	95	80	71	75	389	6343	12.3
78225	46	37	78	43	41	245	4006	12.2
78073	26	22	8	37	26	119	1968	12.1
78112	28	14	35	33	22	132	2303	11.5
78234	27	23	21	14	13	98	1766	11.1
78244	83	91	104	124	137	539	9877	10.9
78240	111	111	114	105	147	588	11188	10.5
78224	40	57	71	30	64	262	5197	10.1
78209	64	85	81	89	48	367	8102	9.1
78263	5	10	16	7	5	43	960	9.0
78109	88	99	90	98	97	472	10554	8.9
78236	14	0	6	3	10	33	778	8.5
78252	12	15	13	22	15	77	1844	8.4
78264	38	33	41	42	30	184	4436	8.3
78148	50	32	57	32	39	210	5176	8.1
78245	142	182	157	134	146	761	19383	7.9
78233	99	104	92	100	83	478	12419	7.7
78152	6	7	2	1	6	22	652	6.7
78230	52	36	67	60	57	272	8111	6.7
78250	96	91	107	110	102	506	15372	6.6
78231	5	4	12	22	7	50	1745	5.7
78251	78	77	88	59	63	365	14516	5.0
78069	4	10	14	11	0	39	1629	4.8
78232	26	22	16	48	52	164	7862	4.2
78247	48	50	52	67	53	270	12965	4.2
78249	29	51	43	66	32	221	10740	4.1
78253	34	36	31	42	50	193	9702	4.0
78101	16	10	4	9	6	45	2531	3.6
78254	34	56	54	48	39	231	14696	3.1

Rate of Confirmed Victims of Child Abuse/Neglect-by zip code
Bexar County 2009 to 2013

ZIPCODE	Fiscal Year 2009	Fiscal Year 2010	Fiscal Year 2011	Fiscal Year 2012	Fiscal Year 2013	Total	2009-2013 American Community Survey 5-Year Estimates age < 18	rate per 1000
78261	13	5	12	7	23	60	4392	2.7
78259	12	17	14	18	24	85	6759	2.5
78255	19	3	12	2	2	38	3566	2.1
78260	8	11	6	17	23	65	8160	1.6
78258	21	11	17	16	22	87	12614	1.4
78023	7	12	4	12	6	41	7874	1.0
78215	1	2	5	5	6	19	56	67.9
78248	1	3	3	6	4	17	3261	1.0
78257	1	0	9	5	1	16	868	3.7
78256	1	1	4	4	3	13	1519	1.7
78205	0	2	1	5	2	10	41	48.8
78054	1	3	0	0	2	6	0	#DIV/0!
78235	2	0	0	0	0	2	248	1.6
78006	0	0	0	0	0	0	6783	0.0
78015	0	0	0	0	0	0	2391	0.0
78052	0	0	0	0	0	0	1960	0.0
78108	0	0	0	0	0	0	9697	0.0
78154	0	0	0	0	0	0	8468	0.0
78241	0	0	0	0	0	0	0	#DIV/0!
78266	0	0	0	0	0	0	1273	0.0
Total	4977	5387	5375	5632	5375	26746	499283	10.7

Source: Texas Department of Protective and Regulatory Services, Management Reporting and Statistics

Note: DFPS could not identify a valid zip code for all of the confirmed victims in Bexar county

Note: The CDC, National Center for Health Statistics does not publish or release rates based on fewer than 20 observations, because they feel these data do not meet their requirement for a minimum degree of accuracy.

Note: DFPS could not identify a valid zip code for 9.2% of the confirmed victims in Bexar county

WIC Children Age (2 to 4 years) Over/Underweight Risk Analysis by Zip Codes - Bexar County 2013

Zip Codes	Total Unique Clients 2-4 yrs Bexar*	**103** : Children Underweight	[(Risk103) ÷ (Total Uniq. Clients)]%	**104**: Risk of Becoming Underweight	[(Risk104) ÷ (Total Uniq. Clients)]%	**113**: Children Overweight	[(Risk113) ÷ (Total Uniq. Clients)]%	**114**: Children at Risk Overweight	[(Risk114) ÷ (Total Uniq. Clients)]%
78002	148	0	0.0%	5	3.4%	15	10.1%	14	9.5%
78015	10	0	0.0%	0	0.0%	0	0.0%	1	10.0%
78023	58	3	5.2%	1	1.7%	0	0.0%	6	10.3%
78054	4	0	0.0%	0	0.0%	2	50.0%	0	0.0%
78069	114	4	3.5%	1	0.9%	12	10.5%	16	14.0%
78073	211	7	3.3%	6	2.8%	25	11.8%	36	17.1%
78101	69	0	0.0%	0	0.0%	5	7.2%	6	8.7%
78109	596	13	2.2%	12	2.0%	38	6.4%	63	10.6%
78112	177	2	1.1%	6	3.4%	23	13.0%	16	9.0%
78148	166	1	0.6%	2	1.2%	11	6.6%	20	12.0%
78150	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78152	11	0	0.0%	0	0.0%	2	18.2%	2	18.2%
78201	897	11	1.2%	11	1.2%	122	13.6%	127	14.2%
78202	371	5	1.3%	7	1.9%	46	12.4%	54	14.6%
78203	211	4	1.9%	1	0.5%	24	11.4%	22	10.4%
78204	211	2	0.9%	4	1.9%	24	11.4%	23	10.9%
78205	5	0	0.0%	0	0.0%	1	20.0%	0	0.0%
78206	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78207	1,812	24	1.3%	28	1.5%	261	14.4%	221	12.2%
78208	100	2	2.0%	2	2.0%	17	17.0%	10	10.0%
78209	195	6	3.1%	4	2.1%	19	9.7%	21	10.8%
78210	878	20	2.3%	13	1.5%	102	11.6%	122	13.9%
78211	922	21	2.3%	15	1.6%	115	12.5%	100	10.8%
78212	288	1	0.3%	4	1.4%	28	9.7%	47	16.3%
78213	643	7	1.1%	13	2.0%	71	11.0%	69	10.7%
78214	688	5	0.7%	12	1.7%	83	12.1%	103	15.0%
78215	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78216	476	8	1.7%	13	2.7%	62	13.0%	64	13.4%
78217	496	7	1.4%	11	2.2%	64	12.9%	69	13.9%
78218	720	17	2.4%	26	3.6%	78	10.8%	91	12.6%
78219	405	4	1.0%	5	1.2%	32	7.9%	40	9.9%
78220	454	14	3.1%	3	0.7%	47	10.4%	57	12.6%
78221	926	12	1.3%	9	1.0%	101	10.9%	116	12.5%
78222	392	8	2.0%	6	1.5%	38	9.7%	56	14.3%
78223	1,074	22	2.0%	24	2.2%	125	11.6%	139	12.9%
78224	441	10	2.3%	10	2.3%	57	12.9%	56	12.7%
78225	333	11	3.3%	14	4.2%	37	11.1%	47	14.1%
78226	176	1	0.6%	2	1.1%	28	15.9%	24	13.6%
78227	1,262	25	2.0%	18	1.4%	133	10.5%	165	13.1%
78228	1,331	27	2.0%	31	2.3%	149	11.2%	153	11.5%
78229	484	11	2.3%	8	1.7%	54	11.2%	65	13.4%
78230	229	2	0.9%	5	2.2%	18	7.9%	27	11.8%
78231	28	0	0.0%	1	3.6%	6	21.4%	2	7.1%
78232	109	1	0.9%	2	1.8%	13	11.9%	10	9.2%
78233	580	14	2.4%	13	2.2%	53	9.1%	65	11.2%
78234	63	0	0.0%	1	1.6%	2	3.2%	5	7.9%
78235	9	0	0.0%	0	0.0%	1	11.1%	0	0.0%
78236	82	1	1.2%	4	4.9%	0	0.0%	9	11.0%
78237	1,102	14	1.3%	12	1.1%	148	13.4%	117	10.6%
78238	398	9	2.3%	7	1.8%	34	8.5%	55	13.8%
78239	554	14	2.5%	9	1.6%	32	5.8%	80	14.4%
78240	489	10	2.0%	5	1.0%	41	8.4%	53	10.8%
78241	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78242	900	17	1.9%	13	1.4%	88	9.8%	114	12.7%
78243	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78244	586	8	1.4%	14	2.4%	59	10.1%	84	14.3%
78245	1,027	17	1.7%	19	1.9%	69	6.7%	133	13.0%

WIC Children Age (2 to 4 years) Over/Underweight Risk Analysis by Zip Codes - Bexar County 2013

Zip Codes	Total Unique Clients 2-4 yrs Bexar*	**103** : Children Underweight	[(Risk103) ÷ (Total Uniq. Clients)]%	**104**: Risk of Becoming Underweight	[(Risk104) ÷ (Total Uniq. Clients)]%	**113**: Children Overweight	[(Risk113) ÷ (Total Uniq. Clients)]%	**114**: Children at Risk Overweight	[(Risk114) ÷ (Total Uniq. Clients)]%
78246	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78247	271	6	2.2%	5	1.8%	20	7.4%	31	11.4%
78248	14	0	0.0%	1	7.1%	0	0.0%	2	14.3%
78249	256	2	0.8%	5	2.0%	20	7.8%	25	9.8%
78250	521	9	1.7%	12	2.3%	39	7.5%	61	11.7%
78251	484	11	2.3%	6	1.2%	42	8.7%	68	14.0%
78252	171	3	1.8%	1	0.6%	22	12.9%	23	13.5%
78253	246	9	3.7%	9	3.7%	16	6.5%	26	10.6%
78254	308	12	3.9%	7	2.3%	19	6.2%	25	8.1%
78255	31	0	0.0%	0	0.0%	3	9.7%	5	16.1%
78256	12	0	0.0%	0	0.0%	1	8.3%	0	0.0%
78257	21	0	0.0%	0	0.0%	3	14.3%	2	9.5%
78258	63	2	3.2%	3	4.8%	7	11.1%	14	22.2%
78259	48	2	4.2%	1	2.1%	3	6.3%	10	20.8%
78260	65	1	1.5%	1	1.5%	8	12.3%	11	16.9%
78261	37	0	0.0%	1	2.7%	3	8.1%	5	13.5%
78263	31	1	3.2%	1	3.2%	1	3.2%	2	6.5%
78264	262	6	2.3%	5	1.9%	29	11.1%	28	10.7%
78265	1	1	100.0%	0	0.0%	0	0.0%	0	0.0%
78268	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78269	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78270	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78278	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78279	3	0	0.0%	0	0.0%	2	66.7%	0	0.0%
78280	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78283	4	0	0.0%	0	0.0%	1	25.0%	0	0.0%
78284	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78285	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78287	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78288	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78289	5	0	0.0%	0	0.0%	1	20.0%	0	0.0%
78291	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78292	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78293	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%
78294	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78295	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78296	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78297	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78298	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
78299	0	0	N/A*	0	N/A*	0	N/A*	0	N/A*
Totals:	**26,780**	**487**	**1.8%**	**490**	**1.8%**	**2,855**	**10.7%**	**3,333**	**12.4%**

*All Clients 2-4 Years old whose Zip Code is listed in Bexar County, Certified between 1/1/2013 and 12/31/2013

Children 2-4 Years of Age Determined by their Certification in relation to their Date of Birth. Children Certified during 1/1/2013 and 12/31/2013

Unique Client = Unduplicated number of child clients who have one or more of these risk codes

Source: WIC-EBT Database (Risk, Client, and Address Tables)

Caveat Statements:

1. The zip code information contained within this report reflects the address of the person at the time of this report rather than their location at the date and time of their certification. Only their most recent physical address is retained within our database.

2. The zip code information is also entered manually by clinic staff rather than automatically, and could be subject to data entry errors.

3. The zip code information used for this report was initially based upon zip codes attained from http://www.usa.com/bexar-county-tx-zip-code-and-maps.htm but also includes 11 zip codes that contain residents of both Bexar and surrounding counties within the same zip code. These zip codes are: 78002, 78015, 78023, 78069, 78073, 78101, 78112, 78223, 78253, 78254, and 78264.

4. The zip code information and the methodology used for this report are exactly the same as the report previously prepared in 12/19/2013.

Prepared By: DSHS-WIC 01/29/2015

Ten Zip Codes, Birth and Youth Indicators 2013

In 2002 San Antonio, Metro Health identified ten zip codes as higher demand for Maternal/child services: 78221, 78201, 78242, 78211, 78210, 78223, 78237, 78227, 78228, and 78207. (concentrations of Medicaid births, single mothers and teen mothers with corresponding high-risk conditions)

	Bexar County		10 Zip Codes		% of County
Population 2010 Census	1,714,773		429,205		25%
Total Births	26,590		7,356		28%
Mothes <age 18	804	3.0%	400	5.4%	50%
Births to mothers 15 to 19	2,558	40.4	1,112	65.0	43%
Births to Single Mothers	12,315	46.3%	4,754	64.6%	39%
Late or no Prenatal Care	10,049	37.8%	3,433	46.7%	34%
Low Birth Weight Births <2500 Grams	2,399	9.0%	702	9.5%	29%
Estimated Premature <37 Weeks	3,033	11.4%	878	11.9%	29%
Medicaid Payment	13,164	49.5%	5,182	70.4%	39%
Births within 24 months of Previous Birth	4,383	16.5%	1,371	18.6%	31%
Births to moms less than HS / GED	5,173	19.5%	2,460	33.4%	48%
Births to moms BMI 30 + before pregnancy	7,664	28.8%	2,627	35.7%	34%
Infant Deaths	160	6.02	47	6.39	29%

2010 Census	Bexar County	% of Total	10 Zip Codes	% of Total
Hispanic	1,006,958	59%	371,328	87%
African American	118,460	7%	40,712	9%
White Non Hispanic	519,123	30%	12,429	3%
Other	70,232	4%	4,736	1%
Total	1,714,773		429,205	25%
2010 Female Population ages 15 to 19	63350		17095	27%

Health Profiles 2013
Vital Statistics Reports

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT

Mortality Indicators: 2013

	Pages
Infant Mortality Rate, Trends Bexar County	1
10 Leading Causes of Infant Mortality-Nationally & Bexar County 2013	1
All Causes of Infant Mortality -Bexar County 2013	2
Infant Mortality by Race & Ethnicity Trends-Bexar County	3
Neonate, Infant, Fetal and SIDS Deaths Trends=Bexar County	4
Life Expectancy by Race/Ethnicity and Gender National and Bexar County 2013	5
Age Adjusted deaths by gender and race/ethnicity-Bexar County 2013	5
Deaths by Age Distribution-Bexar County	6
113 Causes of Death by Year-Bexar County 2013	7 to 9
50 Causes of Death by Year-Bexar County 2013	10
Deaths by Gender for Race & Ethnicity Bexar County 2013	11 to 14
Causes of Death by Age Groups, Bexar County 2013	15 to 17
Leading Causes of Death by Age Groups, Bexar County 2013	18
Premature Deaths (ages<65 years), Bexar County 2013	19
Age Adjusted Death Rate U.S. and, Bexar County 2013	20
Years of potential life lost before age 65 (YPLL), Bexar County 2013	21
Leading Causes of Death by Gender age 45 to 64 by Race and Ethnicity, Bexar County 2013	22
Selected Causes of Deaths by City Council District Trends, Bexar County 2011, 2012, 2013	23
Select Causes of Death by Zip Code, Bexar County 2013	26 to 27
Select Causes of Death by Census Tract, Bexar County 2013	28 to 33
NCHS 113 Selected Causes of Death	

Prepared by John Berlanga MPA
Reviewed by Anil Mangla PHD

Infant Mortality Rate, Bexar County
Rates per 1,000 births



10 Leading Causes of Infant Mortality-Nationally and Bexar County 2013

***Note; 2012 Deaths not released by CDC**

ICD 10	Cause of Death	U.S. 2011 Number of deaths*	U.S. 2011 Rates are per 100,000 live births*	Infant Death Bexar County 2013	Bexar Co. Rates are per 100,000 live births.
	All Causes	23,907	604.7	160	601.7
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	4,984	126.1	36	135.4
P07	Disorders related to short gestation and low birth weight	4,116	104.1	32	120.3
R95	Sudden infant death syndrome	1,711	43.3	19	71.5
P01	Newborn affected by maternal complications of pregnancy	1,578	39.9	8	30.1
V01-X59	accidents	1,089	27.5	7	26.3
P02	Newborn affected by complications of placenta, cord, and membranes	992	25.1	9	33.8
P36	Bacterial sepsis of newborn	526	13.3	3	11.3
P22	Respiratory distress of newborn	514	13.0	1	3.8
I00-I99	Diseases of the circulatory system	498	12.5	3	11.3
p50-p52,p54	Neonatal hemorrhage	444	11.2	-	-
	All other causes (residual)	7,457	188.6	42	158.0
	Cause of Death	U.S. 2011 Number of deaths*	U.S. 2011 Rates are per 1000 live births8	Infant Death Bexar County 2013	Bexar Co. Rate per 1000 births
	All Causes	23907	6.05	160	6.02
	Bexar Co. Births in 2013			26,590	

This grouping of infant deaths are consistent with National Center for Health Statistics
2012 Deaths as of 9/5/2013
Infant death less than one year of life
Rate per 1,000 live births

All Causes of Infant Mortality-Bexar County 2013

ICD 10	Cause of Death	Non-Bexar County Residents	Bexar County	All
A09	Diarrhea and gastroenteritis of presumed infectious origin	0	1	1
A37	Whooping cough	1	0	1
A40	Streptococcal septicemia	0	1	1
A41	Other septicemia	0	1	1
A50	Congenital syphilis	1	0	1
C92	Myeloid leukemia	1	0	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	0	1	1
D68	Other coagulation defects	1	0	1
D81	Combined immunodeficiencies	0	1	1
G00	Bacterial meningitis, not elsewhere classified	1	0	1
G12	Spinal muscular atrophy and related syndromes	0	2	2
G54	Nerve root and plexus disorders	1	0	1
G70	Myasthenia gravis and other myoneural disorders	0	1	1
G80	Infantile cerebral palsy	1	0	1
G93	Other disorders of brain	0	1	1
I42	Cardiomyopathy	0	3	3
J10	Influenza due to identified influenza virus	0	1	1
J18	Pneumonia, organism unspecified	0	1	1
J84	Other interstitial pulmonary diseases	1	0	1
M62	Other disorders of muscle	1	0	1
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	0	3	3
P01	Newborn affected by maternal complications of pregnancy	3	8	11
P02	Newborn affected by complications of placenta, cord, and membranes	1	9	10
P03	Newborn affected by other complications of labor and delivery	0	1	1
P05	Slow fetal growth and fetal malnutrition	0	1	1
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	10	32	42
P21	Birth asphyxia	0	1	1
P22	Respiratory distress of newborn	1	1	2
P23	Congenital pneumonia	0	1	1
P26	Pulmonary hemorrhage originating in the perinatal period	1	0	1
P27	Chronic respiratory disease originating in the perinatal period	1	1	2
P28	Other respiratory conditions originating in the perinatal period	2	3	5
P29	Cardiovascular disorders originating in the perinatal period	2	3	5
P35	Congenital viral diseases	0	1	1
P36	Bacterial sepsis of newborn	1	3	4
P37	Other congenital infectious and parasitic diseases	0	1	1
P39	Other infections specific to the perinatal period	0	1	1
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	3	0	3
P77	Necrotizing enterocolitis of newborn	1	4	5
P78	Other perinatal digestive system disorders	0	1	1
P83	Other conditions of integument specific to newborn	0	2	2
P91	Other disturbances of cerebral status of newborn	1	3	4
P94	Disorders of muscle tone of newborn	0	1	1
Q00	Anencephaly and similar malformations	1	1	2
Q03	Congenital hydrocephalus	0	1	1
Q04	Other congenital malformations of brain	0	2	2
Q18	Other congenital malformations of face and neck	0	1	1
Q20	Congenital malformations of cardiac chambers and connections	0	1	1
Q21	Congenital malformations of cardiac septa	1	1	2
Q23	Congenital malformations of aortic and mitral valves	3	3	6
Q24	Other congenital malformations of heart	5	3	8
Q33	Congenital malformations of lung	0	5	5
Q60	Renal agenesis and other reduction defects of kidney	1	6	7
Q61	Cystic kidney disease	1	1	2
Q67	Congenital musculoskeletal deformities of head, face, spine, and chest	0	1	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	2	2	4
Q89	Other congenital malformations, not elsewhere classified	0	2	2
Q90	Down's syndrome	0	1	1
Q91	Edwards' syndrome and Patau's syndrome	0	5	5
R09	Other symptoms and signs involving the circulatory and respiratory systems	1	0	1
R95	Sudden infant death syndrome	1	19	20
R99	Other ill-defined and unspecified causes of mortality	1	3	4
W75	Accidental suffocation and strangulation in bed	0	2	2
W84	Unspecified threat to breathing	1	2	3
X00	Exposure to uncontrolled fire in building or structure	0	1	1
X91	Assault (homicide) by hanging, strangulation, and suffocation	0	1	1
Y09	Assault (homicide) by unspecified means	0	1	1
	Missing	1	0	1
	Total	55	160	215



Infant Death Bexar County Residents

Year	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	105	81	90	123	105	101	114	108	112	125	107	111	79	122	113
White NH	23	18	36	39	57	40	27	25	27	26	24	31	29	31	26
Black NH	15	19	19	16	18	14	24	27	20	18	17	17	10	10	15
Other NH	2	0	1	4	1	2	5	2	0	4	1	0	4	2	6
Total	145	118	146	182	181	157	170	162	159	173	149	159	122	165	160

Births Bexar County Residents

Year	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	15079	15227	15161	16255	16628	16956	17274	17901	18750	18631	18179	17102	16,676	17001	17457
White NH	6105	6396	6338	6341	6071	6022	6321	5988	6005	5879	6083	6132	6,171	6268	6203
Black NH	1353	1416	1356	1446	1408	1437	1447	1610	1631	1616	1608	1567	1,629	1607	1750
Other NH	403	453	468	535	523	585	540	695	770	814	817	879	965	1075	1180
Total	22940	23492	23323	24577	24630	25000	25582	26194	27156	26940	26687	25680	25441	25951	26590

Infant Mortality Rates by Race & Ethnicity - Bexar County
Rate per 1,000 births

Year	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Hispanic	6.96	5.32	5.94	7.57	6.31	5.96	6.60	6.03	5.97	6.71	5.89	6.49	4.74	7.18	6.47
White NH	3.77	2.81	5.68	6.15	9.39	6.64	4.27	4.18	4.50	4.42	3.95	5.06	4.70	4.95	4.19
Black NH	11.09	13.42	14.01	11.07	12.78	9.74	16.59	16.77	12.26	11.14	10.57	10.85	6.14	6.22	8.57
Other NH	4.96	0.00	2.14	7.48	1.91	3.42	9.26	2.88	0.00	4.91	1.22	0.00	4.15	1.86	5.08
Total	6.32	5.02	6.26	7.41	7.35	6.28	6.65	6.18	5.86	6.42	5.58	6.19	4.80	6.36	6.02

Infant Mortality Rates by Race & Ethnicity - Bexar County
Rate per 1,000 births/Three-Year Moving Average

Year	1999 to 2001	2000 to 2002	2001 to 2003	2002 to 2004	2003 to 2005	2004 to 2006	2005 to 2007	2006 to 2008	2007 to 2009	2008 to 2010	2009 to 2011	2010 to 2012	2011 to 2013
Hispanic	6.1	6.3	6.6	6.6	6.3	6.2	6.2	6.2	6.2	6.4	5.7	6.1	6.1
White NH	4.1	4.9	7.0	7.4	6.7	5.0	4.3	4.4	4.3	4.5	4.6	4.9	4.6
Black NH	12.8	12.8	12.6	11.2	13.0	14.5	15.1	13.4	11.3	10.9	9.2	7.7	7.0
Other NH	2.3	3.4	3.9	4.3	4.9	4.9	3.5	2.6	2.1	2.0	1.9	2.1	3.7
Total	5.9	6.2	7.0	7.0	6.8	6.4	6.2	6.2	6.0	6.1	5.5	5.8	5.7

NH=Non-Hispanic

Neonate, Infant and Fetal Deaths by Year - Bexar County Residents



	2006	2007	2008	2009	2010	2011	2012	2013
Fetal	167	159	204	169	155	188	141	166
Infant	61	72	67	46	54	57	59	49
Neonate	101	88	106	102	105	65	106	111

Preliminary number Fetal deaths

SIDS, SUDI and Accidental suffocation by Year - Bexar County Residents



	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
W75-W84	3	1	1	3	6	0	2	8	1	3	2	2	4
SUDI R99	9	9	14	11	23	25	19	16	10	19	12	7	3
SIDS R95	11	11	13	8	7	14	14	13	13	7	12	13	19

Neonatal mortality period commences at birth and ends 28 completed days after birth
Infant mortality refers to deaths 29 days to less than 1 year
Fetal mortality refers to stillbirths or fetal death. It encompasses any death of a fetus after 20 weeks of gestation but before birth

Life Expectancy by Race/Ethnicity and Gender National and Bexar County

***Note; 2012 Deaths not released by CDC**

	Bexar 2013	Bexar 2012	USA 2011
All	79.4	79.5	78.7
Females	81.7	81.3	81.1
Males	76.8	75.8	76.3
White NH	79.9	79.3	n/a
Hispanic	79.3	78.0	n/a
African Am.	75.9	76.6	n/a

	Bexar 2013	Bexar 2012	USA 2006
Hispanic Female	82.0	80.9	83.1
Hispanic Male	74.3	74.9	77.9
White NH Female	81.9	81.7	80.4
White NH Male	77.8	76.8	75.6
African Am Male	73.5	73.9	69.2
African Am Female	78.2	78.9	76.2

Life expectancy at birth is the average number of years a newborn infant would be expected to live if healthy and living conditions at the time of birth remained the same throughout his/her life. Although life expectancy is a good starting point for discussing mortality patterns, it is important to note significant limitations of this measure.

Age Adjusted Death Rate by Race/Ethnicity and Gender National and Bexar County

	All	White NH	Hispanic	African Am.
Bexar Co. 2013	789.1	649.0	657.2	805.1
U.S. 2011	740.6	753.9	539.3	877.4

	Males	Females	Hispanic Male	Hispanic Female	White NH Male	White NH Female	African Am. Male	African Am. Female
Bexar Co. 2013	789.1	559.4	900.3	542.9	757.5	562	925.6	700.1
U.S. 2011	874.5	631.9	645.3	451.8	886.8	644.3	1,067.3	740.1

Rate per 100,000 population, 2000 US standard million population

Deaths by Age Distribution by Gender, Race & Ethnicity Bexar County 2013

Age	Total	% of total	Hispanic	% of total	White NH	% of total	African Am.	% of total
under 1	160	1%	113	2%	26	0%	15	2%
1 to 4	27	0%	16	0%	5	0%	5	1%
5-14	31	0%	25	0%	4	0%	1	0%
15-24	137	1%	91	2%	26	0%	18	2%
25-34	268	2%	167	3%	59	1%	34	4%
35-44	407	3%	235	4%	121	2%	40	4%
45-54	1002	8%	568	10%	307	6%	105	11%
55-64	1640	14%	854	15%	580	11%	182	19%
65-74	2066	17%	997	18%	861	16%	170	18%
75 -84	2745	23%	1199	22%	1281	25%	222	23%
85 plus	3436	29%	1282	23%	1956	37%	161	17%
Total	**11,919**	100%	**5,547**	100%	**5,226**	100%	**953**	100%

Age	All Females	% of total	Hispanic Females	% of total	White NH Females	% of total	African Am. Females	% of total
under 1	81	1%	58	2%	12	0%	8	2%
1 to 4	9	0%	7	0%	1	0%	1	0%
5-14	11	0%	9	0%	2	0%	1	0%
15-24	37	1%	26	1%	7	0%	4	1%
25-34	98	2%	63	2%	19	1%	13	3%
35-44	147	3%	83	3%	43	2%	15	3%
45-54	396	7%	209	8%	139	5%	40	9%
55-64	650	11%	337	13%	227	9%	75	16%
65-74	916	16%	435	17%	378	14%	84	18%
75 -84	1374	23%	610	23%	621	23%	110	24%
85 plus	2145	37%	799	30%	1208	45%	111	24%
Total	**5,864**	100%	**2,636**	100%	**2,657**	100%	**462**	100%

Age	All Males	% of total	Hispanic Males	% of total	White NH Males	% of total	African Am. Males	% of total
under 1	79	1%	55	2%	14	1%	7	1%
1 to 4	18	0%	9	0%	4	0%	4	1%
5-14	20	0%	16	0%	3	0%	0	0%
15-24	100	2%	65	2%	20	1%	14	3%
25-34	170	3%	104	3%	40	2%	21	4%
35-44	260	4%	152	4%	78	3%	25	5%
45-54	606	10%	359	11%	168	7%	65	13%
55-64	990	16%	1017	30%	353	14%	107	22%
65-74	1150	19%	562	16%	483	19%	86	18%
75 -84	1371	23%	589	17%	660	26%	112	23%
85 plus	1291	21%	483	14%	748	29%	50	10%
Total	**6,055**	100%	**3,411**	100%	**2,571**	100%	**491**	100%

Percent of Early Deaths by Gender, Race & Ethnicity Bexar County 2013

Age	Total	% of total	Hispanic	% of total	White NH	% of total	African Am.	% of total
under 65	3672	31%	2069	37%	1128	22%	400	42%
Total	11919	100%	5547	100%	5226	100%	953	100%

Age	All Females	% of total	Hispanic Females	% of total	White NH Females	% of total	African Am. Females	% of total
under 65	1429	12%	792	14%	450	9%	157	16%
Total	5864	100%	2636	100%	2657	100%	462	100%

Age	All Males	% of total	Hispanic Males	% of total	White NH Males	% of total	African Am. Males	% of total
under 65	2243	37%	1777	52%	680	26%	243	49%
Total	6055	100%	3411	100%	2571	100%	491	100%

White NH=White Non Hispanic

http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_06.pdf

113 Causes of Death by Year-Bexar County

113 code	Cause of Death	2007	2008	2009	2010	2011	2012	2013
1	Salmonella infections	-	1	-	-	-	-	-
2	Shigellosis and amebiasis	-	-	-	-	-	-	-
3	Certain other intestinal infections	21	25	32	30	31	35	47
4	Respiratory tuberculosis	-	4	4	5	5	2	3
5	Other tuberculosis	2	-	2	1	-	2	-
6	Whooping cough	-	-	-	-	-	-	-
7	Scarlet fever and erysipelas	-	-	-	-	-	-	-
8	Meningococcal infection	1	-	2	1	-	1	-
9	Septicemia	178	192	254	215	207	212	215
10	Syphilis	-	-	-	-	2	1	-
11	Acute poliomyelitis	-	-	-	-	-	-	-
12	Arthropod borne viral encephalitis	-	-	-	-	-	-	-
13	Measles	-	-	-	-	-	-	-
14	Viral hepatitis	44	42	49	48	51	52	38
15	Human immunodeficiency virus (HIV) disease	64	49	56	53	51	55	49
16	Malaria	-	-	-	-	-	-	-
17	Other and unspecified infectious and parasitic diseases and their sequelae	23	31	37	31	26	31	29
18	Malignant neoplasms of lip, oral cavity and pharynx	2,192	2,167	2,232	2,327	2,391	2,430	2,501
19	Malignant neoplasm of esophagus	50	62	60	43	39	57	67
20	Malignant neoplasm of stomach	19	23	20	15	20	28	24
21	Malignant neoplasms of colon, rectum and anus	430	372	337	354	432	404	407
22	Malignant neoplasms of liver and intrahepatic bile ducts	8	25	14	16	30	23	32
23	Malignant neoplasm of pancreas	3	4	5	3	4	1	4
24	Malignant neoplasm of larynx	101	98	117	116	117	117	143
25	Malignant neoplasms of trachea, bronchus and lung	249	284	242	246	259	248	257
26	Malignant melanoma of skin	2,341	2,209	2,285	2,314	2,404	2,487	2,850
27	Malignant neoplasm of breast	119	105	114	124	89	92	109
28	Malignant neoplasm of cervix uteri	568	628	587	626	584	624	619
29	Malignant neoplasms of corpus uteri and uterus, part unspecified	9	19	7	9	13	4	2
30	Malignant neoplasm of ovary	82	82	75	77	68	79	68
31	Malignant neoplasm of prostate	158	175	203	166	164	159	177
32	Malignant neoplasms of kidney and renal pelvis	677	684	690	722	680	803	787
33	Malignant neoplasm of bladder	9	10	8	13	10	11	6
34	Malignant neoplasms of meninges, brain and other parts of central nervous	3	1	-	-	1	1	1
35	Hodgkin's disease	10	6	6	6	12	11	11
36	Non Hodgkin's lymphoma	225	242	262	258	284	305	321
37	Leukemia	223	274	306	323	243	249	270
38	Multiple myeloma and immunoproliferative neoplasms	1	1	1	2	-	1	2
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related	-	-	1	2	-	-	-
40	All other and unspecified malignant neoplasms	-	-	-	-	-	1	-
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	5	3	12	8	6	9	9
42	Anemias	128	139	122	125	102	147	138
43	Diabetes mellitus	399	445	493	532	565	129	136
44	Malnutrition	1,065	1,151	1,118	1,239	1,417	1,622	1,665
45	Other nutritional deficiencies	142	167	149	147	122	150	170
46	Meningitis	397	367	324	327	340	512	442
47	Parkinson's disease	129	133	157	162	151	179	174
48	Alzheimer's disease	127	149	114	96	91	110	109
49	Acute rheumatic fever and chronic rheumatic heart diseases	29	15	8	10	16	24	34
50	Hypertensive heart disease	-	-	1	3	2	7	3

113 Causes of Death by Year-Bexar County

113 code	Cause of Death	2007	2008	2009	2010	2011	2012	2013
51	Hypertensive heart and renal disease	13	10	9	9	17	13	22
52	Acute myocardial infarction	500	512	484	449	447	397	508
53	Other acute ischemic heart diseases	1	6	8	5	7	5	7
54	Atherosclerotic cardiovascular disease, so described	256	228	204	223	301	370	399
55	All other forms of chronic ischemic heart disease	784	689	789	796	792	738	782
56	Acute and subacute endocarditis	9	5	5	8	7	1	9
57	Diseases of pericardium and acute myocarditis	4	6	4	2	7	4	2
58	Heart failure	219	223	228	186	203	198	227
59	All other forms of heart disease	474	432	456	532	520	620	730
60	Essential (primary) hypertension and hypertensive renal disease	119	105	114	124	89	92	109
61	Cerebrovascular diseases	568	628	587	626	584	624	619
62	Atherosclerosis	9	19	7	9	13	4	2
63	Aortic aneurysm and dissection	28	30	29	25	28	39	28
64	Other diseases of arteries, arterioles and capillaries	41	40	34	34	33	29	32
65	Other disorders of circulatory system	13	12	12	18	7	11	8
66	Influenza	3	3	16	10	15	4	16
67	Pneumonia	154	170	186	155	149	155	161
68	Acute bronchitis and bronchiolitis	1	2	1	1	-	-	-
69	Unspecified acute lower respiratory infection	-	-	-	-	-	-	-
70	Bronchitis, chronic and unspecified	3	1	3	3	4	5	2
71	Emphysema	22	20	29	22	24	21	27
72	Asthma	12	12	10	7	9	11	5
73	Other chronic lower respiratory diseases	434	437	476	469	450	514	488
74	Pneumoconioses and chemical effects	-	1	1	-	2	1	1
75	Pneumonitis due to solids and liquids	79	90	61	80	69	81	87
76	Other diseases of respiratory system	127	123	110	141	122	170	177
77	Peptic ulcer	9	10	8	13	10	11	6
78	Diseases of appendix	3	1	-	-	1	1	1
79	Hernia	10	6	6	6	12	11	11
80	Alcoholic liver disease	67	63	87	96	91	103	128
81	Other chronic liver disease and cirrhosis	150	164	160	144	175	185	176
82	Cholelithiasis and other disorders of gallbladder	8	15	15	18	18	17	17
83	Acute and rapidly progressive nephritic and nephrotic syndrome	1	-	-	2	-	1	2
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic,	14	21	28	26	12	1	-
85	Renal failure	206	247	276	290	229	240	266
86	Other disorders of kidney	-	-	-	-	-	1	-
87	Infections of kidney	2	6	2	5	2	6	2
88	Hyperplasia of prostate	1	1	1	2	-	1	2
89	Inflammatory diseases of female pelvic organs	-	-	1	2	-	-	-
90	Pregnancy with abortive outcome	-	-	-	-	-	1	-
91	Other complications of pregnancy, childbirth and the puerperium	5	3	12	8	6	9	9
92	Certain conditions originating in the perinatal period	62	82	68	74	44	82	81
93	Congenital malformations, deformations and chromosomal abnormalities	66	57	54	51	58	65	57
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	399	445	493	532	565	129	136
95	All other diseases (Residual)	1,065	1,151	1,118	1,239	1,417	1,622	1,665
96	Motor vehicle accidents	142	167	149	147	122	150	170
97	Other land transport accidents	8	7	3	6	13	5	5
98	Water, air and space, and other and unspecified transport accidents and their sequelae	12	8	6	5	9	6	14

113 Causes of Death by Year-Bexar County

113 code	Cause of Death	2007	2008	2009	2010	2011	2012	2013
99	Falls	186	221	219	207	207	229	187
100	Accidental discharge of firearms	-	-	2	3	7	1	1
101	Accidental drowning and submersion	15	8	7	8	9	17	10
102	Accidental exposure to smoke, fire and flames	12	4	5	10	9	6	7
103	Accidental poisoning and exposure to noxious substances	96	56	37	24	25	176	163
104	Other and unspecified nontransport accidents and their sequelae	68	63	45	64	61	72	55
105	Intentional self harm (suicide) by discharge of firearms	67	82	96	87	80	103	105
106	Intentional self harm (suicide) by other and unspecified means and their sequelae	62	51	61	75	71	76	69
107	Assault (homicide) by discharge of firearms	80	108	75	62	59	77	72
108	Assault (homicide) by other and unspecified means and their sequelae	47	41	39	34	32	33	37
109	Legal intervention	2	-	-	-	-	-	-
110	Discharge of firearms, undetermined intent	1	-	-	-	-	3	4
111	Other and unspecified events of undetermined intent and their sequelae	10	4	2	2	8	13	17
112	Operations of war and their sequelae	-	1	-	-	-	-	-
113	Complications of medical and surgical care	16	10	6	8	8	8	13
0	Missing	-	-	1	3	2	7	3
	All Causes	16,996	17,291	17,451	17,982	18,290	18,990	19,858

113 Cause of Death coding system developed by the National Center for Health Statistics to promote comparability of data across states and localities on the leading causes of death.

50 Causes of Death by Year-Bexar County

113 code	Cause of Death	2009	rate per 100k	2010	rate per 100k	2011	rate per 100k	2012	rate per 100k	2013	rate per 100k
1	Salmonella infections	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
2	Shigellosis and amebiasis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
3	Certain other intestinal infections	32	1.9	30	1.7	31	1.8	35	2.0	47	2.6
4	Respiratory tuberculosis	4	0.2	5	0.3	5	0.3	2	0.1	3	0.2
5	Other tuberculosis	2	0.1	1	0.1	0	0.0	2	0.1	0	0.0
6	Whooping cough	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7	Scarlet fever and erysipelas	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8	Meningococcal infection	2	0.1	1	0.1	0	0.0	1	0.1	0	0.0
9	Septicemia	254	15.4	215	12.5	207	11.8	212	11.9	215	11.8
10	Syphilis	0	0.0	0	0.0	2	0.1	1	0.1	0	0.0
11	Acute poliomyelitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
12	Arthropod borne viral encephalitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13	Measles	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
14	Viral hepatitis	49	3.0	48	2.8	51	2.9	52	2.9	38	2.1
15	Human immunodeficiency virus (HIV) disease	56	3.4	53	3.1	51	2.9	55	3.1	49	2.7
16	Malaria	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
17	Other and unspecified infectious and parasitic diseases and their sequelae	37	2.2	31	1.8	26	1.5	31	1.7	29	1.6
18-40	Malignant neoplasms	2232	135.2	2327	135.0	2391	136.1	2430	136.1	2501	137.6
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	60	3.6	43	2.5	39	2.2	57	3.2	67	3.7
42	Anemias	20	1.2	15	0.9	20	1.1	28	1.6	24	1.3
43	Diabetes mellitus	337	20.4	354	20.5	432	24.6	404	22.6	407	22.4
44-45	Nutritional deficiencies	14	0.8	16	0.9	30	1.7	23	1.3	32	1.8
46	Meningitis	5	0.3	3	0.2	4	0.2	1	0.1	4	0.2
47	Parkinson's disease	117	7.1	116	6.7	117	6.7	117	6.6	143	7.9
48	Alzheimer's disease	242	14.7	246	14.3	259	14.7	248	13.9	257	14.1
49-59	Heart Disease	2285	138.4	2314	134.2	2404	136.9	2487	139.3	2850	156.8
60	Essential (primary) hypertension and hypertensive renal disease	114	6.9	124	7.2	89	5.1	92	5.2	109	6.0
61	Cerebrovascular diseases	587	35.5	626	36.3	584	33.3	624	34.9	619	34.1
62	Atherosclerosis	7	0.4	9	0.5	13	0.7	4	0.2	2	0.1
63-65	Other diseases of circulatory system	75	4.5	77	4.5	68	3.9	79	4.4	68	3.7
66-69	Influenza and pneumonia	203	12.3	166	9.6	164	9.3	159	8.9	177	9.7
70-76	Chronic lower respiratory diseases	690	41.8	722	41.9	680	38.7	803	45.0	787	43.3
77	Peptic ulcer	8	0.5	13	0.8	10	0.6	11	0.6	6	0.3
78	Diseases of appendix	0	0.0	0	0.0	1	0.1	1	0.1	1	0.1
79	Hernia	6	0.4	6	0.3	12	0.7	11	0.6	11	0.6
80-82	Chronic liver disease and cirrhosis	262	15.9	258	15.0	284	16.2	305	17.1	321	17.7
83-87	Renal disease (kidney)	306	18.5	323	18.7	243	13.8	249	13.9	270	14.9
88	Hyperplasia of prostate	1	0.1	2	0.1	0	0.0	1	0.1	2	0.1
89	Inflammatory diseases of female pelvic organs	1	0.1	2	0.1	0	0.0	0	0.0	0	0.0
90	Pregnancy with abortive outcome	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
91	Pregnancy, childbirth	12	0.7	8	0.5	6	0.3	9	0.5	9	0.5
92-93	Perinatal, congenital malformations or chromosomal abnormalities	122	7.4	125	7.3	102	5.8	147	8.2	138	7.6
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	493	29.9	532	30.9	565	32.2	129	7.2	136	7.5
95	All other diseases (Residual)	1118	67.7	1239	71.9	1417	80.7	1622	90.8	1665	91.6
96	Motor vehicle accidents	149	9.0	147	8.5	122	6.9	150	8.4	170	9.4
97-104	All other accidents and adverse events	324	19.6	327	19.0	340	19.4	512	28.7	442	24.3
105-106	Suicide	157	9.5	162	9.4	151	8.6	179	10.0	174	9.6
107-108	Homicide	114	6.9	96	5.6	91	5.2	110	6.2	109	6.0
109-113	All other external causes	8	0.5	10	0.6	16	0.9	24	1.3	34	1.9
	missing	1	0.1	3	0.2	2	0.1	7	0.4	3	0.2
	Total	10,506	636.2	10,795	626.2	11,029	628.0	11,415	639.2	11,919	655.8
	population	1,651,448		1,723,780		1,756,153		1,785,704		1,817,610	

50 Cause of Death coding system developed by the National Center for Health Statistics to promote comparability of data across states and localities on the leading causes of death.

Deaths by Gender for Race & Ethnicity Bexar County 2013

113 codes	Causes of death	Male	rate per 100k	Male Hispanic	rate per 100k	Male NH-White	rate per 100k	Male African Am.	rate per 100k	Female	rate per 100k	Female Hispanic	rate per 100k	Female NH-White	rate per 100k	Female African Am.	rate per 100k
1	Salmonella infections	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
2	Shigellosis and amebiasis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
3	Certain other intestinal infections	19	2.1	9	1.7	6	2.2	1	1.5	28	3.0	5	0.9	14	5.2	0	0.0
4	Respiratory tuberculosis	2	0.2	1	0.2	0	0.0	0	0.0	1	0.1	1	0.2	0	0.0	0	0.0
5	Other tuberculosis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	0	0.0
6	Whooping cough	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7	Scarlet fever and erysipelas	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8	Meningococcal infection	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0
9	Septicemia	101	11.3	57	10.8	30	11.2	6	9.2	114	12.4	62	11.3	47	17.5	6	9.2
10	Syphilis	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	0	0.0	0	0.0	0	0.0
11	Acute poliomyelitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
12	Arthropod borne viral encephalitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13	Measles	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
14	Viral hepatitis	22	2.5	29	5.5	4	1.5	1	1.5	16	1.7	9	1.6	7	2.6	1	1.5
15	Human immunodeficiency virus (HIV) disease	38	4.2	29	5.5	12	4.5	4	6.1	11	1.2	7	1.3	0	0.0	3	4.6
16	Malaria	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
17	Other and unspecified infectious and parasitic diseases and their sequelae	13	1.5	4	0.8	8	3.0	2	3.1	16	1.7	13	2.4	3	1.1	1	1.5
18	Malignant neoplasms of lip, oral cavity and pharynx	20	2.2	11	2.1	10	3.7	2	3.1	11	1.2	4	0.7	8	3.0	2	3.1
19	Malignant neoplasm of esophagus	38	4.2	16	3.0	24	9.0	4	6.1	6	0.7	2	0.4	2	0.7	0	0.0
20	Malignant neoplasm of stomach	39	4.4	22	4.2	14	5.2	5	7.7	25	2.7	18	3.3	9	3.3	2	3.1
21	Malignant neoplasms of colon, rectum and anus	146	16.3	81	15.4	43	16.1	13	19.9	110	11.9	43	7.8	61	22.7	15	23.0
22	Malignant neoplasms of liver and intrahepatic bile ducts	129	14.4	68	12.9	35	13.1	6	9.2	59	6.4	40	7.3	8	3.0	2	3.1
23	Malignant neoplasm of pancreas	91	10.2	36	6.8	45	16.8	7	10.7	82	8.9	32	5.8	38	14.1	2	3.1
24	Malignant neoplasm of larynx	12	1.3	4	0.8	4	1.5	4	6.1	1	0.1	2	0.4	1	0.4	0	0.0
25	Malignant neoplasms of trachea, bronchus and lung	288	32.2	92	17.5	159	59.4	29	44.5	232	25.1	54	9.9	133	49.4	27	41.4
26	Malignant melanoma of skin	10	1.1	3	0.6	15	5.6	0	0.0	5	0.5	3	0.5	1	0.4	1	1.5
27	Malignant neoplasm of breast	1	0.1	0	0.0	0	0.0	0	0.0	181	19.6	86	15.7	83	30.8	20	30.7
28	Malignant neoplasm of cervix uteri	0	0.0	0	0.0	0	0.0	0	0.0	18	2.0	17	3.1	7	2.6	1	1.5
29	Malignant neoplasms of corpus uteri and uterus, part unspecified	0	0.0	0	0.0	0	0.0	0	0.0	53	5.7	20	3.6	15	5.6	5	7.7
30	Malignant neoplasm of ovary	0	0.0	0	0.0	0	0.0	0	0.0	59	6.4	29	5.3	26	9.7	6	9.2
31	Malignant neoplasm of prostate	114	12.7	39	7.4	43	16.1	14	21.5	0	0.0	0	0.0	0	0.0	0	0.0
32	Malignant neoplasms of kidney and renal pelvis	52	5.8	27	5.1	24	9.0	3	4.6	34	3.7	21	3.8	13	4.8	2	3.1
33	Malignant neoplasm of bladder	45	5.0	12	2.3	18	6.7	1	1.5	18	2.0	7	1.3	4	1.5	1	1.5
34	Malignant neoplasms of meninges, brain and other parts of central nervous	43	4.8	11	2.1	25	9.3	1	1.5	38	4.1	11	2.0	15	5.6	1	1.5
35	Hodgkin's disease	1	0.1	2	0.4	1	0.4	0	0.0	4	0.4	2	0.4	1	0.4	0	0.0

Deaths by Gender for Race & Ethnicity Bexar County 2013

113 codes	Causes of death	Male	rate per 100k	Male Hispanic	rate per 100k	Male NH-White	rate per 100k	Male African Am.	rate per 100k	Female	rate per 100k	Female Hispanic	rate per 100k	Female NH-White	rate per 100k	Female African Am.	rate per 100k
36	Non Hodgkin's lymphoma	54	6.0	24	4.6	27	10.1	2	3.1	42	4.6	25	4.6	17	6.3	3	4.6
37	Leukemia	53	5.9	28	5.3	28	10.5	2	3.1	58	6.3	18	3.3	20	7.4	2	3.1
38	Multiple myeloma and immunoproliferative neoplasms	24	2.7	16	3.0	11	4.1	0	0.0	25	2.7	13	2.4	11	4.1	1	1.5
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
40	All other and unspecified malignant neoplasms	162	18.1	68	12.9	62	23.2	9	13.8	118	12.8	43	7.8	72	26.7	7	10.7
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	32	3.6	10	1.9	20	7.5	2	3.1	35	3.8	15	2.7	10	3.7	0	0.0
42	Anemias	10	1.1	7	1.3	1	0.4	3	4.6	14	1.5	8	1.5	6	2.2	2	3.1
43	Diabetes mellitus	188	21.0	127	24.1	40	14.9	13	19.9	219	23.7	140	25.5	54	20.1	18	27.6
44	Malnutrition	9	1.0	4	0.8	6	2.2	2	3.1	23	2.5	6	1.1	3	1.1	1	1.5
45	Other nutritional deficiencies	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
46	Meningitis	2	0.2	1	0.2	0	0.0	0	0.0	2	0.2	0	0.0	0	0.0	0	0.0
47	Parkinson's disease	84	9.4	27	5.1	34	12.7	5	7.7	59	6.4	20	3.6	28	10.4	1	1.5
48	Alzheimer's disease	88	9.8	25	4.8	31	11.6	3	4.6	169	18.3	79	14.4	103	38.2	5	7.7
49	Acute rheumatic fever and chronic rheumatic heart diseases	4	0.4	1	0.2	2	0.7	0	0.0	12	1.3	4	0.7	4	1.5	1	1.5
50	Hypertensive heart disease	70	7.8	30	5.7	25	9.3	9	13.8	78	8.5	28	5.1	30	11.1	2	3.1
51	Hypertensive heart and renal disease	9	1.0	1	0.2	3	1.1	0	0.0	13	1.4	7	1.3	1	0.4	1	1.5
52	Acute myocardial infarction	295	33.0	100	19.0	89	33.2	15	23.0	213	23.1	88	16.1	83	30.8	13	20.0
53	Other acute ischemic heart diseases	2	0.2	2	0.4	0	0.0	0	0.0	5	0.5	1	0.2	1	0.4	0	0.0
54	Atherosclerotic cardiovascular disease, so described	248	27.7	98	18.6	96	35.9	11	16.9	151	16.4	62	11.3	88	32.7	10	15.3
55	All other forms of chronic ischemic heart disease	413	46.2	177	33.6	214	79.9	17	26.1	369	40.0	143	26.1	155	57.6	25	38.4
56	Acute and subacute endocarditis	2	0.2	1	0.2	0	0.0	0	0.0	7	0.8	0	0.0	0	0.0	0	0.0
57	Diseases of pericardium and acute myocarditis	0	0.0	2	0.4	0	0.0	0	0.0	2	0.2	0	0.0	2	0.7	0	0.0
58	Heart failure	106	11.8	45	8.6	37	13.8	4	6.1	121	13.1	46	8.4	54	20.1	11	16.9
59	All other forms of heart disease	359	40.1	135	25.7	152	56.8	31	47.6	371	40.2	130	23.7	138	51.2	25	38.4
60	Essential (primary) hypertension and hypertensive renal disease	52	5.8	21	4.0	15	5.6	3	4.6	57	6.2	20	3.6	26	9.7	5	7.7
61	Cerebrovascular diseases	270	30.2	136	25.8	93	34.7	36	55.2	349	37.8	172	31.4	142	52.7	34	52.2
62	Atherosclerosis	1	0.1	0	0.0	0	0.0	1	1.5	1	0.1	2	0.4	1	0.4	0	0.0
63	Aortic aneurysm and dissection	12	1.3	6	1.1	12	4.5	4	6.1	16	1.7	2	0.4	11	4.1	2	3.1
64	Other diseases of arteries, arterioles and capillaries	16	1.8	5	1.0	7	2.6	0	0.0	16	1.7	4	0.7	11	4.1	1	1.5
65	Other disorders of circulatory system	6	0.7	3	0.6	2	0.7	0	0.0	2	0.2	2	0.4	2	0.7	2	3.1
66	Influenza	10	1.1	0	0.0	0	0.0	0	0.0	6	0.7	2	0.4	1	0.4	1	1.5
67	Pneumonia	76	8.5	37	7.0	41	15.3	4	6.1	85	9.2	32	5.8	29	10.8	7	10.7
68	Acute bronchitis and bronchiolitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Deaths by Gender for Race & Ethnicity Bexar County 2013

113 codes	Causes of death	Male	rate per 100k	Male Hispanic	rate per 100k	Male NH-White	rate per 100k	Male African Am.	rate per 100k	Female	rate per 100k	Female Hispanic	rate per 100k	Female NH-White	rate per 100k	Female African Am.	rate per 100k
69	Unspecified acute lower respiratory infection	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
70	Bronchitis, chronic and unspecified	1	0.1	0	0.0	1	0.4	0	0.0	1	0.1	1	0.2	3	1.1	0	0.0
71	Emphysema	19	2.1	9	1.7	6	2.2	0	0.0	8	0.9	1	0.2	5	1.9	0	0.0
72	Asthma	1	0.1	4	0.8	1	0.4	1	1.5	4	0.4	2	0.4	2	0.7	1	1.5
73	Other chronic lower respiratory diseases	245	27.4	68	12.9	151	56.4	22	33.8	243	26.3	64	11.7	194	72.0	12	18.4
74	Pneumoconioses and chemical effects	1	0.1	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
75	Pneumonitis due to solids and liquids	38	4.2	21	4.0	26	9.7	4	6.1	49	5.3	13	2.4	14	5.2	3	4.6
76	Other diseases of respiratory system	85	9.5	38	7.2	41	15.3	5	7.7	92	10.0	55	10.0	26	9.7	4	6.1
77	Peptic ulcer	4	0.4	4	0.8	3	1.1	0	0.0	2	0.2	2	0.4	2	0.7	0	0.0
78	Diseases of appendix	1	0.1	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
79	Hernia	6	0.7	3	0.6	2	0.7	0	0.0	5	0.5	4	0.7	1	0.4	0	0.0
80	Alcoholic liver disease	103	11.5	52	9.9	24	9.0	1	1.5	25	2.7	13	2.4	9	3.3	0	0.0
81	Other chronic liver disease and cirrhosis	105	11.7	79	15.0	20	7.5	4	6.1	71	7.7	54	9.9	20	7.4	6	9.2
82	Cholelithiasis and other disorders of gallbladder	5	0.6	7	1.3	1	0.4	0	0.0	12	1.3	5	0.9	4	1.5	0	0.0
83	Acute and rapidly progressive nephritic and nephrotic syndrome	1	0.1	0	0.0	0	0.0	0	0.0	1	0.1	1	0.2	0	0.0	0	0.0
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic,	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
85	Renal failure	122	13.6	74	14.1	43	16.1	12	18.4	144	15.6	67	12.2	28	10.4	15	23.0
86	Other disorders of kidney	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
87	Infections of kidney	0	0.0	1	0.2	0	0.0	1	1.5	2	0.2	1	0.2	3	1.1	0	0.0
88	Hyperplasia of prostate	2	0.2	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
89	Inflammatory diseases of female pelvic organs	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
90	Pregnancy with abortive outcome	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.5
91	Other complications of pregnancy, childbirth and the puerperium	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	6	1.1	0	0.0	2	3.1
92	Certain conditions originating in the perinatal period	41	4.6	34	6.5	8	3.0	1	1.5	40	4.3	29	5.3	5	1.9	3	4.6
93	Congenital malformations, deformations and chromosomal abnormalities	26	2.9	25	4.8	11	4.1	2	3.1	31	3.4	18	3.3	7	2.6	2	3.1
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	59	6.6	30	5.7	19	7.1	11	16.9	77	8.3	27	4.9	35	13.0	6	9.2
95	All other diseases (Residual)	686	76.7	326	62.0	312	116.5	40	61.4	979	106.1	449	81.9	427	158.6	54	82.9
96	Motor vehicle accidents	118	13.2	75	14.3	26	9.7	7	10.7	52	5.6	27	4.9	8	3.0	4	6.1
97	Other land transport accidents	5	0.6	4	0.8	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
98	Water, air and space, and other and unspecified transport accidents and their sequelae	7	0.8	1	0.2	3	1.1	0	0.0	7	0.8	0	0.0	1	0.4	1	1.5

Deaths by Gender for Race & Ethnicity Bexar County 2013

113 codes	Causes of death	Male	rate per 100k	Male Hispanic	rate per 100k	Male NH-White	rate per 100k	Male African Am.	rate per 100k	Female	rate per 100k	Female Hispanic	rate per 100k	Female NH-White	rate per 100k	Female African Am.	rate per 100k
99	Falls	91	10.2	41	7.8	67	25.0	4	6.1	96	10.4	43	7.8	69	25.6	2	3.1
100	Accidental discharge of firearms	1	0.1	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0
101	Accidental drowning and submersion	7	0.8	3	0.6	8	3.0	0	0.0	3	0.3	1	0.2	5	1.9	0	0.0
102	Accidental exposure to smoke, fire and flames	5	0.6	2	0.4	3	1.1	0	0.0	2	0.2	1	0.2	0	0.0	0	0.0
103	Accidental poisoning and exposure to noxious substances	111	12.4	74	14.1	42	15.7	12	18.4	52	5.6	24	4.4	20	7.4	3	4.6
104	Other and unspecified nontransport accidents and their sequelae	34	3.8	24	4.6	10	3.7	4	6.1	21	2.3	18	3.3	9	3.3	6	9.2
105	Intentional self harm (suicide) by discharge of firearms	84	9.4	24	4.6	58	21.7	4	6.1	21	2.3	2	0.4	12	4.5	0	0.0
106	Intentional self harm (suicide) by other and unspecified means and their sequelae	45	5.0	28	5.3	25	9.3	0	0.0	24	2.6	11	2.0	9	3.3	1	1.5
107	Assault (homicide) by discharge of firearms	61	6.8	48	9.1	12	4.5	8	12.3	11	1.2	6	1.1	1	0.4	2	3.1
108	Assault (homicide) by other and unspecified means and their sequelae	29	3.2	16	3.0	4	1.5	4	6.1	8	0.9	7	1.3	2	0.7	0	0.0
109	Legal intervention	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
110	Discharge of firearms, undetermined intent	4	0.4	0	0.0	2	0.7	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
111	Other and unspecified events of undetermined intent and their sequelae	12	1.3	5	1.0	3	1.1	0	0.0	5	0.5	3	0.5	2	0.7	0	0.0
112	Operations of war and their sequelae	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
113	Complications of medical and surgical care	8	0.9	1	0.2	2	0.7	0	0.0	5	0.5	3	0.5	2	0.7	0	0.0
0	Missing	1	0.1	3	0.6	0	0.0	0	0.0	2	0.2	3	0.5	1	0.4	0	0.0
	Total	6055	676.6	2818	535.5	2504	935.3	427	655.1	5864	635.5	2565	468.0	2527	938.3	406	623.2
	2013 population	894,866		526,203		267,724		65,184		922,744		548,124		269,306		65,150	

113 Cause of Death coding system developed by the National Center for Health Statistics to promote comparability of data across states and localities on the leading causes of death.
Non-Hispanic White

Causes of Death by Age Groups, Bexar County 2013

113 code	Cause of Death	age <1	age 1-4	age 5-14	age 15-24	age 25-34	age 35-44	age 45-54	age 55-64	age 65-74	age 75-84	age ≥ 85	Total
1	Salmonella infections	0	0	0	0	0	0	0	0	0	0	0	0
2	Shigellosis and amebiasis	0	0	0	0	0	0	0	0	0	0	0	0
3	Certain other intestinal infections	1	0	0	1	0	0	6	3	9	14	13	47
4	Respiratory tuberculosis	0	0	0	0	0	1	1	0	0	1	0	3
5	Other tuberculosis	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough	0	0	0	0	0	0	0	0	0	0	0	0
7	Scarlet fever and erysipelas	0	0	0	0	0	0	0	0	0	0	0	0
8	Meningococcal infection	0	0	0	0	0	0	0	0	0	0	0	0
9	Septicemia	2	1	0	1	3	7	27	37	43	44	50	215
10	Syphilis	0	0	0	0	0	0	0	0	0	0	0	0
11	Acute poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0
12	Arthropod borne viral encephalitis	0	0	0	0	0	0	0	0	0	0	0	0
13	Measles	0	0	0	0	0	0	0	0	0	0	0	0
14	Viral hepatitis	0	0	0	0	0	1	8	18	10	0	1	38
15	Human immunodeficiency virus (HIV) disease	0	0	0	2	6	7	15	13	4	2	0	49
16	Malaria	0	0	0	0	0	0	0	0	0	0	0	0
17	Other and unspecified infectious and parasitic diseases and their sequelae	0	0	1	0	0	0	3	3	8	5	9	29
18	Malignant neoplasms of lip, oral cavity and pharynx	0	0	0	0	0	1	5	4	8	7	6	31
19	Malignant neoplasm of esophagus	0	0	0	0	1	2	2	11	15	8	5	44
20	Malignant neoplasm of stomach	0	0	0	0	4	4	9	3	18	17	9	64
21	Malignant neoplasms of colon, rectum and anus	0	0	0	1	0	9	28	51	55	64	48	256
22	Malignant neoplasms of liver and intrahepatic bile ducts	0	0	0	0	0	1	31	58	50	35	13	188
23	Malignant neoplasm of pancreas	0	0	0	0	0	1	15	38	54	44	21	173
24	Malignant neoplasm of larynx	0	0	0	0	0	0	1	2	3	3	4	13
25	Malignant neoplasms of trachea, bronchus and lung	0	0	0	0	0	3	32	82	162	169	72	520
26	Malignant melanoma of skin	0	0	0	0	1	1	2	3	3	4	1	15
27	Malignant neoplasm of breast	0	0	0	0	4	14	30	44	35	32	23	182
28	Malignant neoplasm of cervix uteri	0	0	0	1	2	3	4	5	2	0	1	18
29	Malignant neoplasms of corpus uteri and uterus, part unspecified	0	0	0	0	0	0	6	14	15	10	8	53
30	Malignant neoplasm of ovary	0	0	0	0	0	1	6	8	19	16	9	59
31	Malignant neoplasm of prostate	0	0	0	0	0	0	2	20	16	38	38	114
32	Malignant neoplasms of kidney and renal pelvis	0	0	0	0	0	1	9	11	21	29	15	86
33	Malignant neoplasm of bladder	0	0	0	0	0	2	3	6	16	16	20	63
34	Malignant neoplasms of meninges, brain and other parts of central nervous	0	0	5	1	1	5	9	20	19	9	12	81
35	Hodgkin's disease	0	0	0	1	0	0	1	1	1	1	0	5
36	Non Hodgkin's lymphoma	0	0	0	1	2	4	6	12	24	33	14	96
37	Leukemia	0	2	1	1	4	4	6	11	21	39	22	111
38	Multiple myeloma and immunoproliferative neoplasms	0	0	0	0	0	0	1	8	11	18	11	49
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related	0	0	0	0	0	0	0	0	0	0	0	0
40	All other and unspecified malignant neoplasms	0	1	3	2	4	6	32	52	83	59	38	280
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	1	1	0	0	1	1	1	8	13	22	19	67
42	Anemias	0	0	0	0	1	1	2	2	5	7	6	24
43	Diabetes mellitus	0	0	0	0	2	17	27	73	110	93	85	407
44	Malnutrition	0	0	0	0	0	0	1	5	9	7	10	32
45	Other nutritional deficiencies	0	0	0	0	0	0	0	0	0	0	0	0
46	Meningitis	0	0	0	0	0	0	0	0	4	0	0	4
47	Parkinson's disease	0	0	0	0	0	0	2	6	20	55	60	143
48	Alzheimer's disease	0	0	0	0	0	0	1	2	14	65	175	257
49	Acute rheumatic fever and chronic rheumatic heart diseases	0	0	0	0	0	2	0	2	3	4	5	16

Causes of Death by Age Groups, Bexar County 2013

113 code	Cause of Death	age <1	age 1-4	age 5-14	age 15-24	age 25-34	age 35-44	age 45-54	age 55-64	age 65-74	age 75-84	age ≥ 85	Total
50	Hypertensive heart disease	0	0	0	0	0	5	11	17	31	25	59	148
51	Hypertensive heart and renal disease	0	0	0	0	0	0	4	3	3	3	9	22
52	Acute myocardial infarction	0	0	0	0	2	8	33	76	96	142	151	508
53	Other acute ischemic heart diseases	0	0	0	0	0	0	1	0	1	2	3	7
54	Atherosclerotic cardiovascular disease, so described	0	0	0	1	0	6	46	77	75	90	104	399
55	All other forms of chronic ischemic heart disease	0	0	0	0	0	3	22	66	143	207	341	782
56	Acute and subacute endocarditis	0	0	0	0	3	1	0	1	0	3	1	9
57	Diseases of pericardium and acute myocarditis	0	0	0	0	1	0	0	0	0	0	1	2
58	Heart failure	0	0	0	0	0	0	9	11	31	60	116	227
59	All other forms of heart disease	3	0	0	2	16	43	73	113	94	148	238	730
60	Essential (primary) hypertension and hypertensive renal disease	0	0	0	0	0	3	3	9	19	42	33	109
61	Cerebrovascular diseases	0	0	0	2	4	16	42	60	88	166	241	619
62	Atherosclerosis	0	0	0	0	0	0	0	0	0	0	2	2
63	Aortic aneurysm and dissection	0	0	0	0	0	1	6	3	4	11	3	28
64	Other diseases of arteries, arterioles and capillaries	0	0	0	0	0	0	6	4	5	8	9	32
65	Other disorders of circulatory system	0	0	0	0	0	2	0	2	2	1	1	8
66	Influenza	1	1	2	0	0	0	1	3	0	4	4	16
67	Pneumonia	1	1	0	0	2	5	12	27	21	37	55	161
68	Acute bronchitis and bronchiolitis	0	0	0	0	0	0	0	0	0	0	0	0
69	Unspecified acute lower respiratory infection	0	0	0	0	0	0	0	0	0	0	0	0
70	Bronchitis, chronic and unspecified	0	0	0	0	0	0	1	0	0	1	0	2
71	Emphysema	0	0	0	0	0	0	2	3	7	11	4	27
72	Asthma	0	0	0	0	0	1	3	0	0	1	0	5
73	Other chronic lower respiratory diseases	0	0	0	0	0	4	8	42	117	157	160	488
74	Pneumoconioses and chemical effects	0	0	0	0	0	0	0	0	0	1	0	1
75	Pneumonitis due to solids and liquids	0	0	0	0	0	1	4	11	19	21	31	87
76	Other diseases of respiratory system	0	1	1	1	2	6	14	23	30	51	48	177
77	Peptic ulcer	0	0	0	0	0	1	1	2	1	0	1	6
78	Diseases of appendix	0	0	0	0	0	0	1	0	0	0	0	1
79	Hernia	0	0	0	0	1	1	0	1	1	2	5	11
80	Alcoholic liver disease	0	0	0	1	2	9	35	59	14	7	1	128
81	Other chronic liver disease and cirrhosis	0	0	0	0	1	8	32	55	41	28	11	176
82	Cholelithiasis and other disorders of gallbladder	0	0	0	0	1	1	1	2	4	3	5	17
83	Acute and rapidly progressive nephritic and nephrotic syndrome	0	0	0	0	0	0	0	0	1	1	0	2
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic,	0	0	0	0	0	0	0	0	0	0	0	0
85	Renal failure	0	0	1	1	4	6	18	30	51	71	84	266
86	Other disorders of kidney	0	0	0	0	0	0	0	0	0	0	0	0
87	Infections of kidney	0	0	0	0	0	0	0	1	1	0	0	2
88	Hyperplasia of prostate	0	0	0	0	0	0	0	0	0	1	1	2
89	Inflammatory diseases of female pelvic organs	0	0	0	0	0	0	0	0	0	0	0	0
90	Pregnancy with abortive outcome	0	0	0	0	0	0	0	0	0	0	0	0
91	Other complications of pregnancy, childbirth and the puerperium	0	0	0	0	2	4	3	0	0	0	0	9
92	Certain conditions originating in the perinatal period	81	0	0	0	0	0	0	0	0	0	0	81
93	Congenital malformations, deformations and chromosomal abnormalities	36	2	1	1	2	3	6	5	0	0	1	57
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	22	5	1	2	7	9	9	12	9	17	43	136
95	All other diseases (Residual)	5	2	5	8	30	42	109	168	186	372	738	1665
96	Motor vehicle accidents	0	1	3	36	33	26	25	19	14	10	3	170
97	Other land transport accidents	0	0	0	0	2	2	0	1	0	0	0	5

Causes of Death by Age Groups, Bexar County 2013

113 code	Cause of Death	age <1	age 1-4	age 5-14	age 15-24	age 25-34	age 35-44	age 45-54	age 55-64	age 65-74	age 75-84	age ≥ 85	Total
98	Water, air and space, and other and unspecified transport accidents and their sequelae	0	0	0	0	2	3	3	4	1	1	0	14
99	Falls	0	0	0	1	3	4	15	11	24	47	82	187
100	Accidental discharge of firearms	0	0	0	1	0	0	0	0	0	0	0	1
101	Accidental drowning and submersion	0	4	0	0	2	1	1	1	0	1	0	10
102	Accidental exposure to smoke, fire and flames	1	0	0	1	0	1	0	1	1	1	1	7
103	Accidental poisoning and exposure to noxious substances	0	2	1	19	45	31	41	21	3	0	0	163
104	Other and unspecified nontransport accidents and their sequelae	4	2	3	1	0	3	9	8	6	6	13	55
105	Intentional self harm (suicide) by discharge of firearms	0	0	0	16	18	11	17	17	10	8	8	105
106	Intentional self harm (suicide) by other and unspecified means and their sequelae	0	0	0	7	13	11	20	16	0	1	1	69
107	Assault (homicide) by discharge of firearms	0	0	2	17	19	18	10	5	1	0	0	72
108	Assault (homicide) by other and unspecified means and their sequelae	2	1	0	6	6	4	5	8	4	1	0	37
109	Legal intervention	0	0	0	0	0	0	0	0	0	0	0	0
110	Discharge of firearms, undetermined intent	0	0	0	0	3	0	1	0	0	0	0	4
111	Other and unspecified events of undetermined intent and their sequelae	0	0	0	1	5	4	3	3	0	1	0	17
112	Operations of war and their sequelae	0	0	0	0	0	0	0	0	0	0	0	0
113	Complications of medical and surgical care	0	0	0	0	1	0	2	3	3	4	0	13
0	Missing	0	0	1	0	0	0	0	0	1	0	1	3
	Total	160	27	31	137	268	407	1,002	1,640	2,066	2,745	3,436	11919

113 Cause of Death coding system developed by the National Center for Health Statistics to promote comparability of data across states and localities on the leading causes of death.

Leading Causes of Death by Age Groups, Bexar County 2013

113 code	Age < 1 Year	#	rate per 1000 live births
92	Certain conditions originating in the perinatal period	81	3.0
93	Congenital malformations, deformations and chromosomal abnormalities	36	1.4
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	22	0.8
95	All other diseases (Residual)	5	0.2
104	Other and unspecified nontransport accidents and their sequelae	4	0.2
59	All other forms of heart disease	3	0.1
9	Septicemia	2	0.1
108	Assault (homicide) by other and unspecified means and their sequelae	2	0.1

113 code	1 - 4 Years	#	rate per 100k
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	5	4.7
101	Accidental drowning and submersion	4	3.8
93	Congenital malformations, deformations and chromosomal abnormalities	2	1.9
95	All other diseases (Residual)	2	1.9
104	Other and unspecified nontransport accidents and their sequelae	2	1.9
37	Leukemia	2	1.9
103	Accidental poisoning and exposure to noxious substances	2	1.9
9	Septicemia	1	0.9

113 code	5 - 14 Years	#	rate per 100k
95	All other diseases (Residual)	5	1.86
34	Malignant neoplasms of meninges, brain and other parts of central nervous	5	1.81
104	Other and unspecified nontransport accidents and their sequelae	3	1.07
40	All other and unspecified malignant neoplasms	3	1.24
96	Motor vehicle accidents	3	1.31
66	Influenza	2	1.05
107	Assault (homicide) by discharge of firearms	2	1.75
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	1	1.17

113 code	15 - 24 Years	#	rate per 100k
96	Motor vehicle accidents	36	13.0
103	Accidental poisoning and exposure to noxious substances	19	6.9
107	Assault (homicide) by discharge of firearms	17	6.1
105	Intentional self harm (suicide) by discharge of firearms	16	5.8
95	All other diseases (Residual)	8	2.9
106	Intentional self harm (suicide) by other and unspecified means and their sequelae	7	2.5
108	Assault (homicide) by other and unspecified means and their sequelae	6	2.2
40	All other and unspecified malignant neoplasms	2	0.7

113 code	25 - 34 Years	#	rate per 100k
103	Accidental poisoning and exposure to noxious substances	45	16.1
96	Motor vehicle accidents	33	11.8
95	All other diseases (Residual)	30	10.7
107	Assault (homicide) by discharge of firearms	19	6.8
105	Intentional self harm (suicide) by discharge of firearms	18	6.4
59	All other forms of heart disease	16	5.7
106	Intentional self harm (suicide) by other and unspecified means and their sequelae	13	4.6
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	7	2.5

113 code	35 - 44 Years	#	rate per 100k
59	All other forms of heart disease	43	17.8
95	All other diseases (Residual)	42	17.4
103	Accidental poisoning and exposure to noxious substances	31	12.9
96	Motor vehicle accidents	26	10.8
107	Assault (homicide) by discharge of firearms	18	7.5
43	Diabetes mellitus	17	7.1
61	Cerebrovascular diseases	16	6.6
27	Malignant neoplasm of breast	14	5.8

113 code	45 - 54 Years		rate per 100k
95	All other diseases (Residual)	109	47.5
59	All other forms of heart disease	73	31.8
54	Atherosclerotic cardiovascular disease, so described	46	20.0
61	Cerebrovascular diseases	42	18.3
103	Accidental poisoning and exposure to noxious substances	41	17.9
80	Alcoholic liver disease	35	15.3
52	Acute myocardial infarction	33	14.4
81	Other chronic liver disease and cirrhosis	32	13.9

113 code	55 - 64 Years	#	rate per 100k
95	All other diseases (Residual)	168	88.6
59	All other forms of heart disease	113	59.6
25	Malignant neoplasms of trachea, bronchus and lung	82	43.3
54	Atherosclerotic cardiovascular disease, so described	77	40.6
52	Acute myocardial infarction	76	40.1
43	Diabetes mellitus	73	38.5
55	All other forms of chronic ischemic heart disease	66	34.8
61	Cerebrovascular diseases	60	31.6

113 code	65 - 74 Years		rate per 100k
95	All other diseases (Residual)	186	162.4
25	Malignant neoplasms of trachea, bronchus and lung	162	141.4
55	All other forms of chronic ischemic heart disease	143	124.8
73	Other chronic lower respiratory diseases	117	102.1
43	Diabetes mellitus	110	96.0
52	Acute myocardial infarction	96	83.8
59	All other forms of heart disease	94	82.1
61	Cerebrovascular diseases	88	76.8

113 code	75 & older	#	rate per 100k
95	All other diseases (Residual)	1110	1296.1
55	All other forms of chronic ischemic heart disease	548	639.9
61	Cerebrovascular diseases	407	475.2
59	All other forms of heart disease	386	450.7
73	Other chronic lower respiratory diseases	317	370.2
52	Acute myocardial infarction	293	342.1
25	Malignant neoplasms of trachea, bronchus and lung	241	281.4
48	Alzheimer's disease	240	280.2

Percentage of premature death (before age 65 years) Bexar County 2013

113 codes	causes of death	Deaths Age <65	All Deaths	% of Deaths age <65	Hispanic Deaths Age <65	Hispanic Deaths all ages	% of Deaths age <65	White NH Deaths < age 65	White NH deaths all ages	% of Deaths age <65	African Am. Deaths < age 65	African Am. deaths all ages	% of Deaths age <65
1	Salmonella infections	0	0		0	0		0	0		0	0	
2	Shigellosis and amebiasis	0	0		0	0		0	0		0	0	
3	Certain other intestinal infections	11	47	23%	6	24	25%	3	21	14%	2	2	100%
4	Respiratory tuberculosis	2	3	67%	1	2	50%	1	1	100%	0	0	
5	Other tuberculosis	0	0		0	0		0	0		0	0	
6	Whooping cough	0	0		0	0		0	0		0	0	
7	Scarlet fever and erysipelas	0	0		0	0		0	0		0	0	
8	Meningococcal infection	0	0		0	0		0	0		0	0	
9	Septicemia	78	215	36%	47	115	41%	23	77	30%	8	20	40%
10	Syphilis	0	0		0	0		0	0		0	0	
11	Acute poliomyelitis	0	0		0	0		0	0		0	0	
12	Arthropod borne viral encephalitis	0	0		0	0		0	0		0	0	
13	Measles	0	0		0	0		0	0		0	0	
14	Viral hepatitis	27	38	71%	18	25	72%	5	8	63%	3	3	100%
15	Human immunodeficiency virus (HIV) disease	43	49	88%	21	27	78%	9	9	100%	13	13	100%
16	Malaria	0	0		0	0		0	0		0	0	
17	Other and unspecified infectious and parasitic diseases and their sequelae	7	29	24%	5	16	31%	1	11	9%	1	2	50%
18-40	Malignant neoplasms	809	2501	32%	422	1092	39%	275	1152	24%	88	209	42%
41	In situ neoplasms, benign neoplasms	13	67	19%	7	27	26%	3	31	10%	2	6	33%
42	Anemias	6	24	25%	5	17	29%	0	4	0%	1	2	50%
43	Diabetes mellitus	119	407	29%	84	260	32%	21	105	20%	13	40	33%
44-45	Nutritional deficiencies	6	32	19%	4	19	21%	2	10	20%	0	3	0%
46	Meningitis	-	4	0%	-	3	0%	-	1	0%	-	-	
47	Parkinson's disease	8	143	6%	4	58	7%	4	78	5%	0	5	0%
48	Alzheimer's disease	3	257	1%	3	110	3%	0	131	0%	0	15	0%
49-59	Heart Disease	661	2850	23%	329	1251	26%	249	1335	19%	73	224	33%
60	Essential (primary) hypertension and hypertensive renal disease	15	109	14%	8	44	18%	4	49	8%	3	14	21%
61	Cerebrovascular diseases	124	619	20%	69	281	25%	32	258	12%	18	67	27%
62	Atherosclerosis	0	2	0%	0	1	0%	0	1	0%	0	0	
63-65	Other diseases of circulatory system	24	68	35%	14	27	52%	7	36	19%	3	4	75%
66-69	Influenza and pneumonia	56	177	32%	30	81	37%	17	72	24%	7	18	39%
70-76	Chronic lower respiratory diseases	128	787	16%	58	250	23%	53	463	11%	15	61	25%
77	Peptic ulcer	4	6	67%	2	3	67%	1	2	50%	1	1	100%
78	Diseases of appendix	1	1	100%	1	1	100%	0	0		0	0	
79	Hernia	3	11	27%	1	6	17%	1	4	25%	1	1	100%
80-82	Chronic liver disease and cirrhosis	207	321	64%	152	232	66%	44	77	57%	9	9	100%
83-87	Renal disease (kidney)	61	270	23%	41	162	25%	7	73	10%	13	31	42%
88	Hyperplasia of prostate	0	2	0%	0	0	#DIV/0!	0	2	0%	0	0	
89	Inflammatory diseases of female pelvic organs	0	0		0	0		0	0		0	0	
90	Pregnancy with abortive outcome	0	0		0	0		0	0		0	0	
91	Pregnancy, childbirth	9	9	100%	8	8	100%	0	0		1	1	100%
92-93	Perinatal, congenital malformations or chromosomal abnormalities	137	138	99%	100	100	100%	23	24	96%	10	10	100%
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	67	136	49%	38	72	53%	18	51	35%	7	8	88%
95	All other diseases (Residual)	369	1665	22%	220	767	29%	102	770	13%	43	107	40%
96	Motor vehicle accidents	143	170	84%	87	105	83%	39	46	85%	15	16	94%
97-104	All other accidents	255	442	58%	154	224	69%	74	181	41%	23	31	74%
105-106	Suicide	146	174	84%	51	53	96%	80	104	77%	8	9	89%
107-108	Homicide	103	109	94%	65	67	97%	20	23	87%	16	17	94%
109-113	All other external causes	26	34	76%	13	14	93%	10	16	63%	3	4	75%
	missing	1	3	33%	1	3	33%	0	0		0	0	
	All Causes of Death	3672	11919	31%	2069	5547	37%	1128	5226	22%	400	953	42%

Percentage of premature death (before age 65 years) used in New York, State and County Tracking Indicators for the Priority Areas. The Prevention Agenda 2013-17 is the blueprint for the state and local action to improve the health of New Yorkers in five priority areas and to reduce health disparities for racial, ethnic, disability, socioeconomic and other groups who experience them http://www.health.ny.gov/prevention/prevention_agenda/2013-2017/index.htm

Age Adjusted Death Rate U.S. and Bexar County 2013

***Note; 2012 Deaths not released by CDC**

113 code	Cause of Death	Bexar County Deaths	Bexar County Crude Death Rate	Bexar County Age Adjusted Death Rate	U.S. Death Crude Rate*	U.S. Age Adjusted Death Rate*
1	Salmonella infections	0	0.0	0.0	0.0	0.0
2	Shigellosis and amebiasis	0	0.0	0.0	*	*
3	Certain other intestinal infections	47	2.6	2.9	3.5	3.3
4	Respiratory tuberculosis	3	0.2	0.1	0.2	0.1
5	Other tuberculosis	0	0.0	0.0	0.0	0.0
6	Whooping cough	0	0.0	0.0	*	*
7	Scarlet fever and erysipelas	0	0.0	0.0	*	*
8	Meningococcal infection	0	0.0	0.0	*	0.0
9	Septicemia	215	12.0	12.4	11.4	10.5
10	Syphilis	0	0.0	0.0	0.0	0.0
11	Acute poliomyelitis	0	0.0	0.0	*	*
12	Arthropod borne viral encephalitis	0	0.0	0.0	*	*
13	Measles	0	0.0	0.0	*	*
14	Viral hepatitis	38	2.1	1.9	2.5	2.1
15	Human immunodeficiency virus (HIV) disease	49	2.7	2.2	2.5	2.4
16	Malaria	0	0.0	0.0	*	*
17	Other and unspecified infectious and parasitic diseases and their sequelae	29	1.6	1.8	1.8	1.7
18-40	Malignant neoplasms	2501	140.1	147.4	184.6	168.6
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	67	3.8	4.1	4.8	4.5
42	Anemias	24	1.3	1.4	1.6	1.6
43	Diabetes mellitus	407	22.8	23.5	23.5	21.5
44-45	Nutritional deficiencies	32	1.8	1.9	1.0	0.9
46	Meningitis	4	0.2	0.2	0.2	0.2
47	Parkinson's disease	143	8.0	9.3	7.4	7.0
48	Alzheimer's disease	257	14.4	16.5	27.2	24.6
49-59	Heart Disease	2850	159.6	171.0	191.4	173.7
60	Essential (primary) hypertension and hypertensive renal disease	109	6.1	6.8	8.8	8.0
61	Cerebrovascular diseases	619	34.7	37.7	41.4	37.9
62	Atherosclerosis	2	0.1	0.1	2.3	2.0
63-65	Other diseases of circulatory system	68	3.8	4.0	6.0	1.3
66-69	Influenza and pneumonia	177	9.9	10.4	17.2	15.7
70-76	Chronic lower respiratory diseases	787	44.1	48.7	46.0	42.7
77	Peptic ulcer	6	0.3	0.3	1.0	0.8
78	Diseases of appendix	1	0.1	0.1	0.1	0.1
79	Hernia	11	0.6	0.6	0.6	0.6
80-82	Chronic liver disease and cirrhosis	321	18.0	16.8	10.8	9.7
83-87	Renal disease (kidney)	270	15.1	16.3	14.0	12.8
88	Hyperplasia of prostate	2	0.1	0.1	0.2	0.2
89	Inflammatory diseases of female pelvic organs	0	0.0	0.0	0.0	0.0
90	Pregnancy with abortive outcome	0	0.0	0.0	0.0	0.0
91	Pregnancy, childbirth	9	0.5	0.3	0.3	0.3
92-93	Perinatal, congenital malformations or chromosomal abnormalities	138	7.7	7.0	3.1	3.2
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere	136	7.6	7.4	15.3	14.2
95	All other diseases (Residual)	1665	93.2	100.1	92.7	84.4
96	Motor vehicle accidents	170	9.5	7.7	11.1	10.9
97-104	All other accidents and adverse events	442	24.8	22.9	39.4	38.0
105-106	Suicide	174	9.7	8.1	6.3	6.1
107-108	Homicide	109	6.1	4.5	5.1	3.6
109-113	All other external causes	34	1.9	1.7	1.4	1.4
	Missing	3	0.2			
	Total	**11919**	**667.5**	**726.2**	**806.5**	**740.6**
			1,785,704			

* Figure does not meet standards of reliability or precision

http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_06.pdf

Rate per 100,000 population, 2000 US standard million population

Age-adjusted death rates eliminate the bias of age in the makeup of the populations being compared, thereby providing a much more reliable rate for comparison purposes. This analysis also uses direct standardization which consists of applying specific crude rates to a standard population.

Years of potential life lost before age 75 (YPLL), Bexar County 2013

		Total		Hispanic		White NH		African Am.	
113 code	**Cause of Death**	Years	Rate	Years	Rate	Years	Rate	Years	Rate
1	Salmonella infections	0	-	0	-	0	-	0	-
2	Shigellosis and amebiasis	0	-	0	-	0	-	0	-
3	Certain other intestinal infections	1140	66	693	67	378	76	69	55
4	Respiratory tuberculosis	91	5	39	4	52	11	0	-
5	Other tuberculosis	0	-	0	-	0	-	0	-
6	Whooping cough	0	-	0	-	0	-	0	-
7	Scarlet fever and erysipelas	0	-	0	-	0	-	0	-
8	Meningococcal infection	0	-	0	-	0	-	0	-
9	Septicemia	6948	401	3882	374	2247	454	678	541
10	Syphilis	0	-	0	-	0	-	0	-
11	Acute poliomyelitis	0	-	0	-	0	-	0	-
12	Arthropod borne viral encephalitis	0	-	0	-	0	-	0	-
13	Measles	0	-	0	-	0	-	0	-
14	Viral hepatitis	2204	127	1480	143	485	98	178	142
15	Human immunodeficiency virus (HIV) disease	2324	134	1209	116	484	98	631	504
16	Malaria	0	-	0	-	0	-	0	-
17	and parasitic diseases and their	892	52	441	42	398	80	53	42
18-40	Malignant neoplasms	88687	5,121	42049	4,052	36608	7,394	8087	6,458
41	neoplasms and neoplasms of	1530	88	691	67	406	82	335	267
42	Anemias	647	37	472	45	74	15	29	23
43	Diabetes mellitus	14104	814	9703	935	3278	662	993	793
44-45	Nutritional deficiencies	969	56	510	49	318	64	141	113
46	Meningitis	275	16	208	20	67	14	0	-
47	Parkinson's disease	1885	109	943	91	809	163	68	54
48	Alzheimer's disease	1164	67	662	64	360	73	142	113
49-59	Heart Disease	68461	3,953	34640	3,338	25666	5,184	7011	5,598
60	and hypertensive renal disease	2136	123	1232	119	662	134	242	193
61	Cerebrovascular diseases	12654	731	6952	670	3426	692	1918	1,532
62	Atherosclerosis	0	-	0	-	0	-	0	-
63-65	Other diseases of circulatory system	2034	117	1013	98	854	172	167	133
66-69	Influenza and pneumonia	4177	241	1847	178	1344	271	716	572
70-76	Chronic lower respiratory diseases	19035	1,099	6472	624	10398	2,100	1837	1,467
77	Peptic ulcer	277	16	169	16	57	12	51	41
78	Diseases of appendix	54	3	54	5	0	-	0	-
79	Hernia	200	12	59	6	114	23	27	22
80-82	Chronic liver disease and cirrhosis	15218	879	11102	1,070	3426	692	513	410
83-87	Renal disease (kidney)	6853	396	4405	424	1220	246	1088	869
88	Hyperplasia of prostate	0	-	0	-	0	-	0	-
89	Inflammatory diseases of female pelvic organs	0	-	0	-	0	-	0	-
90	Pregnancy with abortive outcome	0	-	0	-	0	-	0	-
91	Pregnancy, childbirth	364	21	327	32	0	-	37	30
92-93	or chromosomal abnormalities	790	46	586	56	148	30	56	45
94	clinical and laboratory findings, not	2389	138	1172	113	901	182	176	141
95	All other diseases (Residual)	31228	1,803	16689	1,608	11367	2,296	3068	2,450
96	Motor vehicle accidents	6084	351	3484	336	1885	381	540	431
97-104	All other accidents and adverse events	12592	727	7099	684	4158	840	1160	926
105-106	Suicide	6756	390	1889	182	4372	883	224	179
107-108	Homicide	3941	228	2336	225	940	190	584	466
109-113	All other external causes	1297	75	574	55	544		179	143
	missing	77	4	77	7	0	-	0	-
	All Causes of death	319,477	18,446	165,160	15,915	117,446	23,723	30,998	24,752
	Population 2013 ages <75 years		1731970		1,037,770		495074		125,234

a population, to obtain a total sum of the life-years lost before ages 65, 75, or 85 (for example). There is debate over how “premature” death is defined and which age – 65, 75, or 85 . The YPLL measure is presented as a rate per 100,000 population

Leading Causes of Death by Gender age 45 to 64 by Race and Ethnicity, Bexar County 2013

113 codes	Cause of Death	Males	rate per 100k
18-40	Malignant neoplasms	385	191.3
49-59	Heart Disease	369	183.3
95	All other diseases (Residual)	164	81.5
80-82	Chronic liver disease and cirrhosis	135	67.1
97-104	All other accidents and adverse events	79	39.2
61	Cerebrovascular diseases	64	31.8
70-76	Chronic lower respiratory diseases	64	31.8
43	Diabetes mellitus	52	25.8
105-106	Suicide	46	22.9
96	Motor vehicle accidents	34	16.9
	2013 Population for Bexar County age 45 to 64	201274	

113 codes	Cause of Death	Hispanic Males	rate per 100k
18-40	Malignant neoplasms	198	189.0
49-59	Heart Disease	184	175.6
95	All other diseases (Residual)	104	99.3
80-82	Chronic liver disease and cirrhosis	100	95.4
97-104	All other accidents and adverse events	43	41.0
61	Cerebrovascular diseases	34	32.4
43	Diabetes mellitus	34	32.4
70-76	Chronic lower respiratory diseases	31	29.6
83-87	Renal disease (kidney)	21	20.0
96	Motor vehicle accidents	17	16.2
	2013 Population for Bexar County age 45 to 64	104782	

113 codes	Cause of Death	White NH Males	rate per 100k
49-59	Heart Disease	140	189.5
18-40	Malignant neoplasms	131	177.3
95	All other diseases (Residual)	45	60.9
105-106	Suicide	34	46.0
80-82	Chronic liver disease and cirrhosis	28	37.9
97-104	All other accidents and adverse events	26	35.2
70-76	Chronic lower respiratory diseases	23	31.1
61	Cerebrovascular diseases	19	25.7
96	Motor vehicle accidents	15	20.3
43	Diabetes mellitus	13	17.6
	2013 Population for Bexar County age 45 to 64	73898	

113 codes	Cause of Death	Black Males	rate per 100k
18-40	Malignant neoplasms	48	300.7
49-59	Heart Disease	38	238.0
95	All other diseases (Residual)	13	81.4
97-104	All other accidents and adverse events	9	56.4
70-76	Chronic lower respiratory diseases	9	56.4
15	Human immunodeficiency virus (HIV) disease	9	56.4
61	Cerebrovascular diseases	8	50.1
80-82	Chronic liver disease and cirrhosis	5	31.3
43	Diabetes mellitus	5	31.3
66-69	Influenza and pneumonia	5	31.3
	2013 Population for Bexar County age 45 to 64	15964	

113 codes	Cause of Death	Females	rate per 100k
18-40	Malignant neoplasms	319	158.5
49-59	Heart Disease	196	97.4
95	All other diseases (Residual)	113	56.1
80-82	Chronic liver disease and cirrhosis	49	24.3
43	Diabetes mellitus	48	23.8
70-76	Chronic lower respiratory diseases	47	23.4
61	Cerebrovascular diseases	38	18.9
97-104	All other accidents and adverse events	37	18.4
9	Septicemia	36	17.9
105-106	Suicide	24	11.9
	2013 Population for Bexar County age 45 to 64	217791	

113 codes	Cause of Death	Hispanic Females	rate per 100k
18-40	Malignant neoplasms	160	152.7
49-59	Heart Disease	96	91.6
95	All other diseases (Residual)	60	57.3
43	Diabetes mellitus	37	35.3
80-82	Chronic liver disease and cirrhosis	33	31.5
61	Cerebrovascular diseases	23	22.0
9	Septicemia	22	21.0
70-76	Chronic lower respiratory diseases	19	18.1
97-104	All other accidents and adverse events	17	16.2
83-87	Renal disease (kidney)	12	11.5
	2013 Population for Bexar County age 45 to 64	115959	

113 codes	Cause of Death	White NH Females	rate per 100k
18-40	Malignant neoplasms	117	158.3
49-59	Heart Disease	76	102.8
95	All other diseases (Residual)	37	50.1
70-76	Chronic lower respiratory diseases	22	29.8
97-104	All other accidents and adverse events	18	24.4
105-106	Suicide	17	23.0
80-82	Chronic liver disease and cirrhosis	12	16.2
9	Septicemia	11	14.9
61	Cerebrovascular diseases	9	12.2
66-69	Influenza and pneumonia	7	9.5
	2013 Population for Bexar County age 45 to 64	76785	

113 codes	Cause of Death	Black Females	rate per 100k
18-40	Malignant neoplasms	30	187.9
49-59	Heart Disease	23	144.1
95	All other diseases (Residual)	16	100.2
83-87	Renal disease (kidney)	7	43.8
61	Cerebrovascular diseases	6	37.6
70-76	Chronic lower respiratory diseases	5	31.3
43	Diabetes mellitus	5	31.3
80-82	Chronic liver disease and cirrhosis	4	25.1
9	Septicemia	3	18.8
96	Motor vehicle accidents	3	18.8
	2013 Population for Bexar County age 45 to 64	16352	

Note Age-specific Rates (45 to 64): The more detailed analysis of the causes of death for this age group shows was done to show some of the health disparities in causes of death by race and ethnicity. The deaths of middle-age adults present a public health concern and an opportunity for prevention. 113 Code: Cause of Death coding system developed by the National Center for Health Statistics to promote comparability of data across states and localities on the leading causes of death.

Selected Causes of Deaths by City of San Antonio Council District 2013

District	2010 Population*	All Deaths		Cancer		Diabetes		Heart Disease		Suicide		Homicide		Cerebrovascular		COPD	
		#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k
1	126,569	1088	859.6	207	163.5	43	34.0	273	215.7	13	10.3	6	4.7	50	39.5	68	53.7
2	128,925	1145	888.1	211	163.7	39	30.3	274	212.5	22	17.1	10	7.8	65	50.4	85	65.9
3	129,081	1081	837.5	229	177.4	60	46.5	249	192.9	6	4.6	18	13.9	54	41.8	70	54.2
4	127,147	803	631.6	140	110.1	39	30.7	185	145.5	10	7.9	8	6.3	39	30.7	48	37.8
5	126,243	1137	900.6	198	156.8	57	45.2	268	212.3	6	4.8	13	10.3	58	45.9	63	49.9
6	134,419	659	490.3	157	116.8	25	18.6	148	110.1	8	6.0	6	4.5	25	18.6	33	24.6
7	139,235	1048	752.7	224	160.9	36	25.9	262	188.2	16	11.5	4	2.9	61	43.8	62	44.5
8	139,156	743	533.9	179	128.6	12	8.6	165	118.6	12	8.6	7	5.0	37	26.6	37	26.6
9	139,300	773	554.9	181	129.9	11	7.9	193	138.5	17	12.2	2	1.4	38	27.3	53	38.0
10	138,910	945	680.3	216	155.5	27	19.4	237	170.6	15	10.8	5	3.6	59	42.5	91	65.5
Total	1,328,985	9422	709.0	1942	146.1	349	26.3	2254	169.6	125	9.4	79	5.9	486	36.6	610	45.9

Note: council district boundary changes were approved late in 2012

Selected Causes of Deaths by City of San Antonio Council District 2012

District	2010 Population*	All Deaths		Cancer		Diabetes		Heart Disease		Suicide		Homicide		Cerebrovascular		COPD	
		#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k
1	126,569	912	720.6	175	138.3	37	29.2	222	175.4	8	6.3	5	4.0	49	38.7	65	51.4
2	128,925	1028	797.4	191	148.1	43	33.4	233	180.7	16	12.4	19	14.7	69	53.5	83	64.4
3	129,081	925	716.6	179	138.7	42	32.5	211	163.5	3	2.3	14	10.8	59	45.7	71	55.0
4	127,147	800	629.2	176	138.4	36	28.3	159	125.1	12	9.4	13	10.2	39	30.7	56	44.0
5	126,243	897	710.5	178	141.0	33	26.1	180	142.6	7	5.5	14	11.1	52	41.2	41	32.5
6	134,419	804	598.1	192	142.8	45	33.5	160	119.0	14	10.4	10	7.4	39	29.0	50	37.2
7	139,235	1009	724.7	183	131.4	47	33.8	225	161.6	13	9.3	7	5.0	64	46.0	72	51.7
8	139,156	789	567.0	184	132.2	13	9.3	170	122.2	23	16.5	2	1.4	32	23.0	55	39.5
9	139,300	1003	720.0	205	147.2	19	13.6	205	147.2	16	11.5	7	5.0	58	41.6	86	61.7
10	138,910	927	667.3	204	146.9	27	19.4	222	159.8	18	13.0	7	5.0	54	38.9	65	46.8
Total	1,328,985	9094	684.3	1867	140.5	342	25.7	1987	149.5	130	9.8	98	7.4	515	38.8	644	48.5

Selected Causes of Deaths by City Council District 2011

District	2010 Population*	All Deaths		Cancer		Diabetes		Heart Disease		Suicide		Homicide		Cerebrovascular		COPD	
		#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k	#	rate per 100k
1	126,569	879	694.5	170	134.3	38	30.0	189	149.3	4	3.2	2	1.6	44	34.8	45	35.6
2	128,925	1012	785.0	216	167.5	50	38.8	196	152.0	9	7.0	22	17.1	49	38.0	63	48.9
3	129,081	982	760.8	192	148.7	51	39.5	225	174.3	7	5.4	6	4.6	57	44.2	63	48.8
4	127,147	829	652.0	173	136.1	46	36.2	163	128.2	9	7.1	10	7.9	57	44.8	48	37.8
5	126,243	902	714.5	167	132.3	52	41.2	181	143.4	4	3.2	10	7.9	39	30.9	45	35.6
6	134,419	755	561.7	181	134.7	25	18.6	159	118.3	11	8.2	5	3.7	42	31.2	37	27.5
7	139,235	958	688.0	203	145.8	48	34.5	229	164.5	11	7.9	11	7.9	48	34.5	61	43.8
8	139,156	779	559.8	173	124.3	27	19.4	166	119.3	14	10.1	1	0.7	38	27.3	53	38.1
9	139,300	914	656.1	188	135.0	16	11.5	225	161.5	23	16.5	2	1.4	60	43.1	66	47.4
10	138,910	814	586.0	200	144.0	21	15.1	173	124.5	22	15.8	5	3.6	40	28.8	61	43.9
Total	1,328,985	8824	664.0	1863	140.2	374	28.1	1906	143.4	114	8.6	74	5.6	474	35.7	542	40.8

Crude Rate per 100,000 population

* Population based on CoSA ITSD – GIS and 2010 Census, Updated 03/04/2014


Suicide Death rate by District by Year
rate per 100,000
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013


Homicide Death rate by District by Year
rate per 100,000
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013


COPD Death rate by District by Year
rate per 100,000
70
60
50
40
30
20
10
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013


Diabetes Death rate by District by Year
rate per 100,000
50
40
30
20
10
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013


Heart Disease Death rate by District by Year
rate per 100,000
250
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013


Cancer Death rate by District by Year
rate per 100,000
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
COSA
2011
2012
2013

Select Causes of Death by Zip Code 2013

ZIPCODE	All Deaths	Heart Disease	Cancer	COPD	Cerebrovascular	Diabetes	Suicide	Homicide	Infant Deaths
78002	46	17	11	1	1	3	1	-	-
78006	25	1	6	5	1	-	1	1	1
78015	30	9	10	6	1	-	-	-	-
78023	107	17	34	7	1	2	2	1	2
78052	2	-	1	1	-	-	-	-	-
78054	3	3	-	-	-	-	-	-	-
78069	22	6	4	3	-	1	-	-	2
78073	55	14	14	2	1	3	1	-	-
78101	26	7	3	2	2	-	-	-	-
78108	5	2	-	-	2	-	-	-	-
78109	189	39	45	14	13	11	5	3	2
78112	53	12	13	8	3	2	1	-	-
78148	133	29	35	16	4	4	-	1	1
78152	16	6	5	1	-	1	-	-	-
78154	37	10	11	1	2	2	-	-	-
78201	386	103	70	20	15	13	1	3	-
78202	121	34	18	9	10	2	1	1	1
78203	61	17	13	4	3	2	-	1	2
78204	121	30	26	3	7	5	1	1	2
78205	27	10	4	3	3	-	-	-	-
78207	472	108	80	30	22	20	2	4	10
78208	48	11	9	3	2	1	-	1	1
78209	433	129	77	38	31	14	9	1	5
78210	343	83	53	20	21	20	5	4	2
78211	271	67	44	13	12	18	4	5	8
78212	277	67	49	22	12	8	6	1	1
78213	322	70	71	19	19	8	4	2	6
78214	211	49	41	13	16	18	-	2	2
78215	10	3	2	-	1	-	-	1	-
78216	264	70	64	19	14	8	5	1	4
78217	252	64	50	30	15	4	7	2	2
78218	305	72	57	21	20	5	8	5	5
78219	143	40	29	8	5	4	1	4	1
78220	258	57	50	18	24	13	1	1	4
78221	284	64	64	19	11	13	1	5	4
78222	190	53	31	19	5	6	2	1	1
78223	371	92	83	19	17	20	4	6	4
78224	117	29	20	3	7	5	1	1	2
78225	118	34	22	5	6	4	1	-	-
78226	69	15	11	-	5	5	1	1	-
78227	335	70	70	29	12	12	1	2	8
78228	476	117	89	30	31	21	4	2	2
78229	235	68	40	7	13	1	6	1	2
78230	293	66	75	18	12	6	3	3	2
78231	65	14	21	2	4	-	-	-	-
78232	235	61	43	14	10	5	6	1	3
78233	297	54	73	36	18	12	4	4	2
78234	9	1	1	1	-	-	2	-	-
78235	4	1	1	-	-	-	-	-	-
78236	-	-	-	-	-	-	-	-	-
78237	351	87	69	15	13	14	-	5	5
78238	148	30	37	7	11	6	2	-	5
78239	300	71	57	23	17	5	4	4	4
78240	389	95	79	29	21	10	7	1	4
78241	-	-	-	-	-	-	-	-	-
78242	178	38	36	10	12	11	2	2	4
78244	132	30	28	5	9	4	3	1	2

Select Causes of Death by Zip Code 2013

ZIPCODE	All Deaths	Heart Disease	Cancer	COPD	Cerebrovascular	Diabetes	Suicide	Homicide	Infant Deaths
78245	262	65	44	7	11	6	6	5	7
78247	255	61	73	26	11	8	5	1	-
78248	64	18	15	1	2	2	2	-	-
78249	177	31	53	7	12	5	3	2	2
78250	232	57	50	13	9	9	4	2	5
78251	191	39	48	7	12	8	3	3	6
78252	28	5	5	1	-	3	3	1	1
78253	129	26	36	8	8	1	1	4	5
78254	156	32	43	12	2	4	9	3	2
78255	59	9	18	6	5	1	1	-	2
78256	14	2	5	-	1	-	-	-	1
78257	28	4	7	1	-	-	-	-	1
78258	206	48	47	16	8	-	3	-	4
78259	83	23	23	4	4	1	4	-	-
78260	99	23	28	2	5	-	4	-	2
78261	33	5	12	1	1	-	3	-	-
78263	46	10	9	7	1	1	-	1	-
78264	76	22	16	10	2	3	1	-	2
78266	10	2	3	-	-	-	1	-	-
sub-Total	11,818	2,828	2,484	780	611	404	173	108	158
missing data	101	22	17	7	8	3	1	1	2
Total	11,919	2,850	2,501	787	619	407	174	109	160

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1101	27	11	4	-	3	1	-	-	-
1103	21	6	1	-	2	1	-	-	1
1105	15	3	1	2	-	-	-	1	1
1106	45	15	7	-	4	-	-	1	1
1107	14	4	2	-	2	-	-	-	-
1108	24	7	5	-	1	1	1	-	-
1109	5	1	1	-	-	2	-	-	-
1110	32	5	7	1	2	1	-	2	-
1201	6	-	1	-	1	-	1	-	-
1203	86	25	18	2	6	3	2	-	-
1204	55	17	11	1	5	6	-	-	-
1205.01	88	16	15	2	9	6	4	1	4
1205.02	52	12	11	1	4	3	-	2	1
1206	54	14	10	3	2	4	1	-	2
1207.01	61	15	10	6	7	4	2	1	-
1207.02	88	35	13	-	7	5	1	-	-
1208	50	15	8	1	3	7	-	-	1
1209.01	37	14	10	-	2	4	-	1	-
1209.02	63	19	9	-	1	6	2	-	2
1210	70	19	12	-	11	4	3	-	-
1211.08	56	13	11	1	3	1	2	-	-
1211.10	21	4	5	2	4	-	2	-	-
1211.11	39	9	10	2	3	-	-	-	-
1211.12	35	3	7	2	6	2	1	-	-
1211.15	28	7	7	-	1	2	1	-	-
1211.16	36	13	3	2	2	1	3	-	-
1211.17	28	5	9	-	3	-	-	-	-
1211.18	23	3	5	1	-	1	-	-	3
1211.19	29	9	6	-	3	3	1	-	-
1211.20	10	2	3	-	-	1	1	-	-
1211.21	13	1	5	1	1	1	-	-	-
1211.22	35	7	15	1	6	2	-	-	-
1212.03	25	6	4	-	4	-	1	-	-
1212.04	44	12	9	-	5	3	1	1	-
1212.05	15	7	1	-	1	-	-	-	-
1212.06	76	13	23	3	8	4	-	-	2
1213	85	20	19	2	8	3	-	-	1
1214.02	25	5	8	-	2	-	1	-	1
1214.03	54	10	12	-	2	7	2	1	-
1214.04	33	11	3	2	3	-	-	1	-
1215.01	48	13	6	1	4	3	1	2	-
1215.04	72	18	9	2	7	7	-	3	-
1215.05	27	5	4	4	2	2	1	-	2
1215.06	75	19	16	1	2	4	2	-	2
1215.07	53	12	8	1	5	3	1	1	1
1215.08	22	3	6	1	1	2	1	-	-
1216.01	31	6	8	-	4	1	-	-	1
1216.04	32	4	15	2	2	1	-	-	-
1216.05	28	1	8	-	6	3	1	1	-
1216.06	37	5	8	1	7	2	-	-	-
1217.01	56	14	11	3	7	2	-	1	-
1217.02	41	10	14	-	3	1	-	-	-
1218.02	35	5	7	-	4	2	1	-	-
1218.03	28	8	9	1	3	2	-	-	-
1218.04	30	8	5	3	2	3	1	1	-
1218.08	24	7	2	-	2	4	1	-	-
1218.09	44	12	9	4	5	-	-	-	-
1218.10	16	3	9	-	-	-	-	-	-
1218.11	10	1	4	-	1	-	-	1	-
1218.12	32	7	13	-	4	-	-	-	-
1218.13	13	7	2	-	1	-	-	-	-
1219.03	26	8	9	1	2	1	1	-	-

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1219.04	6	2	2	-	-	-	-	-	-
1219.05	27	10	8	-	-	-	1	-	-
1219.06	14	4	-	-	1	-	2	-	-
1219.07	18	1	7	-	1	1	2	-	-
1219.08	6	1	2	-	-	-	-	-	-
1219.09	21	3	7	2	-	1	-	-	-
1219.10	19	3	6	-	1	2	2	-	-
1302	26	7	7	1	2	2	-	-	1
1303	27	8	4	2	1	1	3	-	-
1304.01	45	12	6	3	3	2	1	-	-
1304.02	42	9	9	5	4	2	-	-	1
1305	37	10	4	-	2	6	-	1	-
1306	44	15	8	1	-	3	1	-	-
1307	19	7	2	-	1	1	-	-	1
1308	54	9	12	3	6	5	1	1	1
1309	51	14	12	2	4	4	-	1	1
1310	105	27	15	4	9	9	-	-	-
1311	24	5	5	3	-	1	-	-	1
1312	39	10	8	2	-	2	1	-	1
1313	78	17	18	2	4	5	1	-	-
1314.01	32	9	7	1	1	-	-	-	-
1314.02	28	8	4	-	4	-	-	-	1
1315.03	33	10	6	-	3	1	1	-	-
1315.04	24	7	6	1	-	-	-	-	-
1315.05	13	5	3	-	-	-	1	-	-
1315.06	18	1	6	-	1	-	-	-	-
1315.07	31	9	4	1	2	-	2	1	1
1316.01	15	8	3	-	1	1	-	-	-
1316.06	26	6	6	2	3	2	-	2	-
1316.08	21	6	8	-	1	2	1	-	-
1316.09	41	9	8	-	3	6	-	-	-
1316.10	23	4	7	1	2	1	1	-	-
1316.11	4	-	1	-	-	-	-	-	-
1316.12	3	-	1	-	-	-	-	-	-
1316.13	19	1	3	1	-	3	1	-	1
1316.14	15	3	3	1	-	-	-	1	-
1316.15	40	10	10	2	-	3	2	1	-
1317	-	-	-	-	-	-	-	-	-
1318.01	14	4	5	-	2	-	-	-	-
1318.02	39	13	4	1	2	3	-	-	-
1401	18	7	1	1	2	-	-	-	-
1402	27	3	4	2	2	1	-	-	-
1403	28	7	3	2	-	2	-	-	1
1404	34	6	6	1	1	4	-	2	-
1405	36	7	5	4	2	1	1	1	-
1406	26	4	8	-	-	6	-	-	1
1407	46	13	8	-	3	1	-	-	-
1408	61	14	12	4	4	2	2	2	-
1409	15	4	4	-	2	-	-	-	-
1410	23	4	9	1	1	2	-	-	-
1411.01	49	12	11	5	4	-	-	-	-
1411.02	31	5	9	1	1	2	1	1	-
1412	55	15	9	3	2	5	-	1	-
1413	75	17	12	4	9	2	-	2	-
1414.02	10	7	-	1	-	-	-	-	2
1414.03	28	8	3	2	3	3	-	-	-
1414.04	38	6	13	3	2	-	-	2	1
1416	18	4	5	1	1	1	-	-	-
1417	23	8	3	-	3	1	-	1	-
1418	31	10	8	-	4	1	1	-	-
1419	51	16	11	1	6	2	-	1	-
1501	53	11	13	2	-	3	-	-	2

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1503	44	7	7	4	2	3	-	-	-
1504	37	10	7	1	2	-	-	-	-
1505.01	35	7	12	3	1	3	1	2	1
1505.02	35	7	5	4	2	1	-	1	2
1506	45	11	12	2	3	5	-	1	-
1507	42	11	10	4	1	2	-	-	1
1508	21	6	2	2	4	-	-	-	2
1509	62	14	15	3	6	4	-	1	-
1510	25	8	6	1	-	-	-	-	-
1511	72	22	7	5	3	3	1	-	-
1512	66	17	9	3	1	3	-	1	1
1513.01	53	14	14	1	4	1	1	1	3
1513.02	19	3	7	1	1	2	-	-	-
1514	30	6	8	1	3	1	-	-	-
1515	22	4	5	3	-	1	-	1	-
1516	65	9	9	8	5	2	-	1	1
1517	52	10	16	-	5	2	-	1	-
1519	36	14	3	3	2	2	-	-	-
1520	10	4	1	-	-	2	-	-	-
1521	50	13	7	2	8	1	1	1	-
1522.01	43	13	10	1	3	2	1	-	3
1522.02	25	5	7	-	3	1	1	-	-
1601	56	14	10	2	4	3	1	-	4
1602	33	9	5	1	2	4	-	-	-
1603	46	11	8	2	3	2	-	-	-
1604	48	14	8	3	-	4	-	-	-
1605.01	31	10	6	2	-	3	-	2	-
1605.02	52	10	10	3	4	3	1	-	1
1606	54	12	8	3	3	1	-	1	1
1607.01	21	5	8	-	1	-	-	-	-
1607.02	50	12	6	5	-	5	1	1	-
1609.01	27	10	4	1	1	3	-	-	1
1609.02	28	4	6	1	2	2	-	-	-
1610	28	7	2	1	1	3	-	-	-
1611	69	16	11	5	3	1	3	2	3
1612	12	-	2	1	-	1	-	-	1
1613.02	21	3	8	2	1	1	1	-	-
1613.03	19	2	4	1	-	1	-	-	2
1613.04	28	9	3	1	1	2	-	1	1
1614	-	-	-	-	-	-	-	-	-
1615.01	60	12	6	7	5	5	1	-	-
1615.03	25	6	9	-	3	1	-	-	-
1615.04	27	6	7	-	-	2	-	1	1
1616	34	3	10	2	3	-	-	-	1
1618.01	42	11	9	1	4	2	-	-	1
1618.02	21	5	2	3	-	-	1	-	1
1619.01	9	3	2	-	1	-	-	-	-
1619.02	32	12	7	3	1	2	2	1	-
1620.01	13	4	3	1	-	-	-	-	-
1620.03	38	10	8	2	2	-	1	-	2
1620.04	30	9	8	1	2	-	-	-	-
1701.01	31	2	8	5	2	2	-	-	1
1701.02	23	6	1	-	-	1	-	-	1
1702	61	11	12	1	4	3	-	-	-
1703	49	14	10	1	-	2	-	1	-
1704.01	41	10	7	2	4	3	-	-	-
1704.02	38	8	7	1	5	-	-	-	-
1705	45	12	4	5	1	2	-	1	-
1706	32	5	9	-	1	7	-	-	-
1707	45	8	6	2	5	1	1	-	-
1708	19	4	4	1	1	1	-	-	-
1709	49	12	8	1	3	2	1	1	-

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1710	55	13	11	-	5	2	-	-	2
1711	41	8	9	1	2	1	-	1	1
1712	32	6	6	3	1	2	-	-	1
1713.01	23	2	3	1	3	-	-	2	-
1713.02	39	9	9	3	-	3	-	-	-
1714.01	18	2	5	1	3	1	-	-	-
1714.02	35	8	4	4	1	4	-	-	-
1715.01	28	11	5	2	2	-	-	1	-
1715.02	53	15	13	2	2	-	-	-	1
1716.01	20	5	6	1	-	1	-	1	-
1716.02	19	5	2	1	1	-	-	-	-
1717	54	9	15	1	5	2	1	-	1
1718.01	34	6	7	1	5	1	-	-	1
1718.02	49	11	8	1	4	2	-	-	1
1719.02	19	3	2	-	-	1	1	-	1
1719.03	58	15	7	1	6	3	-	1	1
1719.12	18	4	6	1	-	2	-	1	-
1719.13	32	9	3	-	-	1	1	2	-
1719.14	21	3	5	1	1	-	-	-	-
1719.15	15	2	3	2	1	1	-	-	-
1719.16	18	1	5	-	2	1	-	-	-
1719.17	20	3	4	-	3	1	-	-	-
1719.18	34	7	9	1	1	3	1	-	1
1719.19	7	3	1	-	-	-	-	-	2
1719.20	40	12	10	1	2	-	-	-	1
1719.21	23	5	5	-	-	1	1	1	1
1719.22	8	2	2	-	-	-	1	2	1
1719.23	36	8	9	2	-	3	-	-	1
1719.24	20	4	3	2	1	2	-	1	1
1719.25	39	11	11	1	2	2	2	1	-
1720.02	84	25	11	2	1	6	2	-	2
1720.03	16	1	5	-	1	1	1	3	-
1720.04	20	4	6	-	2	2	-	-	-
1720.05	10	3	1	-	-	-	-	-	-
1720.06	25	8	9	-	2	-	-	-	1
1720.07	46	7	13	1	2	3	-	1	3
1801.01	49	14	13	1	2	2	-	-	1
1801.02	22	8	5	1	1	1	-	-	-
1802.01	36	13	5	2	1	1	-	-	-
1802.02	70	23	10	3	3	5	-	-	-
1803	24	6	3	1	-	-	-	-	-
1804	34	8	10	2	2	1	-	-	-
1805.01	53	17	4	4	-	6	2	-	1
1805.03	40	10	10	-	4	2	1	-	-
1805.04	30	11	4	1	4	2	-	-	-
1806.02	67	18	15	-	7	2	-	-	-
1806.03	12	5	2	-	-	1	-	-	-
1806.04	44	9	13	1	4	1	-	-	-
1807.01	46	14	4	-	-	6	-	-	-
1807.02	77	23	17	1	2	3	2	-	2
1808	14	5	3	-	1	2	-	-	-
1809.01	41	5	12	-	1	3	-	-	-
1809.02	71	14	9	2	7	3	1	1	3
1810.01	39	5	10	1	1	2	-	-	-
1810.03	18	6	4	-	-	-	1	1	-
1810.04	15	5	4	-	-	1	2	-	-
1810.05	31	9	4	-	3	1	-	-	1
1811	66	15	15	-	4	4	-	-	-
1812	42	12	12	1	3	2	-	-	-
1813.01	18	5	2	1	2	-	1	1	-
1813.02	38	7	11	1	2	1	1	-	-
1813.03	10	1	-	-	1	2	-	-	1

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1814.02	31	6	6	-	1	1	-	-	-
1814.03	43	12	9	-	1	2	1	-	-
1814.04	67	19	9	3	6	4	-	-	2
1815.03	55	11	12	2	4	3	1	-	-
1815.04	26	4	9	-	2	1	3	-	-
1815.05	52	12	13	-	5	2	1	1	-
1815.06	29	8	4	-	1	2	1	-	1
1816.01	37	5	9	4	1	3	-	-	-
1816.02	32	4	11	1	2	1	1	-	1
1817.03	51	12	13	-	2	-	1	1	2
1817.04	28	9	6	2	-	1	-	-	2
1817.05	21	4	4	-	3	3	-	-	-
1817.11	29	9	7	1	1	2	1	1	-
1817.12	27	10	3	-	4	2	-	-	-
1817.13	24	6	7	1	1	1	-	-	-
1817.15	17	4	4	-	2	-	-	-	-
1817.16	28	2	9	2	1	1	1	-	1
1817.18	23	2	8	2	-	-	4	1	-
1817.20	13	2	4	1	2	-	1	-	1
1817.21	12	1	3	-	2	2	-	-	1
1817.22	18	5	4	-	-	1	1	-	-
1817.23	16	3	1	1	2	1	1	-	-
1817.24	7	1	2	1	1	-	-	-	-
1817.25	17	2	3	1	1	1	-	-	2
1817.26	27	9	5	-	4	-	-	1	-
1817.27	16	2	3	-	-	-	-	-	1
1817.28	11	2	2	1	1	-	2	-	-
1817.29	13	3	2	-	-	-	1	-	-
1817.30	14	4	5	1	-	-	-	-	-
1817.31	43	12	9	2	2	1	-	-	1
1818.08	24	8	1	-	3	-	-	-	-
1818.09	33	6	5	2	1	3	2	1	1
1818.11	25	4	5	2	1	2	-	-	-
1818.13	20	4	2	1	2	1	-	2	2
1818.14	11	-	6	1	1	-	-	-	-
1818.15	17	4	5	-	1	-	1	-	-
1818.16	21	5	7	-	1	1	-	-	-
1818.17	23	7	4	1	-	3	-	-	-
1818.18	32	6	9	1	3	1	1	-	-
1818.19	13	3	4	-	-	1	-	-	1
1818.20	2	-	2	-	-	-	-	-	-
1818.21	6	2	1	1	-	-	-	-	-
1818.22	24	5	5	-	2	-	-	-	1
1818.23	8	2	2	-	1	1	-	-	-
1818.24	10	4	1	-	-	1	-	-	-
1818.25	9	1	2	1	1	-	-	-	-
1818.26	28	1	14	-	1	4	-	1	-
1819.01	6	-	3	-	-	-	-	-	1
1819.02	32	6	4	-	4	2	-	-	2
1820.01	15	4	3	-	1	-	-	-	-
1820.02	38	4	15	-	3	-	1	1	2
1820.03	12	1	4	-	1	2	-	1	-
1821.01	32	9	10	-	7	1	1	-	-
1821.02	34	3	14	-	4	2	1	1	-
1821.03	14	2	6	1	-	1	1	-	1
1821.05	13	-	4	-	1	1	-	-	-
1821.06	43	7	11	3	2	-	-	-	-
1901	50	5	9	-	3	4	-	-	-
1902	59	20	7	4	6	2	-	1	-
1904	14	4	4	-	-	-	1	-	-
1905.01	26	6	4	-	1	3	1	-	-
1905.03	31	8	5	2	5	-	-	-	-

Select Causes of Death by Census Tract Bexar County 2013

Tract	All Deaths	Heart Disease	Cancer	Diabetes	COPD	Cerebrovascular	Suicide	Homicide	Infant
1905.04	25	7	6	-	1	1	-	1	-
1906.01	23	6	3	-	1	1	-	-	-
1906.03	26	6	5	1	2	1	-	-	-
1906.04	18	5	1	2	2	1	-	-	-
1907	32	8	7	-	2	1	1	-	1
1908	7	1	1	-	1	1	-	-	-
1909.01	56	10	19	4	1	4	3	-	-
1909.02	31	7	8	1	3	-	1	-	1
1910.03	59	15	14	2	3	2	-	-	3
1910.04	26	9	5	-	-	2	-	-	-
1910.05	16	3	5	1	-	-	1	-	-
1910.06	47	12	11	3	2	1	-	1	-
1911.01	22	5	5	-	3	3	-	-	-
1911.02	50	17	10	-	1	3	2	-	-
1912.01	27	9	5	1	2	2	-	-	1
1912.02	49	11	9	4	4	2	-	-	-
1913.03	15	7	4	-	1	1	-	-	-
1913.04	13	2	2	-	1	-	-	-	1
1914.05	63	11	20	-	4	3	-	-	-
1914.06	36	7	8	2	1	1	2	-	-
1914.08	11	3	2	-	-	-	-	-	-
1914.09	21	3	8	-	-	1	2	-	-
1914.10	12	5	1	-	-	1	1	1	-
1914.11	13	1	4	-	2	1	-	-	-
1914.12	6	1	1	-	-	-	-	-	-
1914.13	40	12	10	-	3	4	-	-	-
1915.03	31	7	7	1	2	2	1	-	-
1915.04	23	4	6	-	1	1	-	-	-
1915.05	19	5	7	-	2	-	-	-	-
1915.06	38	10	11	1	2	1	-	-	-
1917.01	16	6	2	-	-	1	-	-	-
1917.02	48	12	6	1	3	3	-	1	-
1918.04	32	8	7	-	1	1	2	-	-
1918.06	22	4	7	-	1	1	2	-	-
1918.07	25	4	6	-	1	-	-	-	1
1918.08	12	3	4	-	-	-	-	-	-
1918.09	32	7	8	-	1	4	-	-	-
1918.10	9	4	2	-	-	-	-	-	1
1918.11	14	3	6	-	-	-	-	-	1
1918.12	9	-	1	-	3	-	-	-	-
1918.13	33	4	14	-	2	1	-	-	1
1918.14	17	4	5	-	-	1	2	-	-
1918.15	14	5	4	-	-	-	-	-	-
1918.16	35	12	6	-	4	3	-	-	1
1918.17	75	17	12	-	7	4	1	-	1
1919	54	13	8	1	8	2	-	-	1
1920	38	8	5	1	5	-	2	-	1
1921	23	7	8	2	-	1	1	1	-
1922	9	2	3	-	-	1	-	-	-
1923	32	11	6	1	3	2	1	-	1
9800.01	2	-	-	-	-	-	-	-	-
9800.02	-	-	-	-	-	-	-	-	-
9800.03	1	-	-	-	-	-	-	-	1
9800.04	-	-	-	-	-	-	-	-	-
9800.05	-	-	-	-	-	-	-	-	-
sub-Total	11,651	2,787	2,455	402	769	599	171	105	155
not geo-code	268	63	46	5	18	20	3	4	5
Total	11,919	2,850	2,501	407	787	619	174	109	160

Differences due to Unavailable data (unable to assign address to geocode to Census tract).

113 codes	Cause of Death	ICD-9 Codes	ICD-10 Codes
1	Salmonella infections	002-003	A01-A02
2	Shigellosis and amebiasis	004, 006	A03, A06
3	Certain other intestinal infections	007-009	A04, A07-A09
4	Respiratory tuberculosis	010-012	A16
5	Other tuberculosis	013-018	A17-A19
6	Whooping cough	33	A37
7	Scarlet fever and erysipelas	034.1-035	A38, A46
8	Meningococcal infection	36	A39
9	Septicemia	38	A40-A41
10	Syphilis	090-097	A50-A53
11	Acute poliomyelitis	45	A80
12	Arthropod-borne viral encephalitis	062-064	A83-A84, A85.2
13	Measles	55	B05
14	Viral hepatitis	70	B15-B19
15	Human immunodeficiency virus (HIV) disease	042-044	B20-B24
16	Malaria	84	B50-B54
17	Other and unspecified infectious and parasitic diseases and their sequelae	001, 005, 020-032, 037, 039-041, 046-054, 056-061, 065-066, 071-083, 085-088, 098-134, 136-139, 771.3	A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99
18	Malignant neoplasms of lip, oral cavity and pharynx	140-149	C00-C14
19	Malignant neoplasm of esophagus	150	C15
20	Malignant neoplasm of stomach	151	C16
21	Malignant neoplasms of colon, rectum and anus	153-154	C18-C21
22	Malignant neoplasms of liver and intrahepatic bile ducts	155	C22
23	Malignant neoplasm of pancreas	157	C25
24	Malignant neoplasm of larynx	161	C32
25	Malignant neoplasms of trachea, bronchus and lung	162	C33-C34
26	Malignant melanoma of skin	172	C43
27	Malignant neoplasm of breast	174-175	C50
28	Malignant neoplasm of cervix uteri	180	C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified	179, 182	C54-C55
30	Malignant neoplasm of ovary	183	C56
31	Malignant neoplasm of prostate	185	C61
32	Malignant neoplasms of kidney and renal pelvis	189.0, 189.1	C64-C65
33	Malignant neoplasm of bladder	188	C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system	191-192	C70-C72
35	Hodgkin's disease	201	C81
36	Non-Hodgkin's lymphoma	200, 202	C82-C85
37	Leukemia	204-208	C91-C95
38	Multiple myeloma and immunoproliferative neoplasms	203	C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	---	C96
40	All other and unspecified malignant neoplasms	152, 156, 158-160, 163-171, 173, 181, 183.2-184, 186-187, 189.2-190, 193-199	C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97
41	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	210-239	D00-D48
42	Anemias	280-285	D50-D64
43	Diabetes mellitus	250	E10-E14
44	Malnutrition	260-263	E40-E46
45	Other nutritional deficiencies	264-269	E50-E64
46	Meningitis	320-322	G00, G03

47	Parkinson's disease	332	G20-G21
48	Alzheimer's disease	331	G30
49	Acute rheumatic fever and chronic rheumatic heart diseases	390-398	I00-I09
50	Hypertensive heart disease	402	I11
51	Hypertensive heart and renal disease	404	I13
52	Acute myocardial infarction	410	I21-I22
53	Other acute ischemic heart diseases	411	I24
54	Atherosclerotic cardiovascular disease, so described	429.2	I25.0
55	All other forms of chronic ischemic heart disease	412-414	I20, I25.1-I25.9
56	Acute and subacute endocarditis	421	I33
57	Diseases of pericardium and acute myocarditis	420, 422-423	I30-I31, I40
58	Heart failure	428	I50
59	All other forms of heart disease	415-417, 424-427, 429.0-429.1, 429.3-429.9	I26-I28, I34-I38, I42-I49, I51
60	Essential (primary) hypertension and hypertensive renal disease	401, 403	I10, I12
61	Cerebrovascular diseases	430-434, 436-438	I60-I69
62	Atherosclerosis	440	I70
63	Aortic aneurysm and dissection	441	I71
64	Other diseases of arteries, arterioles and capillaries	442-448	I72-I78
65	Other disorders of circulatory system	451-459	I80-I99
66	Influenza	487	J10-J11
67	Pneumonia	480-486	J12-J18
68	Acute bronchitis and bronchiolitis	466	J20-J21
69	Unspecified acute lower respiratory infection	---	J22
70	Bronchitis, chronic and unspecified	490-491	J40-J42
71	Emphysema	492	J43
72	Asthma	493	J45-J46
73	Other chronic lower respiratory diseases	494, 496	J44, J47
74	Pneumoconioses and chemical effects	500-506	J60-J66, J68
75	Pneumonitis due to solids and liquids	507	J69
76	Other diseases of respiratory system	034.0, 460-465, 470-478, 495, 508-519	J00-J06, J30-J39, J67, J70-J98
77	Peptic ulcer	531-534	K25-K28
78	Diseases of appendix	540-543	K35-K38
79	Hernia	550-553	K40-K46
80	Alcoholic liver disease	571.0-571.3	K70
81	Other chronic liver disease and cirrhosis	571.4-571.9	K73-K74
82	Cholelithiasis and other disorders of gallbladder	574-575	K80-K82
83	Acute and rapidly progressive nephritic and nephrotic syndrome	580-581	N00-N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	582-583, 587	N02-N03, N05-N07, N26
85	Renal failure	584-586	N17-N19
86	Other disorders of kidney	588-589	N25, N27
87	Infections of kidney	590	N10-N12, N13.6, N15.1
88	Hyperplasia of prostate	600	N40
89	Inflammatory diseases of female pelvic organs	614-616	N70-N76

90	Pregnancy with abortive outcome	630-639	O00-O07
91	Other complications of pregnancy, childbirth and the puerperium	640-676	O10-O99
92	Certain conditions originating in the perinatal period	760-771.2, 771.4-779	P00-P96
93	Congenital malformations, deformations and chromosomal abnormalities	740-759	Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	780-799	R00-R99
95	All other diseases (Residual)	Residual	Residual
96	Motor vehicle crash	E810-E825	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
97	Unintentional injury: Other land transport	E800-E807, E826-E829	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9
98	Unintentional injury: Water, air and space, and other transport	E830-E848, E929.0, E929.1	V90-V99, Y85
99	Falls	E880-E888	W00-W19
100	Accidental discharge of firearms	E922	W32-W34
101	Accidental drowning and submersion	E910	W65-W74
102	Accidental exposure to smoke, fire and flames	E890-E899	X00-X09
103	Accidental poisoning and exposure to noxious substances	E850-E869, E924.1	X40-X49
104	Other and unspecified nontransport accidents and their sequelae	E900-E909, E911-E921, E923-E924.0, E924.8-E928, E929.2-E929.9	W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86
105	Intentional self-harm (suicide) by discharge of firearms	E955.0-E955.4	X72-X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae	E950-E954, E955.5-E959	X60-X71, X75-X84, Y87.0, ***U03**
107	Assault (homicide) by discharge of firearms	E965.0-E965.4, **E979.4**	X93-X95, ***U01.4**
108	Assault (homicide) by other and unspecified means and their sequelae	E960-E964, E965.5-E969, **E979.0-E979.3, E979.5-E979.9, E999**	X85-X92, X96-Y09, Y87.1, ***U01.0-*U01.3, *U01.5-*U01.9, *U02**
109	Legal intervention	E970-E978	Y35, Y89.0
110	Discharge of firearms, undetermined intent	E985.0-E985.4	Y22-Y24
111	Other and unspecified events of undetermined intent and their sequelae	E980-E984, E985.5-E989	Y10-Y21, Y25-Y34, Y87.2, Y89.9
112	Operations of war and their sequelae	E990-E998	Y36, Y89.1
113	Complications of medical and surgical care	E870-E879, E930-E949	Y40-Y84, Y88

CITY OF SAN ANTONIO
METROPOLITAN HEALTH DISTRICT