2509 Kennedy Circle, Bldg 125 San Antonio, TX 78235

24/7 Phone: 210.207.8876 Fax: 210.207.8807

Bexar County Influenza Surveillance Report, 2018-2019 Season; 2018 MMWR Week 52

(December 23, 2018 - December 29, 2018)

Summary

Influenza activity is widespread in San Antonio and Bexar County. Compared to the previous week, the percentage of patient visits due to influenza-like illness (ILI) increased and there was an increase in reports of positive testing specimens for influenza by the public health and hospital laboratories. There were no influenza-associated pediatric deaths reported this week. One influenza-associated outbreak was reported this week; One has been reported this season.

Table 1: Summary of Recent Bexar County Influenza and Influenza-like Illness (ILI) Activity


	Percent Change from Previous Week	Current Week 52	Previous Week 51	Data Cumulative since September 30, 2018 (Week 40)
Percentage of specimens positive for influenza by hospitals and public health laboratory	个488.9	15.9	2.7	2.5
Percentage of visits due to ILI ⁺	个71.4	4.8	2.8	2.59
Number of variant/novel influenza infections	No change		0	0
Number of pediatric influenza deaths	No change		0	0
Influenza activity code	-	Widespread	Sporadic	-

Note: Data included in this table have been updated since last week's flu report with any new reports received.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Information on patient visits to health care providers for influenza-like illness is collected through Bexar County. Health care providers voluntarily report this information to ILINet.

Figure 1: Percentage of Visits Due to ILI Reported by Bexar County ILINet Participants 2015-2019 Seasons



[†]Based on ILINet data




Figure 2: Percentage of Visits Due to ILI Reported by ILINet Participants, Texas and Bexar County, 2018-2019

Laboratory Results

Hospital and Public Health Laboratory Testing

Hospital laboratories voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Bexar County also submit specimens for influenza testing (PCR) to the San Antonio Metropolitan Health District's (Metro Health) public health laboratory. The results reported by Texas NREVSS participants and Metro Health for the current week are summarized in the table below.

Table 2: Influenza testing performed in Bexar County for the Current and Previous Week

	Current Week	Previous Week	Cumulative since	
	52	51	September 30, 2018 (Week 40)	
Number of specimens tested	370	488	4533	
Number of positive specimens (n, %)	59 (15.9%)	13 (2.7%)	115 (2.5%)	
Positive specimens by type/subtype (n, %)				
Influenza Type A	53 (89.8%)	11 (84.6%)	102 (88.7%)	
Subtyping performed	37 (69.8%)	7 (63.6%)	62 (60.8%)	
H1N1	28 (75.7%)	5 (71.4%)	51 (82.3%)	
H3N2	9 (24.3%)	2 (28.6%)	11 (17.7%)	
Subtyping not performed	16 (30.2%)	4 (36.4%)	40 (39.2%)	
Influenza Type B	6 (10.2%)	2 (15.4%)	13 (11.3%)	

Note: Data included in this table is voluntarily submitted weekly via NREVSS and Metro Health laboratory and reporting may vary from week to week.




Figure 3: Number and Percentage of PCR Tests Positive for Influenza by Type and Subtype, Bexar County, 2018-2019

Sentinel Provider Laboratory Testing

Providers throughout Bexar County also submit test results from influenza rapid testing to the San Antonio Metropolitan Health District on a voluntary basis. These sites are recruited to send this information on a weekly basis. The results from the participating providers are summarized in the table below (Table 3).

Table 3: Influenza testing performed by Bexar County Sentinel Providers

	Current Week 52	Previous Week 51	Cumulative since September 30, 2018 (Week 40)
Number of providers reporting flu tests	19	20	-
Number of positive specimens	214	83	465
Positive specimens by type/subtype (n, %)			
Influenza Type A	183 (85.5%)	65 (78.3%)	363 (78.1%)
Subtyping performed	37 (20.2%)	7 (10.8%)	59 (16.3%)
H1N1	28 (75.7%)	5 (71.4%)	48 (81.4%)
H3N2	9 (24.3%)	2 (28.6%)	11 (18.6%)
Subtyping not performed	146 (79.8%)	58 (89.2%)	304 (83.7%)
Influenza Type B	31 (14.5%)	18 (21.7%)	102 (21.9%)

Note: Data included in this table is voluntarily submitted weekly by our sentinel flu providers. This data may not be comparable to previous flu seasons because providers vary by year.

P&I Mortality Surveillance Data

Pneumonia and influenza (P&I) death data are obtained from death certificates of Bexar County residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza.


Table 4: Bexar County P&I Deaths Occurring September 30, 2018- December 22, 2018 by Age Group

Age Category (years)	Number of P&I	
	Deaths [†]	
0-4	<10	
5-17	<10	
18-49	<10	
50-64	56	
65+	159	

Note: Data are provisional and subject to change, errors, and duplicates

Statewide Influenza Activity Map

Figure 4: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending December 29, 2018 (MMWR Week 52)



1	County Influenza Activity Level
	No information / no reporters
	No activity
	Influenza-like illness only (no laboratory confirmation)
	Rapid test positive flu
	Flu A (confirmed by culture or PCR)
	Flu B (confirmed by culture or PCR)
	Flu A and B (confirmed by culture or PCR)

Note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

Source: http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/


⁺If cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell

Nationwide Influenza Activity Map

Figure 5: US Influenza Activity Estimates

Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists*

Week Ending Dec 29, 2018 - Week 52



*This map indicates geographic spread and does not measure the severity of influenza activity.

 $Source: \underline{https://www.cdc.gov/flu/weekly/usmap.htm}\\$